

**FORM**  
**5A**  
Rev  
09/20

**State of Colorado**  
**Oil and Gas Conservation Commission**  
1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



|    |    |    |    |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:  
403039804  
  
Date Received:  
05/05/2022

**COMPLETED INTERVAL REPORT**

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

|   |                                     |
|---|-------------------------------------|
| 1. OGCC Operator Number: <u>47120</u>                           | 4. Contact Name: <u>Kelsi Welch</u> |
| 2. Name of Operator: <u>KERR MCGEE OIL &amp; GAS ONSHORE LP</u> | Phone: <u>(970) 929-3068</u>        |
| 3. Address: <u>P O BOX 173779</u>                               | Fax: _____                          |
| City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-</u>         | Email: <u>kelsi_welch@oxy.com</u>   |

|  |                            |
|--|----------------------------|
| 5. API Number <u>05-123-51603-00</u>   | 6. County: <u>WELD</u>     |
| 7. Well Name: <u>SBJ</u>   | Well Number: <u>13-1HZ</u> |
| 8. Location: QtrQtr: <u>SWNW</u> Section: <u>13</u> Township: <u>4N</u> Range: <u>68W</u> Meridian: <u>6</u> |                            |
| 9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>  |                            |

### Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date this Formation was Completed: \_\_\_\_\_

Perforations Top: 8244 Bottom: 13836 No. Holes: 327 Hole size: 0.44 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Wellbore was drilled through the Codell formation from 8244'- 8810'; 8911'-11522'; 11621'- 11626'; 11649'- 11759'; 11797'- 13137'; and 13184'- 13836'.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled or Reused Fluids used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date this Formation was Completed: \_\_\_\_\_

Perforations Top: 8810 Bottom: 13184 No. Holes: 21 Hole size: 0.44 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Wellbore was drilled through the Fort Hays formation from 8810'- 8911'; 11522'- 11621'; 11626'- 11649'; 11759'- 11797'; and 13137'- 13184'.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled or Reused Fluids used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: Bbl oil: Mcf Gas: Bbl H2O:
Date: Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-FT HAYS-CODELL Status: SHUT IN Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 03/01/2022 End Date: 03/13/2022 Date this Formation was Completed:
Perforations Top: 7608 Bottom: 13836 No. Holes: 384 Hole size: 0.44 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

3,820 BBL PUMP DOWN; 219,187 BBL SLICKWATER; 223,007 BBL TOTAL FLUID; 5,217,579 LBS WHITE 30/50 OTTAWA/ST. PETERS; 1,699,860 LBS WHITE 40/70 OTTAWA/ST. PETERS; 6,917,439 LBS TOTAL PROPPANT.

This formation is commingled with another formation: Yes No
Total fluid used in treatment (bbl): 223007 Max pressure during treatment (psi): 7997
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft): 0.83
Total acid used in treatment (bbl): 0 Number of staged intervals: 16
Recycled or Reused Fluids used in treatment (bbl): 2700 Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): 0 Disposition method for flowback: RECYCLE
Total proppant used (lbs): 6917439

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: Bbl oil: Mcf Gas: Bbl H2O:
Date: Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type:

Treatment Date: End Date: Date this Formation was Completed:
Perforations Top: 7608 Bottom: 8218 No. Holes: 36 Hole size: 0.44 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

[Empty box]

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled or Reused Fluids used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: [Empty box]

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

**Comment:**

This well was immediately shut in after frac and therefore does not have a date of first production, flowback volumes or test data yet. Another 5A will be submitted when the well is turned on to production.

The estimated TPZ footages on the Form 5 should be revised to 191' FNL & 1,505' FWL, Section 13.

Occidental certifies compliance with Rule 408.u.

See attachment for copy of well path through formations.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Kelsi Welch

Title: Regulatory Consultant Date: 5/5/2022 Email: kelsi\_welch@oxy.com

**Attachment List**

| Att Doc Num | Name              |
|-------------|-------------------|
| 403039804   | FORM 5A SUBMITTED |
| 403040021   | OTHER             |

Total Attach: 2 Files

**General Comments**

| User Group | Comment                                     | Comment Date |
|------------|---|--------------|
| Permit     | Permitting review complete and task passed. | 01/17/2023   |

Total: 1 comment(s)