

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION

Receive Date:

01/19/2023

Document Number:

403295784

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 10459 Contact Person: James Miller
Company Name: EXTRACTION OIL & GAS INC Phone: (720) 984-7460
Address: 370 17TH STREET SUITE 5200 Email: jmiller@civiresources.com
City: DENVER State: CO Zip: 80202
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 321260 Location Type: Well Site
Name: LYNCH-61N69W Number: 6SESE
County: BOULDER
Qtr Qtr: SESE Section: 6 Township: 1N Range: 69W Meridian: 6
Latitude: 40.076372 Longitude: -105.153390

Description of Corrosion Protection

Extraction's corrosion procedures are detailed in its Flowline Management SOP. Coating materials will be used that minimize internal and external corrosion, such as internally coated pipe or stainless steel for water service, and externally coated FBE on all buried steel pipe. If flowlines are repaired due to corrosion, Extraction will investigate the failure, promptly respond with the appropriate remedial actions and determine the root cause and apply corrective actions as necessary. Extraction retains records of its chemical program in the form of Failure Analysis Reports, records of chemical invoices and chemical delivery.

Description of Integrity Management Program

Extraction's integrity management program is detailed in its Flowline Management SOP, which covers flowline installation, operation, maintenance, inspection, testing, and repairs. Prior to beginning any project involving flowlines, Extraction ensures the project plans, flowline installation, flowline maintenance (including repairs) and all flowline inspection and testing projects meet the requirements of the Flowline Management SOP. All pressure tests on flowlines will be conducted by an independent, third party qualified to do such testing. Precautions shall be taken to protect employees and the general public.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 470303 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 321412 Location Type: Well Site ☐
Name: LYNCH MC-61N69W Number: 6SWSE
County: BOULDER No Location ID
Qtr Qtr: SWSE Section: 6 Township: 1N Range: 69W Meridian: 6
Latitude: 40.074530 Longitude: -105.157270

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 07/21/1993
Maximum Anticipated Operating Pressure (PSI): 492 Testing PSI: 492
Test Date: 03/15/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: 05/01/2020

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

Status updated to "Out of Service" to reflect current status of flowline and to match GIS data. Recent pressure test is attached.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 470305 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 321411 Location Type: Well Site ☐
Name: LYNCH MC-61N69W Number: 6NWSE
County: BOULDER No Location ID
Qtr Qtr: NWSE Section: 6 Township: 1N Range: 69W Meridian: 6
Latitude: 40.077750 Longitude: -105.157720

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 07/26/1993
Maximum Anticipated Operating Pressure (PSI): 214 Testing PSI: 214
Test Date: 03/15/2018

OFF LOCATION FLOWLINE Pre-Abandonment Notice

Date: 01/20/2023

Pre-Abandonment 30-day Notice☐ Removed per Rule 1105.d.(2)☒ Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:☒ A. A surface owner agreement executed by a surface owner allows abandonment in place.☐ B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.☐ C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.☐ D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.☐ E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.☐ F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.☐ G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.☐ H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.☐ Abandoned In Place per Rule 1105.d.(3)**Description of Pre-Abandonment Notice:**

Flowline services the Lynch MC 06-10 (05-013-06384). Surface owner request to abandon in place and exhibit of flowline path attached. Flowline will be abandoned as per Rule 1105.d and verified by a third party.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 470304 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location IdentificationLocation ID: 321410 Location Type: Well Site ☐

Name: LYNCH MC-61N69W

Number: 6NESE

County: BOULDER

No Location ID

Qtr Qtr: NESE Section: 6 Township: 1N Range: 69W Meridian: 6

Latitude: 40.078440 Longitude: -105.152020

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375

Bedding Material: Native Materials

Date Construction Completed: 08/04/1993

Maximum Anticipated Operating Pressure (PSI): 515

Testing PSI: 515

Test Date: 03/16/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: 05/01/2020

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

Status updated to "Out of Service" to reflect current status of flowline and to match GIS data. Recent pressure test is attached.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 470306 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 321260 Location Type: Well Site ☐
Name: LYNCH-61N69W Number: 6SESE
County: BOULDER No Location ID
Qtr Qtr: SESE Section: 6 Township: 1N Range: 69W Meridian: 6
Latitude: 40.076372 Longitude: -105.153390

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.750
Bedding Material: Native Materials Date Construction Completed: 09/07/1980
Maximum Anticipated Operating Pressure (PSI): 160 Testing PSI: 160
Test Date: 03/16/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: 01/15/2021

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

This ON-LOCATION FLOWLINE was abandoned per Rule 1105 on 01/15/2021. Form 42 Document #402578419. Previously serviced the Lynch 1-6 Well (05-013-06038).

OPERATOR COMMENTS AND SUBMITTAL

Comments

Form 44 filed to report PRE-ABANDONMENT notification. The following flowline will be abandoned in place: 01306384_FL: services the Lynch MC 06-10 (05-013-06384)
GIS data has previously been submitted. It is anticipated that abandonment operations will start on or about 1/20/2023.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.


Signed: _____ Date: 01/19/2023 Email: flowlines@civiresources.com

Print Name: Stephany Olsen

Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____



Director of COGCC

Date: 1/19/2023

Conditions of Approval

COA Type

Description

Attachment Check List

Att Doc Num

Name

403295784	Form44 Submitted
403295826	PROPOSED ABANDONMENT LAYOUT DRAWING
403295831	CORRESPONDENCE-DOMESTIC TAP

Total Attach: 3 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)