































LTEN	0	Gamma Ray (GAPI)	200	0	3' Amplitude (mV)	100	0	AMPS1	150	200	WVFFFT (usec)	1200	SECTORS
(b)	1000	TT3FT (usec)	180	0	3' Amplified Amplitude	20	0	AMPS2	150		(m)		
LSPD		CCL	0	0	(mV)		0	AMPS3	150				
(ft/min)		TEMP (degF)		0			0	AMPS4	150				
500				0			0	AMPS5	150				
-500				0			0	AMPS6	150				
				0			0	AMPS7	150				
				0			0	AMPS8	150				
				0			0	TEMP (degF)	100				

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Cable Head-Titan_144 1 7/16" Titan Cable Head	1.03	1.44	2.00
			Overbody-tekco	2.00	2.75	5.00
TEMP	11.56		PROBE-RBT-DIGITAL-RBL-DCT (140139_DD1) Probe 2 3/4" Radii Bond with Temp-Corrosion Package	9.21	2.75	105.00
WVFS8	9.27					
WVFS7	9.27					
WVFS6	9.27					
WVFS5	9.27					
WVFS4	9.27					
WVFS3	9.27					
WVFS2	9.27					
WVFS1	9.27					
WVFCAL	9.27					
WV3FT	9.27					
WV5FT	8.27					
HEADVOLT	5.08					
CCL	4.47					
DCCL	4.20					

GCT_TEMP	3.41					
GR	2.72		PROBE-GR/CCL-DIGITAL-275 Probe GCT (2107028) Probe 2 3/4" Gamma Ray/Temp/CCL 6 Pin	4.75	2.75	60.00
			Overbody-tekco	2.00	2.75	5.00
			Bullnose-PROBE Probe Go Pin Pressure Cap	0.33	1.38	1.00
Dataset:		chevron_guttersen_c28_725_rcbl_12_19_2022.db: field/well/2200psi/pass5				
Total length:		15.32 ft				
Total weight:		181.00 lb				
O.D.:		4.50 in				

Database File chevron_guttersen_c28_725_rcbl_12_19_2022.db
 Dataset Pathname 2200psi/pass5
 Dataset Creation Mon Dec 19 15:04:57 2022

Gamma Ray Calibration Report

Serial Number:	2107028		
Tool Model:	275 Probe GCT		
Performed:	Wed Sep 21 08:38:08 2022		
Calibrator Value:	200.0	GAPI	
Background Reading:	43.9	cps	
Calibrator Reading:	269.1	cps	
Sensitivity:	0.8851	GAPI/cps	

Segmented Cement Bond Log Calibration Report

Serial Number:	140139_DD1		
Tool Model:	RBL-DCT		
Calibration Casing Diameter:	5.500	in	
Calibration Depth:	319.317	ft	

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.016	0.467	0.500	71.921	148.052	2.800
CAL	0.019	0.261				
5'	-0.007	0.410	0.500	71.921	171.395	1.652
SUM						
S1	-0.028	0.519	0.000	100.000	182.902	5.127
S2	-0.037	0.508	0.000	100.000	183.547	6.808
S3	-0.038	0.477	0.000	100.000	193.974	7.419
S4	-0.031	0.505	0.000	100.000	188.543	5.760
S5	-0.013	0.502	0.000	100.000	193.990	2.539
S6	-0.001	0.508	0.000	100.000	196.195	0.235
S7	-0.003	0.520	0.000	100.000	191.194	0.544
S8	-0.015	0.517	0.000	100.000	187.810	2.837

Air Zero Calibration, performed Mon Dec 19 08:20:13 2022:

	Raw (v)		Calibrated (v)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000		0.000	
5'	0.000		0.000		0.000	
SUM						
S1	0.000		0.000		0.000	
S2	0.000		0.000		0.000	
S3	0.000		0.000		0.000	
S4	0.000		0.000		0.000	
S5	0.000		0.000		0.000	
S6	0.000		0.000		0.000	
S7	0.000		0.000		0.000	
S8	0.000		0.000		0.000	

Temperature Calibration Report

Serial Number:	140139_DD1		
Tool Model:	RBL-DCT		
Performed:	(Not Performed)		
	Reference	Reading	
Low Reference:	0.00 degF	0.00	degF
High Reference:	1.00 degF	1.00	degF
Gain:	1.00		
Offset:	0.00		
Delta Spacing:	1		

	Company	Chevron
	Well	Guttersen C28-725
	Field	Wattenberg
	County	Weld
	State	Colorado