

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
403300420

Date Received:
01/24/2023

FIR RESOLUTION FORM

Overall Status:

CA Summary:

4 of 4 CAs from the FIR responded to on this Form

4 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 31250

Name of Operator: FRITZ & DIGMAN INC

Address: PO BOX 70024

City: ALBUQUERQUE State: NM Zip: 87197-0024

Contact Name and Telephone:

Name:

Phone: () Fax: ()

Email:

Additional Operator Contact:

Contact Name

Phone

Email

Karchmer, Alan

(702) 221-9273

bagau@cox.net

Andrews, Vern

vern@walsheng.net

COGCC INSPECTION SUMMARY:

FIR Document Number: 700300442

Inspection Date: 09/30/2022

FIR Submit Date: 10/04/2022

FIR Status:

Inspected Operator Information:

Company Name: ALAN HOWARD KARCHMER LIVING TRUST

Company Number: 46220

Address: 8645 LINDEN DR

City: PRAIRIE VILLAGE State: KS Zip: 66207

LOCATION - Location ID: 325084

Location Name: KROEGER-N33N12W Number: 34SENE County: LA PLATA

Qtrqtr: SENE Sec: 34 Twp: 33N Range: 12W Meridian: N

Latitude: 37.063170 Longitude: -108.130430

FACILITY - API Number: 05-067- -00 Facility ID: 213958

Facility Name: KROEGER Number: 1

Qtrqtr: SENE Sec: 34 Twp: 33N Range: 12W Meridian: N

Latitude: 37.063170 Longitude: -108.130430

CORRECTIVE ACTIONS:

1 CA# 164935

Corrective Action: Keep containment berm area free of weeds and mature plants such as sagebrush.

Date: 11/02/2022

Response: CA COMPLETED

Date of Completion: 11/22/2022

Operator
Comment:

Berm containment is free of weeds

COGCC Decision:

COGCC
Representative:

2 CA# 164936

Corrective Action: Control and contain spills/releases and clean up free fluids per Rule 912.a. within 24 hours of inspection delivery, remove/remediate impacted materials no later than 10/19/2022.

Date: 10/06/2022

Response: CA COMPLETED

Date of Completion: 11/22/2022

Operator
Comment: Inspection intervals to prevent mitigation of chemicals

COGCC Decision:

COGCC
Representative:

3 CA# 164937

Corrective Action: Increase self inspection and maintenance intervals to prevent migration of chemicals from equipment to bare ground

Date: 10/06/2022

Response: CA COMPLETED

Date of Completion: 11/22/2022

Operator
Comment: Inspection intervals to prevent mitigation of chemicals

COGCC Decision:

COGCC
Representative:

4 CA# 164938

Corrective Action: Securely fasten all valves, pipes, fittings, and Production Facilities to ensure good mechanical condition, inspect at regular intervals and maintain in good mechanical condition per Rule 608.e.

Date: 10/06/2022

Response: CA COMPLETED

Date of Completion: 11/22/2022

Operator
Comment: Securely fastened all valves, pipes and production facilities to ensure good mechanical condition

COGCC Decision:

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Shawna Martinez

Signed:

Title: Regulatory

Date: 1/24/2023 2:13:56 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403300429	Inspection intervals to prevent mitigation of chemicals
403300430	Removed crude oil at wellhead
403300433	Removed crude oil at wellhead

Total Attach: 3 Files