

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 10/07/2022 Document Number: 403175151

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 10633 Contact Person: James Miller Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 984-7460 Address: 1801 CALIFORNIA STREET #2500 Email: jmiller@civiresources.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 458550 Location Type: Production Facilities Name: Godding Gulch 12-26 Number: 062020183 County: WELD Qtr Qtr: SWNW Section: 26 Township: 2N Range: 68W Meridian: 6 Latitude: 40.111128 Longitude: -104.975389

Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473029 Flowline Type: Wellhead Line Action Type: Abandonment Verification

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336474 Location Type: Well Site   
Name: GODDING GULCH-62N68W Number: 26SEW  
County: WELD No Location ID  
Qtr Qtr: SENW Section: 26 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.111117 Longitude: -104.973616

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 03/19/2006  
Maximum Anticipated Operating Pressure (PSI): Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Abandonment Verification**

Date: 08/26/2022

**Abandonment Verification**

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).  
(No Jurisdiction)

**Description of Abandonment Verification:**

The flowline 12321685FL serving the Godding Gulch 22-26 (05-123-21685). was removed in its entirety via the open trench method. The trench was backfilled and the land surface was graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473320 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336474 Location Type: Well Site   
Name: GODDING GULCH-62N68W Number: 26SEW  
County: WELD No Location ID  
Qtr Qtr: SENW Section: 26 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.111117 Longitude: -104.973616

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Date Construction Completed: 03/19/2006  
Maximum Anticipated Operating Pressure (PSI): Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 04/14/2022

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

The flowline is a duplicate of Flowline Facility ID: 473029 (Operator Flowline ID: 12321685\_FL)

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473030 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336474 Location Type: Well Site   
Name: GODDING GULCH-62N68W Number: 26SENW  
County: WELD No Location ID  
Qtr Qtr: SENW Section: 26 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.111117 Longitude: -104.973616

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Date Construction Completed: 01/09/2010  
Maximum Anticipated Operating Pressure (PSI): Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 04/14/2022

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

The flowline is a duplicate of Flowline Facility ID: 473319 (Operator Flowline ID: 12322608\_FL)

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 459992 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 323235 Location Type: Well Site   
Name: GODDING GULCH-62N68W Number: 26NENW  
County: WELD No Location ID  
Qtr Qtr: NENW Section: 26 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.113647 Longitude: -104.974066

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 3.000  
 Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/15/1989  
 Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
 Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**Date: 06/26/2018**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

Flowline was disconnected from wellhead and from separator. Both ends plugged below ground. Flowline was flushed with 25bbls fresh water prior to plugging. Line was verified free of hydro carbons with LEL monitor. Line was cut below ground level. Line was capped on both ends with 120lbs of slurry per state NTO, then backfilled on both ends.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473319 Flowline Type: Wellhead Line Action Type: Abandonment Verification

**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 336474 Location Type: Well Site   
 Name: GODDING GULCH-62N68W Number: 26SENW  
 County: WELD No Location ID  
 Qtr Qtr: SENW Section: 26 Township: 2N Range: 68W Meridian: 6  
 Latitude: 40.111117 Longitude: -104.973616

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
 Bedding Material: \_\_\_\_\_ Date Construction Completed: 01/09/2010  
 Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
 Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Abandonment Verification**Date: 08/26/2022**Abandonment Verification**

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).

(No Jurisdiction)

**Description of Abandonment Verification:**

The flowline 12322608FL serving the Godding Gulch 21-26 (05-123-22608) was removed in its entirety via the open trench method. The trench was backfilled and the land surface was graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 459991 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 333184 Location Type: Well Site   
Name: GRANT-62N68W Number: 26SENW  
County: WELD No Location ID  
Qtr Qtr: SWNW Section: 26 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.111003 Longitude: -104.977450

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 3.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 04/30/2004  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 06/26/2018

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

Flowline was disconnected from wellhead and from separator. Flowline was flushed with 25bbbls fresh water prior to plugging. Line was verified free of hydro carbons with LEL monitor. Line was cut and plugged below ground level. Line was capped on both ends with 120lbs of slurry per state NTO, then backfilled on both ends.

**OPERATOR COMMENTS AND SUBMITTAL**

Comments Form 44 filed to report POST-ABANDONMENT notification. The following flowlines were removed in their entirety:  
12322608\_FL: serviced the Godding Gulch 21-26 (05-123-22608)  
12321685\_FL: serviced the Godding Gulch 22-26 (05-123-21685)  
The following 2 flowlines are duplicate and can be marked as inactive: 473320 and 473030  
Updated GIS data attached.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 10/07/2022 Email: flowlines@civiresources.com

Print Name: Stephany Olsen Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  \_\_\_\_\_ Director of COGCC Date: 1/30/2023

## Conditions of Approval

**COA Type**

**Description**

--	--

### Attachment Check List

**Att Doc Num**

**Name**

403175151	Form44 Submitted
403190645	OFF-LOCATION FLOWLINE GIS SHP
403190646	OFF-LOCATION FLOWLINE GIS SHP

Total Attach: 3 Files

### General Comments

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval

Total: 0 comment(s)