



00572705

Schlumberger

COMPENSATED NEUTRON POROSITY
WITH FDC POROSITY & GR LOG

K IOWA COUNTY FIELD LOCATION SEC. 8-19S-45W WELL DAWSON NO. 6 COMPANY INEXCO OIL CO.	COMPANY INEXCO OIL COMPANY	
	WELL DAWSON NO. 6	
	FIELD BRANDON	
	COUNTY K IOWA STATE COLORADO	
LOCATION C SW NE		Other Services: FDC-GR
Sec. 8 Twp. 19S Rge. 45W		
Permanent Datum G.L. Elev. 3877		Elev.: K.B. 3886 D.F. - G.L. 3877
Log Measured From K.B. 9 Ft. Above Perm. Datum		
Drilling Measured From K.B.		
Date	5-10-71	
Run No.	ONE	
Depth-Driller	4735	
Depth-Logger	4731	
Blk. Log Interval	4730	
Top Log Interval	178	
Casing-Driller	8-5/8 @ 178	
Casing-Logger	178	
Bit Size	7-7/8	
Type Fluid in Hole	CHEM-GEL	
Dens. Visc.	9.2 38	
pH Fluid Loss	6.5 14.4ml	
Source of Sample	PIT	
R ₁ @ Meas. Temp.	98 @ 62 °F	
R ₂ @ Meas. Temp.	123 @ 63 °F	
R ₃ @ Meas. Temp.	- @ - °F	
Source R ₁ R ₂ R ₃	M - -	
R ₄ @ BHT	46 @ 130 °F	
Time Since Circ.	3 HOURS	
Max. Rec. Temp.	130 °F	
Equip. Location	56571 FM	
Recorded By	HALL	
Witnessed By	PLANT, BILLY	

The well name, location and borehole reference data were furnished by the customer.

Reproduced By
Electrical Log Services
MCKINNEY, TEXAS 75061BEST IMAGE
AVAILABLE

REFERENCE K 8255L




/6 COMPLETION RECORD

SPUD DATE

COMP DATE

OST RECORD

APPENDIX



800

900

1000

1100

1200

1300

1400

1500

