

FORM  
2

Rev  
05/22

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403127277

Date Received:

12/22/2022

APPLICATION FOR PERMIT TO

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

Amend ☐

TYPE OF WELL OIL ☐ GAS ☒ COALBED ☐ OTHER: \_\_\_\_\_

Refill ☐

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: Leverich

Well Number: WMC 523-18-793

Name of Operator: TEP ROCKY MOUNTAIN LLC

COGCC Operator Number: 96850

Address: 1058 COUNTY ROAD 215

City: PARACHUTE

State: CO

Zip: 81635

Contact Name: Melissa Luke

Phone: (970)263-2721

Fax: ( )

Email: mluke@terraep.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

COGCC Financial Assurance

☒ The Operator has provided or will provide Financial Assurance to the COGCC for this Well.

Surety ID Number (if applicable): 20160057

Federal Financial Assurance

☐ In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$ \_\_\_\_\_

WELL LOCATION INFORMATION

Surface Location

QtrQtr: LOT 3 Sec: 13 Twp: 7S Rng: 94W Meridian: 6

Footage at Surface: 1422 Feet FSL 814 Feet FEL

Latitude: 39.435639

Longitude: -107.829002

GPS Data:

GPS Quality Value: 2.4

Type of GPS Quality Value: PDOP

Date of Measurement: 08/04/2021

Ground Elevation: 8007

Field Name: RULISON

Field Number: 75400

Well Plan: is ☒ Directional ☐ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 13 Twp: 7S Rng: 94W

Footage at TPZ: 1422 FSL 814 FEL

Measured Depth of TPZ: 7553

True Vertical Depth of TPZ: 7051

FNL/FSL

FEL/FWL

**Base of Productive Zone (BPZ)**

Sec: 18 Twp: 7S Rng: 93W Footage at BPZ: 1474 FSL 1560 FWL  
Measured Depth of BPZ: 10508 True Vertical Depth of BPZ: 10006 FNL/FSL FEL/FWL

**Bottom Hole Location (BHL)**

Sec: 18 Twp: 7S Rng: 93W Footage at BHL: 1474 FSL 1560 FWL  
FNL/FSL FEL/FWL

**LOCAL GOVERNMENT PERMITTING INFORMATION**

County: GARFIELD Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☒ Yes ☐ No

☒ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 11/14/2022

Comments: TEP Rocky Mountain LLC received an approved Oil and Gas Permit from the Garfield County on 11/14/22.

**SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION**

Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Mineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Bond (if applicable): \_\_\_\_\_ Surety ID Number (if applicable): \_\_\_\_\_

**MINERALS DEVELOPED BY WELL**

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- ☒ Fee  
☐ State  
☐ Federal  
☐ Indian  
☐ N/A

## LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

Approximately 420 acres described as follows:

Township 7 South, Range 94 West, Section 13: Lots 2, 3, 4, SW/4NE/4, W/2SE/4

Township 7 South, Range 93 West, Section 18: Lots 2, 3, 4, NE/4SW/4, SE/4NW/4, NW/4SE/4, NE/4SE/4, SE/4SW/4

Less and except a parcel of land situated in the NW/4 more particularly described by the metes and bounds recorded at Reception No. 742468

(LEASE MAP IS ATTACHED)

Total Acres in Described Lease: 420

Described Mineral Lease is: ☒ Fee ☐ State ☐ Federal ☐ Indian

Federal or State Lease # \_\_\_\_\_

## SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 1506 Feet  
Building Unit: 1480 Feet  
Public Road: 1368 Feet  
Above Ground Utility: 5280 Feet  
Railroad: 5280 Feet  
Property Line: 938 Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
WILLIAMS FORK	WMFK	1-229		

Federal or State Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

## SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? No

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: 1257 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: 351 Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

## SPACING & FORMATIONS COMMENTS

### DRILLING PROGRAM

Proposed Total Measured Depth: 10858 Feet

TVD at Proposed Total Measured Depth 10356 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: \_\_\_\_\_ Feet ☒ No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than

or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted? No

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

### CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	30	20	X65	78..67	0	80	200	80	0
SURF	13+1/2	9+5/8	J55	36.0	0	1130	278	1130	0
1ST	8+3/4	4+1/2	P110	11.6	0	10858	797	10858	6052

☐ Conductor Casing is NOT planned

### POTENTIAL FLOW AND CONFINING FORMATIONS

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Confining Layer	U WASATCH	0	0	4405	4086			
Hydrocarbon	WASATCH G SAND	4405	4086	4954	4586			POTENTIAL LOSS ZONE/NON-PRODUCTIVE ZONE
Hydrocarbon	FT UNION	4954	4586	6552	6061			
Hydrocarbon	L WASATCH	6552	6061	6981	6481			
Hydrocarbon	OHIO CREEK	6981	6481	7556	7051			POTENTIAL LOSS ZONE
Hydrocarbon	TOP GAS	7553	7051	9639	9137			
Hydrocarbon	U MESAVERDE	7556	7051	9639	9137			
Hydrocarbon	CAMEO	9639	9137	10508	10006			
Hydrocarbon	ROLLIN	10508	10006	10858	10356			

### OPERATOR COMMENTS AND SUBMITTAL

Comments: Nearest offset well producing from the same lease and permitted or completed in the same formation: Leverich WMC 423-18-793 (Doc #403127250).  
OGDP application (Docket# 220700189) was approved on 11/30/2022, Form 2A (Doc# 403064316) approved on 12/13/2022.

This application is in a Comprehensive Area Plan \_\_\_\_\_ No \_\_\_\_\_ CAP #: \_\_\_\_\_  
Oil and Gas Development Plan Name South Leverich 13-09 OGD ID#: 482745  
Location ID: 335045

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Melissa Luke

Title: Regulatory Specialist Date: 12/22/2022 Email: mluke@terraep.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved:  \_\_\_\_\_ Director of COGCC Date: 2/3/2023

Expiration Date: 11/29/2025

**API NUMBER**

05 045 24557 00

## **Conditions Of Approval**

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

<b><u>COA Type</u></b>	<b><u>Description</u></b>
Drilling/Completion Operations	Operator will log two (2) wells with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing for the two stratigraphically deepest wells on each side of the pad
Construction	If conductors are preset, operator shall comply with Notice to Operators: Procedures for Preset Conductors (dated September 1, 2016).
Drilling/Completion Operations	<p>1.Operator shall comply with the most current revision of the Northwest Notification Policy.</p> <p>2.Operator shall comply with the most current revision of the Garfield County Rulison Field Notice to Operators, with the following exception: All field notice requirements specified in that Notice to Operators are superseded by the requirements of the most current revision of the Northwest Colorado Notification Policy (see Condition of Approval #1).</p> <p>3.Operator shall comply with the Notice to Operators Drilling Wells in the Buzzard, Mamm Creek, and Rulison fields, Garfield County and Mesa County – Procedures and Submittal Requirements for Compliance with COGCC Order Nos. 1-107, 139-56, 191-22, and 369-2 (July 8, 2010).</p> <p>4.Operator shall provide cement coverage from the production casing shoe (4 1/2" FIRST STRING) to a minimum of 200' above the Lower Wasatch (as defined by COGCC in the report "Casing and Cement Standards for Geologic Isolation Piceance Basin Bradenhead Monitoring Area and Nearby Fields," dated April 18, 2016, COGCC Document No. 2056199, Appendix A Field Scout Cards and Annotated Type Logs) to provide isolation of the Lower Wasatch, all Mesaverde Group formations including the Ohio Creek Formation, and underlying formations, if penetrated. Verify production casing cement coverage with a cement bond log.</p>
Interim Reclamation	Operator shall comply with Notice to Operators: Interim Reclamation Procedures for Delayed Operations (dated January 5, 2017).
4 COAs	

## **Best Management Practices**

<b><u>No</u></b>	<b><u>BMP/COA Type</u></b>	<b><u>Description</u></b>
1	Drilling/Completion Operations	Alternative Logging Program: One of the first wells drilled on this pad will be logged with an open-hole resistivity log with gamma-ray, from TD into the 9 5/8" casing shoe. All wells on the pad will have a cement bond log (CBL) with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs will state "Alternative Logging Program - No open-hole logs were run" and will clearly identify the type of log and the well (by API#) in which open-hole logs were run.

Total: 1 comment(s)

## **Attachment List**

<u>Att Doc Num</u>	<u>Name</u>
403127277	FORM 2 SUBMITTED
403227796	WELL LOCATION PLAT
403229761	DIRECTIONAL DATA
403229763	LEASE MAP
403229764	DEVIATED DRILLING PLAN
403249820	OffsetWellEvaluations Data
403300191	OffsetWellEvaluations Data
403312164	OFFSET WELL EVALUATION

Total Attach: 8 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final Review Completed.	02/03/2023
Permit	Added Open Hole Logging BMP	02/03/2023
Engineer	<p>Bottom-hole location is within Lower Wasatch 200 ft. coverage area and BHTA</p> <p>Offset water well check: COGCC evaluated offset water wells within one mile of this proposed well's surface hole location. This information in addition to locally-available geophysical logs and hydrogeologic information was used to evaluate the adequacy of the operator's proposed surface casing setting depth. The deepest water well within one mile is 172 feet.</p> <p>Offset Well Evaluation: Existing offset oil and gas wells within 1,500 feet of this wellbore meet standards. No mitigation required.</p> <p>Uploaded a new copy of the offset well evaluation that was requested by Area Engineer to add a well</p> <p>Changed surface and production casing setting depth from TVD to MD per drilling plan</p>	01/24/2023
Permit	Passed Permitting review.	01/23/2023
OGLA	The Commission approved OGDG #482745 on November 30, 2022 for the Oil and Gas Location related to this Form 2. OGLA task passed.	12/22/2022

Total: 5 comment(s)