



00573302

RECEIVED

OCT 18 1966

Perforation Record #2 Harrison **COLO. OIL & GAS CONS. COMM.**

<u>Interval</u>	<u>Size</u>	<u>Number</u>
4559-64	0.47"	6
4572-83	"	12
4596-99	"	4
4608-10	"	3
4624-27	"	4
4657-61	"	5
4678-82	"	5
4694-96	"	3
4704-8	"	5
4714-18	"	5
4723-27	"	5
4731-70	"	40
4803-06	"	4

Acidizing Record #2 Harrison

<u>Interval</u>	<u>Amount & type of material used</u>
4803-06	500 gals. of MCA w/non-emulsifiers
4730-4770	1220 gals. " " " " "
4670-4730	1180 gals. " " " " "
4643-4670	1180 gals. " " " " "
4548-4650	1500 gals. " " " " "
4557-4770	20,000 gals. of 15% HCl gelled and w/non emulsifiers

DST Record for #2 Harrison

DST #1 4518-4601' (corr.). IO 10 min., ISI 60 min., 2nd open 120 min., FSI 120 min. Weak to fair blow throughout - NGTS. Rec. 514' of O & GCM. HP 2387-2387#, FP 82-229#, SIP 822-807#

DST #2 4795-4813'. IO 10 min. w/weak blow, ISI 60 min., 2nd open 120 min. w/ very weak blow increasing slightly throughout - NGTS. Rec. 167' of oil, slightly gas cut and 365' of heavily oil and slightly gas cut mud. HP 2387-2263#, FP 56-211#, SIP 900-891#.