

Location

Overall Good:

Emergency Contact Number:

Comment:

Corrective Action:

Date: _____

Good Housekeeping:

Type	WEEDS		
Comment:	PHOTO 4: UNUSED EQUIPMENT (WELLHEAD HOUSE).		
Corrective Action:	REMOVE OR USE UNUSED EQUIPMENT PER RULE 606. FIRR WAS NEVER SUBMITTED, IF CORRECTIVE ACTION HAS NOT BEEN ADDRESSED, IMMEDIATE ACTION IS REQUIRED.	Date:	<u>09/03/2022</u>
Type	OTHER		
Comment:	AN FIRR HAS NOT BEEN SUBMITTED.		
Corrective Action:	Submit Field Inspection Report Resolution form (FIRR) per rule 210.b. & 207. Include photos showing corrective actions resolved if possible.	Date:	<u>02/21/2023</u>

Overall Good:

Spills:				
Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

Venting:

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Inspected FacilitiesFacility ID: 416405 Type: WELL API Number: 071-09807 Status: PR Insp. Status: PR**COGCC Comments**

Comment	User	Date
THIS IS A FOLLOW UP TO INSP. DOC #6951064630, AN FIRR HAS NOT BEEN SUBMITTED IMMEDIATE ACTION IS REQUIRED.	beardsit	02/09/2023

Attached DocumentsYou can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
403317027	INSPECTION SUBMITTED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6015287
695107577	ORIG. INSP. PHOTOS	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6015267