

Document Number:
 403320417
 Date Received:

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 34720 Contact Name: John Gordon
 Name of Operator: GORDON ENGINEERING INC Phone: (970) 618-0811
 Address: PO BOX 3525 Fax: _____
 City: GRAND JUNCTION State: CO Zip: 81502 Email: johngordon1gordon@yahoo.com

For "Intent" 24 hour notice required, Name: _____ Tel: _____
 Email: _____
COGCC contact:

Type of Well Abandonment Report: Notice of Intent to Abandon Subsequent Report of Abandonment

API Number 05-103-08264-00
 Well Name: FEDERAL Well Number: 9-3
 Location: QtrQtr: NWNE Section: 9 Township: 2S Range: 101W Meridian: 6
 County: RIO BLANCO Federal, Indian or State Lease Number: 44344
 Field Name: PHILADELPHIA CREEK Field Number: 68700

Only Complete the Following Background Information for Intent to Abandon

Latitude: 39.894417 Longitude: -108.732394
 GPS Data: GPS Quality Value: 6.0 Type of GPS Quality Value: _____ Date of Measurement: 11/20/2008
 Reason for Abandonment: Dry Production Sub-economic Mechanical Problems
 Other _____
 Casing to be pulled: Yes No Estimated Depth: _____
 Fish in Hole: Yes No If yes, explain details below
 Wellbore has Uncemented Casing leaks: Yes No If yes, explain details below
 Details: _____

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
MANCOS B	2302	2528	01/18/2023	RETAINER/SQUEEZED	2154
Total: 1 zone(s)					

Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	12+1/4	8+5/8	H-40	24.00	0	302	300	302	0	VISU
1ST	7+7/8	4+1/2	K-55	11.60	0	2756	290	2756	1481	CBL

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth _____ with _____ sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
 CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
 CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 70 sks cmt from 1075 ft. to 900 ft. Plug Type: CASING Plug Tagged:
 Set 70 sks cmt from 350 ft. to 220 ft. Plug Type: CASING Plug Tagged:
 Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
 Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
 Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:

Perforate and squeeze at 2104 ft. with 35 sacks. Leave at least 100 ft. in casing 2204 CICR Depth
 Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
 Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
 (Cast Iron Cement Retainer Depth)

Set 70 sacks half in. half out surface casing from 350 ft. to 220 ft. Plug Tagged:
 Set 20 sacks at surface
 Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: Yes No
 Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: 0 ft. of _____ inch casing Number of Days from Setting Surface Plug to Capping or Sealing the Well: 8
 Surface Plug Setting Date: 01/20/2023 Cut and Cap Date: 01/28/2023
 *Wireline Contractor: Peak Well Service LLC *Cementing Contractor: Peak Well Service LLC
 Type of Cement and Additives Used: Class "G" with Calcium Chloride
 Flowline/Pipeline has been abandoned per Rule 1105 Yes No

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: JOHN I. GORDON
 Title: ENGINEER Date: _____ Email: johngordon1gordon@yahoo.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY: _____

COA Type	Description
0 COA	

Attachment List

<u>Att Doc Num</u>	<u>Name</u>
403327373	CEMENT JOB SUMMARY
403327376	OPERATIONS SUMMARY
403327382	WELLBORE DIAGRAM

Total Attach: 3 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)