

FORM

6

Rev
11/20

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

403337356

Date Received:

03/08/2023

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 41810

Contact Name: Cal St. John

Name of Operator: HUMISTON* G EVERETT

Phone: (720) 545-5624

Address: 41364 COUNTY RD J

Fax:

City: MANCOS State: CO Zip: 81328

Email: cal.stjohn@state.co.us

For "Intent" 24 hour notice required,

Name: Labowskie, Steve

Tel: (970) 946-5073

COGCC contact:

Email: steve.labowskie@state.co.us

Type of Well Abandonment Report: ☒ Notice of Intent to Abandon ☐ Subsequent Report of Abandonment

API Number 05-083-06110-00

Well Name: HUMISTON, EVERETT (OWP)

Well Number: 1

Location: QtrQtr: SENW Section: 33 Township: 36N Range: 13W Meridian: N

County: MONTEZUMA

Federal, Indian or State Lease Number:

Field Name: WILDCAT

Field Number: 99999

Only Complete the Following Background Information for Intent to Abandon

Latitude: 37.336372 Longitude: -108.289377

GPS Data: GPS Quality Value: 2.2 Type of GPS Quality Value: Date of Measurement: 05/05/2011

Reason for Abandonment: ☐ Dry ☐ Production Sub-economic ☐ Mechanical Problems☒ Other Orphaned WellCasing to be pulled: ☐ Yes ☒ No Estimated Depth:Fish in Hole: ☐ Yes ☒ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☒ No If yes, explain details below

Details:

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
GALLUP	480	490			

Total: 1 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	10	8+3/4	UNK	44	0	60	30	60	0	VISU
1ST	8	6	UNK	22	0	280	40	280	0	VISU
OPEN HOLE	8				280	900				

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 230 with 80 sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 50 sks cmt from 900 ft. to 725 ft. Plug Type: OPEN HOLE Plug Tagged: ☒

Set 80 sks cmt from 490 ft. to 210 ft. Plug Type: OPEN HOLE Plug Tagged: ☒

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing

Surface Plug Setting Date: _____ Cut and Cap Date: _____ Number of Days from Setting Surface Plug to Capping or Sealing the Well: _____

*Wireline Contractor: _____

*Cementing Contractor: _____

Type of Cement and Additives Used: _____

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

Technical Detail/Comments:

Kill the well - Do not assume well is dead.
Remove rods, tubing, tubing anchor/packer/BHA.
Remove any obstructions in the well to reach PBTD.
Roll the hole.

RIH w/gauge ring & tag existing PBTD.

Run CBL/CCL/Caliper Log.

Plug #1 - Pump 50 sx @ 900'.

Plug #2 - Pump 80 sx @ 490' WOC & Tag.

Plug #3 - Set CIBP @ 230' or on top on cement inside production casing, * Make sure TOC is inside production casing. Pressure test casing after setting CIBP. Pump 80 sx to surface.

After 5 days.

Fill cement to surface in all annuli w/additional sx as needed.

Cut, cap, and bury per COGCC rules/regulations/guidelines.

This is resubmittal of previously approved but expiring on 3/25/2023 Form 6I document number 403150010. Contractor equipment availability and adverse winter weather conditions have delayed the Orphaned Well Program Southwest Plugging Project requiring Form 6I resubmittal. The plugging project is underway with P&A work scheduled but will not be completed prior to Form 6I expiration.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Cal St. John

Title: OWP West Field Specialist

Date: 3/8/2023

Email: cal.stjohn@state.co.us

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:

Date: 3/23/2023

CONDITIONS OF APPROVAL, IF ANY:

Expiration Date: 9/22/2023

COA Type

Description

	Operator shall implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well plugging operations do not constitute a nuisance or hazard to public welfare.
	Bradenhead COAs: Prior to starting plugging operations, a bradenhead test shall be performed if there has not been a reported bradenhead test within the 60 days immediately preceding the start of plugging operations. 1) If, before opening the bradenhead valve, the beginning pressure is greater than 25 psi, sampling is required. 2) If pressure remains at the conclusion of the test, or if any liquids were present during the test, sampling is required. The Form 17 shall be submitted within 10 days of the test. Sampling shall comply with Operator Guidance - Bradenhead Testing and Reporting Instructions. If samples are collected, copies of all final laboratory analytical results shall be provided to the COGCC within three (3) months of collecting the samples. If there is a need for sampling, contact COGCC engineering for verification of plugging procedure.

2 COAs

Attachment List

Att Doc Num

Name

403337356	FORM 6 INTENT SUBMITTED
403337474	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

User Group

Comment

Comment Date

Permit	Confirmed as-drilled well location. No other forms in process. Confirmed productive intervals docnum: 701815. Production reporting up-to-date. Reviewed WBDs. Pass.	03/13/2023
OGLA	This oil and gas location is within CPW-mapped Elk and Mule Deer Winter HPH. At a minimum, operations with heavy machinery should not start before 8 a.m. and will cease at 5 p.m.	03/09/2023

Total: 2 comment(s)