

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403349396

Date Received:

03/18/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10670

Name of Operator: BISON IV OPERATING LLC

Address: 518 17TH STREET SUITE 1800

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

Tarah Garza

970-692-1963

tgarza@bisonog.com

Katie Gillen

720-644-6997

kgillen@bisonog.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 708200029

Inspection Date: 03/08/2023

FIR Submit Date: 03/10/2023

FIR Status: _____

Inspected Operator Information:

Company Name: BISON IV OPERATING LLC

Company Number: 10670

Address: 1400 16TH STREET SUITE 300

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 454592

Location Name: Cinnamon Teal Number: Pad County: _____

Qtrqr: SESW Sec: 35 Twp: 8N Range: 60W Meridian: 6

Latitude: 40.613060 Longitude: -104.061305

FACILITY - API Number: 05-123-00 Facility ID: 454592

Facility Name: Cinnamon Teal Number: Pad

Qtrqr: SESW Sec: 35 Twp: 8N Range: 60W Meridian: 6

Latitude: 40.613060 Longitude: -104.061305

CORRECTIVE ACTIONS:

1 ☒ CA# 168044

Corrective Action: Comply with Rule 606 and remove debris.

Date: 03/17/2023

Response: CA COMPLETED

Date of Completion: 03/08/2023

Operator Comment: See attached photo documentation

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection. Based on photo documentation provided, work to address the corrective action appears to have been performed. A field inspection will be conducted at a future date to evaluate compliance with COGCC rules.

2 ☒ CA# 168045

Corrective Action: Perform reclamation in accordance to Rule 1003. Establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of reference area levels. Use a seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS. Ensure erosion controls are implemented to stabilize the seeded soil, and continue to monitor and manage this site until the location meets Rule 1003 standards. Corrective action date is the date the location was observed out of compliance.

Date: 03/08/2023

Response: CA COMPLETED

Date of Completion: 03/08/2023

Operator Comment: See attached photo documentation

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with COGCC rules.

3 ☒ CA# 168046

Corrective Action: Immediately install or repair required BMPs per Rule 1002.f. in accordance with good engineering practices.

Date: 03/14/2023

Response: CA COMPLETED

Date of Completion: 03/08/2023

Operator Comment: See attached photo documentation

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection. Based on photo documentation provided, work to address the corrective action appears to have been performed. A field inspection will be conducted at a future date to evaluate compliance with COGCC rules.

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Lauren Morahan

Signed: _____

Title: Regulatory Manager

Date: 3/18/2023 2:34:17 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403349396	FIR RESOLUTION SUBMITTED
403349398	COGCC Interim Rec photo documentation

Total Attach: 2 Files