

June 01, 2021

Impetro Resources

Sam Bradley

2820 Logan Dr.

Loveland

CO 80538

Project Name - Dalke #2

Project Number - [none]

Attached are your analytical results for Dalke #2 received by Origins Laboratory, Inc. May 20, 2021. This project is associated with Origins project number Y105398-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



Impetro Resources
2820 Logan Dr.
Loveland CO 80538

Sam Bradley
Project Number: [none]
Project: Dalke #2

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
159101 Dalke #2	Y105398-01	Water	May 20, 2021 15:00	05/20/2021 16:50

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Impetro Resources
 2820 Logan Dr.
 Loveland CO 80538

Sam Bradley
 Project Number: [none]
 Project: Dalke #2

Origins Laboratory F-012207-01-R1
Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y105398 Client: Impetro
 Client Project ID: Dalke #2
 Checklist Completed by: JG Shipped Via: HD
 Date/time completed: 5/21/21 (UPS, FedEx, Hand Delivered, Pick-up, etc.)
 Airbill #: N/A
 Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____
 Cooler Number/Temperature: 1, 38.1 °C / _____ °C / _____ °C (Describe)
 Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ^{(1)?}		<input checked="" type="checkbox"/>		<u>gone pay</u>
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Were all samples received intact ^{(1)?}	<input checked="" type="checkbox"/>			
Was adequate sample volume provided ^{(1)?}	<input checked="" type="checkbox"/>			
Are short holding time analytes or samples with HTs due within 48 hours present ^{(1)?}		<input checked="" type="checkbox"/>		
Is a chain-of-custody (COC) present and filled out completely ^{(1)?}	<input checked="" type="checkbox"/>			
Does the COC agree with the number and type of sample bottles received ^{(1)?}	<input checked="" type="checkbox"/>			
Do the sample IDs on the bottle labels match the COC ^{(1)?}	<input checked="" type="checkbox"/>			
Is the COC properly relinquished by the client with date and time recorded ^{(1)?}	<input checked="" type="checkbox"/>			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.		<input checked="" type="checkbox"/>		
Are samples preserved that require preservation and was it checked ^{(1)?} (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO3, HCL, H2SO4) / (pH >10 for samples preserved with NaAsO2+NaOH, ZnAc+NaOH)		<input checked="" type="checkbox"/>		
Additional Comments (if any):				

⁽¹⁾if NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by: JM (Project Manager) Date/Time Reviewed: 5-24-21

Origins Laboratory, Inc.


The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Impetro Resources
 2820 Logan Dr.
 Loveland CO 80538

Sam Bradley
 Project Number: [none]
 Project: Dalke #2

159101 Dalke #2
5/20/2021 3:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y105398-01 (Water)

Total Dissolved Solids by 2540C

Total Dissolved Solids	4940	5.00	mg/L	1	B1E2515	SCL	05/25/2021	05/26/2021	
------------------------	-------------	------	------	---	---------	-----	------------	------------	--

Total Metals by EPA 200.8

Barium	0.170	0.00400	mg/L	1	2131466	SKJ	05/25/2021	05/26/2021	
Boron	21.1	3.00	"	200	"	SKJ	"	05/27/2021	
Calcium	5.13	0.200	"	1	"	SKJ	"	05/26/2021	
Iron	0.899	0.100	"	"	"	SKJ	"	"	
Magnesium	1.06	0.0300	"	"	"	SKJ	"	"	
Manganese	0.0166	0.00500	"	"	"	SKJ	"	"	
Potassium	6.09	0.300	"	"	"	SKJ	"	"	
Selenium	ND	0.00500	"	"	"	SKJ	"	"	U
Sodium	1900	25.0	"	100	"	SKJ	"	05/27/2021	
Strontium	0.511	0.0100	"	1	"	SKJ	"	05/26/2021	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Impetro Resources
 2820 Logan Dr.
 Loveland CO 80538

Sam Bradley
 Project Number: [none]
 Project: Dalke #2

Classical Chemistry Parameters - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B1E2515 - NO PREP										
Blank (B1E2515-BLK1)					Prepared: 05/25/2021 Analyzed: 05/26/2021					
Total Dissolved Solids	ND	5.00	mg/L							
LCS (B1E2515-BS1)					Prepared: 05/25/2021 Analyzed: 05/26/2021					
Total Dissolved Solids	762	5.00	mg/L	716		106	85-115			
Duplicate (B1E2515-DUP1)		Source: Y105396-01			Prepared: 05/25/2021 Analyzed: 05/26/2021					
Total Dissolved Solids	1380	5.00	mg/L		1320			4.00	20	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Impetro Resources
 2820 Logan Dr.
 Loveland CO 80538

Sam Bradley
 Project Number: [none]
 Project: Dalke #2

Total Metals by EPA 200.8 - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2131466 - EPA 200.2

BLANK (1204828920-BLK)

Prepared: 05/25/2021 Analyzed: 05/26/2021

Potassium	ND	0.300	mg/L				-			U
Strontium	ND	0.0100	"				-			U
Selenium	ND	0.00500	"				-			U
Manganese	ND	0.00500	"				-			U
Magnesium	ND	0.0300	"				-			U
Iron	ND	0.100	"				-			U
Calcium	ND	0.200	"				-			U
Boron	ND	0.0150	"				-			U
Barium	ND	0.00400	"				-			U
Sodium	ND	0.250	"				-			U

LCS (1204828921-BKS)

Prepared: 05/25/2021 Analyzed: 05/26/2021

Strontium	0.0498	0.0100	mg/L	0.0500		99.6	85-115			
Barium	0.0516	0.00400	"	0.0500		103	85-115			
Boron	0.0963	0.0150	"	0.100		96.3	85-115			
Calcium	2.09	0.200	"	2.00		104	85-115			
Iron	2.11	0.100	"	2.00		106	85-115			
Magnesium	2.06	0.0300	"	2.00		103	85-115			
Manganese	0.0507	0.00500	"	0.0500		101	85-115			
Potassium	2.03	0.300	"	2.00		102	85-115			
Selenium	0.0527	0.00500	"	0.0500		105	85-115			
Sodium	2.08	0.250	"	2.00		104	85-115			

DUP (1204828922 D)

Source: 545373001

Prepared: 05/25/2021 Analyzed: 05/27/2021

Sodium	2220	12.5	mg/L		2140		0-20	3.95	20	
Strontium	0.930	0.0100	"		0.889		0-20	4.57	20	
Selenium	ND	0.00500	"		<0.00200		0-20	27.1	20	U

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Impetro Resources
 2820 Logan Dr.
 Loveland CO 80538

Sam Bradley
 Project Number: [none]
 Project: Dalke #2

Total Metals by EPA 200.8 - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2131466 - EPA 200.2

DUP (1204828922 D)		Source: 545373001			Prepared: 05/25/2021 Analyzed: 05/26/2021					
Potassium	7.69	0.300	mg/L		7.54		0-20	1.94	20	
Manganese	0.0323	0.00500	"		0.0315		0-20	2.57	20	
Magnesium	0.869	0.0300	"		0.832		0-20	4.35	20	
Iron	2.35	0.100	"		2.38		0-20	1.41	20	
Calcium	5.25	0.200	"		5.01		0-20	4.6	20	
Boron	7.36	0.750	"		6.92		0-20	6.19	20	
Barium	8.46	0.0400	"		8.29		0-20	2.1	20	
MS (1204828923 S)		Source: 545373001			Prepared: 05/25/2021 Analyzed: 05/26/2021					
Strontium	0.982	0.0100	mg/L	0.0500	0.889	0	75-125			
Boron	7.49	0.750	"	0.100	6.92	0	75-125			
Calcium	7.12	0.200	"	2.00	5.01	105	75-125			
Iron	4.00	0.100	"	2.00	2.38	80.6	75-125			
Magnesium	2.65	0.0300	"	2.00	0.832	90.7	75-125			
Manganese	0.0770	0.00500	"	0.0500	0.0315	91.1	75-125			
Potassium	9.27	0.300	"	2.00	7.54	86.6	75-125			
Selenium	0.0123	0.00500	"	0.0500	<0.00200	23.8	75-125			
Sodium	2220	12.5	"	2.00	2140	0	75-125			
Barium	8.43	0.0400	"	0.0500	8.29	0	75-125			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Impetro Resources
2820 Logan Dr.
Loveland CO 80538

Sam Bradley
Project Number: [none]
Project: Dalke #2

Notes and Definitions

U Result not detected above the detection limit

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Origins Laboratory

Y105398

SGS Job Number: DA34657

Sampling Date: 05/20/21

Report to:

Origins Laboratory
1725 Elk Place
Denver, CO 80211
ndoyle@originslab.com; jpellegrini@originslab.com;
jmerrill@originslab.com
ATTN: Noelle Doyle

Total number of pages in report: 14



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Jason Savoie
General Manager

Client Service contact: Carissa Cumine 303-425-6021

Certifications: CO (CO00049), NE (NE-OS-06-04), ND (R-027), UT (NELAP CO00049)
LA (LA150028), TX (T104704511), WY (8TMS-L)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	5
Section 4: Sample Results	6
4.1: DA34657-1: Y105398-01	7
Section 5: Misc. Forms	8
5.1: Chain of Custody	9
Section 6: General Chemistry - QC Data Summaries	11
6.1: Method Blank and Spike Results Summary	12
6.2: Matrix Spike Results Summary	13
6.3: Matrix Spike Duplicate Results Summary	14

1

2

3

4

5

6



Sample Summary

Origins Laboratory

Job No: DA34657

Y105398

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
DA34657-1	05/20/21	15:00	05/21/21	AQ	Water	Y105398-01

CASE NARRATIVE / CONFORMANCE SUMMARY

Client: Origins Laboratory

Job No: DA34657

Site: Y105398

Report Date 5/28/2021 4:56:26 PM

On 05/21/2021, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at SGS North America Inc. (SGS) at a temperature of 5.8 °C. The samples were intact and properly preserved, unless noted below. An SGS Job Number of DA34657 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

General Chemistry By Method EPA300.0

Matrix: AQ

Batch ID: GP29169

- All samples were prepared within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) DA34631-2MS, DA34631-2MSD were used as the QC samples for the Bromide, Chloride, Fluoride, Nitrogen, Nitrate, Nitrogen, Nitrite, Sulfate, Bromide analysis.
- DA34657-1 for Nitrogen, Nitrate: Elevated detection limit due to matrix interference.
- DA34657-1 for Nitrogen, Nitrite: Elevated detection limit due to matrix interference.

SGS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting SGS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

SGS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by SGS indicated via signature on the report cover.

Friday, May 28, 2021

Page 1 of 1

Summary of Hits

Job Number: DA34657
Account: Origins Laboratory
Project: Y105398
Collected: 05/20/21



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

DA34657-1 Y105398-01

Fluoride	3.2	1.0	0.50	mg/l	EPA300.0
Chloride	1150	130	100	mg/l	EPA300.0
Bromide	6.3	0.50	0.25	mg/l	EPA300.0
Sulfate	230	5.0	4.0	mg/l	EPA300.0

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: Y105398-01	Date Sampled: 05/20/21
Lab Sample ID: DA34657-1	Date Received: 05/21/21
Matrix: AQ - Water	Percent Solids: n/a
Project: Y105398	

General Chemistry

Analyte	Result	RL	MDL	Units	DF	Analyzed	By	Method
300.0								
Fluoride	3.2	1.0	0.50	mg/l	10	05/21/21 15:54 JB		EPA300.0
Chloride	1150	130	100	mg/l	250	05/21/21 16:08 JB		EPA300.0
Nitrogen, Nitrite ^a	0.75 U	1.0	0.75	mg/l	250	05/21/21 16:08 JB		EPA300.0
Bromide	6.3	0.50	0.25	mg/l	10	05/21/21 15:54 JB		EPA300.0
Nitrogen, Nitrate ^a	0.060 U	0.10	0.060	mg/l	10	05/21/21 15:54 JB		EPA300.0
Sulfate	230	5.0	4.0	mg/l	10	05/21/21 15:54 JB		EPA300.0

(a) Elevated detection limit due to matrix interference.

RL = Reporting Limit
 MDL = Method Detection Limit

U = Indicates a result < MDL
 B = Indicates a result > = MDL but < RL

4.1
4

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



Your Lab's letterhead here...
 Address City, St. Zip Phone/Fax

**SUBCONTRACT
 ORDER**

DA34657

Sending Laboratory:

Origins Laboratory, Inc.
 1725 West Elk Place
 Denver, CO 80211
 Phone: 303.433.1322
 Fax: 303.265.9645

Project Manager: Noelle Doyle Mathis

Subcontracted Laboratory:


Accutest Laboratories
 4036 Youngfield St.
 Wheat Ridge, CO 80033
 Phone: (303) 425-6021
 Fax: (303) 425-6854

Work Order: Y105398

Analysis	Due	Expires	Comments
Sample ID: Y105398-01 Water Sampled: 05/20/2021 15:00			
Nitrite by 300.0	05/27/2021	05/22/2021 15:00	01
Nitrate by 300.0	05/27/2021	05/22/2021 15:00	06
Fluoride by 300.0	05/27/2021	05/22/2021 15:00	
Chloride by 300.0	05/27/2021	05/22/2021 15:00	
Sulfate by 300.0	05/27/2021	06/17/2021 15:00	
Bromide by 300.0	05/27/2021	06/17/2021 15:00	

Containers Supplied:

DA34657: Chain of Custody
 Page 1 of 2

Released By  Date 5/21/21
 Received By  Date 5/21/21
 1305 5.8 TSP

SGS Sample Receipt Summary

Job Number: DA34657

Client: ORIGINS LABORATORY

Project: Y105398

Date / Time Received: 5/21/2021 1:05:00 PM

Delivery Method:

Airbill #'s: HD

Cooler Temps (Initial/Adjusted): #1: (5.8/5.8):

Cooler Security

Y or N

- 1. Custody Seals Present:
- 2. Custody Seals Intact:

- Y or N
- 3. COC Present:
 - 4. Smpl Dates/Time OK:

Cooler Temperature

Y or N

- 1. Temp criteria achieved:
- 2. Cooler temp verification: IR Gun;
- 3. Cooler media: Ice (Bag)
- 4. No. Coolers: 1

Quality Control Preservation

Y or N N/A

- 1. Trip Blank present / cooler:
- 2. Trip Blank listed on COC:
- 3. Samples preserved properly:
- 4. VOCs headspace free:

Comments

Sample Integrity - Documentation

Y or N

- 1. Sample labels present on bottles:
- 2. Container labeling complete:
- 3. Sample container label / COC agree:

Sample Integrity - Condition

Y or N

- 1. Sample recvd within HT:
- 2. All containers accounted for:
- 3. Condition of sample: Intact

Sample Integrity - Instructions

Y or N N/A

- 1. Analysis requested is clear:
- 2. Bottles received for unspecified tests:
- 3. Sufficient volume recvd for analysis:
- 4. Compositing instructions clear:
- 5. Filtering instructions clear:

5.1
5

DA34657: Chain of Custody

Page 2 of 2

General Chemistry

QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: DA34657
Account: ORIGLCOD - Origins Laboratory
Project: Y105398

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Bromide	GP29169/GN53299	0.050	0.0	mg/l	0.5	0.458	91.6	90-110%
Chloride	GP29169/GN53299	0.50	0.0	mg/l	5	5.36	107.2	90-110%
Fluoride	GP29169/GN53299	0.10	0.0	mg/l	1	0.922	92.2	90-110%
Nitrogen, Nitrate	GP29169/GN53299	0.010	0.0	mg/l	0.1	0.101	101.0	90-110%
Nitrogen, Nitrite	GP29169/GN53299	0.0040	0.0	mg/l	0.05	0.0484	96.8	90-110%
Sulfate	GP29169/GN53299	0.50	0.0	mg/l	5	4.76	95.2	90-110%

Associated Samples:
Batch GP29169: DA34657-1
(*) Outside of QC limits

6.1
6

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: DA34657
Account: ORIGLCOD - Origins Laboratory
Project: Y105398

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Bromide	GP29169/GN53299	DA34631-2	mg/l	0.15	12.5	11.8	94.4	80-120%
Bromide	GP29169/GN53299	DA34631-2	mg/l	0.63 U	12.5	11.8	94.4	80-120%
Chloride	GP29169/GN53299	DA34631-2	mg/l	41.6	125	180	101.4	80-120%
Chloride	GP29169/GN53299	DA34631-2	mg/l	53.3	125	180	101.4	80-120%
Fluoride	GP29169/GN53299	DA34631-2	mg/l	1.3 U	25	24.5	98.0	80-120%
Fluoride	GP29169/GN53299	DA34631-2	mg/l	0.15	25	24.5	98.0	80-120%
Nitrogen, Nitrate	GP29169/GN53299	DA34631-2	mg/l	3.1	2.5	5.6	100.0	80-120%
Nitrogen, Nitrate	GP29169/GN53299	DA34631-2	mg/l	3.3	2.5	5.6	100.0	80-120%
Nitrogen, Nitrite	GP29169/GN53299	DA34631-2	mg/l	0.0030 U	1.25	1.2	96.0	80-120%
Sulfate	GP29169/GN53299	DA34631-2	mg/l	15.4	125	137	97.3	80-120%
Sulfate	GP29169/GN53299	DA34631-2	mg/l	12.5	125	137	97.3	80-120%

Associated Samples:

Batch GP29169: DA34657-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

62
6

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: DA34657
Account: ORIGLCOD - Origins Laboratory
Project: Y105398

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Bromide	GP29169/GN53299	DA34631-2	mg/l	0.15	12.5	11.9	0.8	20%
Bromide	GP29169/GN53299	DA34631-2	mg/l	0.63 U	12.5	11.9	0.8	20%
Chloride	GP29169/GN53299	DA34631-2	mg/l	41.6	125	181	0.6	20%
Chloride	GP29169/GN53299	DA34631-2	mg/l	53.3	125	181	0.6	20%
Fluoride	GP29169/GN53299	DA34631-2	mg/l	1.3 U	25	24.4	0.4	20%
Fluoride	GP29169/GN53299	DA34631-2	mg/l	0.15	25	24.4	0.4	20%
Nitrogen, Nitrate	GP29169/GN53299	DA34631-2	mg/l	3.1	2.5	5.6	0.0	20%
Nitrogen, Nitrate	GP29169/GN53299	DA34631-2	mg/l	3.3	2.5	5.6	0.0	20%
Nitrogen, Nitrite	GP29169/GN53299	DA34631-2	mg/l	0.0030 U	1.25	1.2	0.0	20%
Sulfate	GP29169/GN53299	DA34631-2	mg/l	15.4	125	137	0.0	20%
Sulfate	GP29169/GN53299	DA34631-2	mg/l	12.5	125	137	0.0	20%

Associated Samples:

Batch GP29169: DA34657-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

6.3

6