



## Treatment Report

**Customer:** Civitas Resources

**Job #:** JOB00141945

**Rep:** Kenny  
Graham

**Rig:** Cartel 11

**Job Date:** Dec 03 @ 12:12

**Supervisor:** Travis Tolman

**Well:** SHELTON 25W-25-06

**Time Requested:**

**Job Type:** US Primary

**UWI:** SHELTON 25W-25-06

**Time Arrived:** Dec 04 @ 04:12

Casing-  
Surface

**Surface:** SHELTON 25W-25-06

**Time Released:** Dec 04 @ 11:12

1 Grade	TBD	1 Size (mm, in)	9.625	1 Weight (kg/m, 36 lb/ft)
BHCT (°C, °F)	91	BHST (°C, °F)	108	Float Depth (m, 1866 ft)
Mud Type	WBM	Plug Size (mm, in)	9.625	Plug Type Rig Supplied
TMD (m, ft)	1907	TVD (m, ft)	1864	

Treatment Info:	Tonnes Used:	Tonnes Not Used:	0.00
Preflush:	10m3 MAG Mark & 20m3 Fresh Water	Circulation Time:	1
		Slurry Temp:	78 Bulk Sample: Yes
Displace:	144m3 Fresh Water	Water Temp:	74 Water Sample: Yes
		Bulk Temp:	68 Slurry Sample: Yes
Slurry Returns:	20 Plug Bumped:	Yes Pump Out Lines:	Float Held: Yes

Time	Pressure MPa	Annular Pressure MPa	Volume Per Stage m3	Total Stage Volume m3	Rate m3/min	Treatment Detail
04:30	0.00	0.00		0.00		Arrive on Location - ARRIVED: 4:30; BOL: 07:00
04:35	0.00	0.00		0.00		TALKED WITH COMPANY MAN
04:40	0.00	0.00		0.00		TEST WATER: pH: 7; CHLORIDES: 25; TEMP: 74 F
05:00	0.00	0.00		0.00		RIG UP
08:30	0.00	0.00		0.00		Safety Meeting - SAFETY MEETING WITH RIG CREW
08:55	0.00	0.00	5 BBLS	0.00		Fill Lines
08:59	0.00	0.00		0.00		Start Pressure Test - LOW: 1000 PSI HIGH: 3000 PSI
09:02	0.00	0.00	5 BBLS	0.00		Pump Preflush - MAG MARK (RED DYE)
09:05	0.00	0.00	20 BBLS	0.00		Pump Preflush - FRESH WATER
09:09	7.00	1000.00	196 BBLS	0.00		Pump Slurry - MAG S 13.3; 764 SKS YEILD: 1.44 CUFT/SK; MIX WATER: 7.01 GAL/SK; TT: 3:30; WET SAMPLE TAKEN
09:27	0.00	0.00		0.00		HELD FOR 2 MINS
09:41	0.00	0.00		0.00		Stop Pumping
09:43	0.00	0.00		0.00		Drop Plug - COMPANY MAN VERIFIED PLUG DROP
09:48	0.00	0.00		0.00		Displace - FRESH WATER



09:55	3.00	0.00	20 BBLS	0.00		Displace
10:02	7.00	0.00	50 BBLS	0.00		Displace
10:09	7.00	0.00	100 BBLS	0.00		Displace
10:16	3.00	0.00	120 BBLS	0.00		Displace - SHUT DOWN 117 BBLS TO STAGE CEMENT FOR 5 MINS; 20 BBls BACK
10:19	3.00	0.00	130 BBLS	0.00		Displace
10:24	0.00	0.00		0.00		Bump Plug - CIRC PRESS: 900 psi BUMPED: 1384 psi
10:27	0.00	0.00		0.00		Check Floats - .5 BBLS BACK
10:30	0.00	0.00		0.00		Wash Up Truck
11:00	0.00	0.00		0.00		Rig Out
11:30	0.00	0.00		0.00		Leave Location





Customer: CIVITAS

Date: December 4, 2022

Ticket: 141945

Location: SHELTON 25W-25-06

Well Name: SHELTON 25W-25-06

Job Type: SURFACE

Magnum Unit #: 1015

