



PO Box 329  
Ft. Lupton, CO 80621  
(303) 654-9202

Well Name		Rig No.		Date		Field Ticket No.						
Lamb 15C		Swabbco Rig #15		03/28/23		1233						
State		County		API No.		Customer		Lift Pressure & Pop Off				
CO	Weld			05-123-34986		Civitas - Hector Terrazas		Lift:	532 PSI	Pop Off:	500 PSI	
Pump	Bulk	Job Type	Last Tckt?	Empl. No.		Employee Name		Water PH:	7	Cmt Type:	Thixo Blend	
90530	7521	Balance Plug	No			Bob Hale		CSG Size:	8 5/8" 24#	TBG Size:	2 3/8" 4.7#	
Job Supervisor:						Nancy Trujillo		TBG Dpth:	660'	Open Hle:	9" / 14"	
Jonathon Rhamy								CSG/ANRL:		TBG Vol:		
Remarks:								Well Information				
Thixo Blend Cement - 90 sks Sugar - 50 lbs								Description	Depth			
								Surface Shoe	536'			
								EOT	660'			
								TOC Calculated	400'			
Customer Signature:												
Time	Injection		Pressure		Cement Slurry		Remarks					
	RATE	BBLS IN	PSI	WEIGHT	YIELD							
09:40						Arrive on location, JSA, Rig up						
11:55						JSA on pump schedule						
12:08			1,200	8.33		Test lines and PRV						
12:11	1.5	3	200	8.33		Break circulation with H2O						
12:15	2.5	21.18	200	15.2	1.32	Mix and pump 90 sks Thixo Blend Cement						
12:27	2	1.5	150	8.33		Displace with H2O						
12:30						Shutdown, Wash pumps and lines						
13:15						Leave location						
Unit	Desc		QTY									
	Pump and Bulk 1st 4 hrs		1									
	Thixo Blend Cement		90 sks									
	Sugar		50 lbs									
	Heavy Duty Mile - Pump		56 mi									
	Heavy Duty Mile - Bulk		56 mi									
Sub Total:												
Customer Approval:												



PO Box 329  
Ft. Lupton, CO 80621  
(303) 654-9202

Well Name		Rig No.		Date		Field Ticket No.				
Lamb 15C		Swabbco Rig #15		03/29/23		1237				
State	County	API No.		Customer		Lift Pressure & Pop Off				
CO	Weld	05-123-34986		Civitas - Hector Terrazas		Lift:	320 PSI	Pop Off:	500 PSI	
Pump	Bulk	Job Type	Last Tckt?	Empl. No.	Employee Name	Water PH:	7	Cmt Type:	Thixo Blend	
90530	7521	Surface	Yes		Bob Hale	CSG Size:	8 5/8" 24#	TBG Size:	2 3/8" 4.7#	
Job Supervisor:					Steve Noble	TBG Dpth:	398'	Open Hle:	N/A	
Jonathon Rhamy						CSG/ANRL:		TBG Vol:		
Remarks:						Well Information				
Thixo blend Cement - 125 sks Sugar - 50 lbs						Description	Depth			
						EOT	398'			
						TOC	Surface			
Time	Injection		Pressure		Cement Slurry		Remarks			
	RATE	BBLS IN	PSI	WEIGHT	YIELD					
08:00						Arrive, JSA, Rig up				
09:25						JSA on pump schedule				
09:32			1,200	8.33		Test lines and PRV				
09:35	1	1.5	200	8.33		Break circulation with H2O				
09:37	2	1.5	200	8.33		Fresh Water Spacer				
09:43	2.5	27	200	15.2	1.32	Mix and pump 115 sks Thixo Blend Cement				
09:55						Shutdown, standby for Rig work				
10:25	1	2.3	0	15.2	1.32	Top off with 10 sks Thixo Blend Cement				
10:30						Shutdown, wash pumps and lines				
11:30						Leave location				
Unit	Desc		QTY							
	Pump and Bulk 1st 4 hrs		1							
	Thixo Blend Cement		125 sks							
	Sugar		50 lbs							
	Heavy Duty Mile - Pump		56 mi							
	Heavy Duty Mile - Bulk		56 mi							
Sub Total:										
Customer Approval:										

# AXIS ENERGY SERVICES

770

# TREATMENT REPORT

P.O. BOX 329  
BERT LUPTON, CO 80621  
303-654-9202

DATE OCT 28, 2022  
FIELD TICKET #

JL NAME & NO.		LOC.	SERIAL #			LIFT PRESSURE & POP OFF	
Lamp 15 C		Brigade 95	05-123-34986			LIFT: 700 POP OFF: 500 Chain down	
JMP: 3051	BULK:	JOB PUMPED THRU:	TUBING	CASING	ANNULUS	WATER PH: 7 C1<1	
DUNTY: WELD	STATE: COLORADO	WELL TYPE: OIL	GAS	WATER	INJ.	TYPE OF CEMENT:	
		AGE OF WELL:	NEW	REWORK		CASING SIZE: 8 7/8 24#	
		JOB TYPE: Surface				CASING DEPTH: 536'	
JSTOMER NAME: CIVITAS					TUBING SIZE: 2 3/8 4.7H		
JB SUPERVISOR: RICK SHEETS					TUBING DEPTH: 869		
SERVICE RATED: POOR FAIR EXCELLENT		Steve Noble Matt Boyd			OPEN HOLE: 10"		
EMARKS: SKS - 336 G SUGAR - 50 lb CC - 600 lb					CSG OR ANRL VOL: _____ TBG VOLUME: _____		
WELL INFORMATION							
		DESCRIPTION	DEPTH				
		EOT	869'				
		TOC	0'				
JSTOMER SIGNATURE:							

# AXIS ENERGY SERVICES

761

## TREATMENT REPORT

P.O. BOX 329  
ORT LUPTON, CO 80621  
303-654-9202

DATE OCT 26, 2022  
FIELD TICKET #

JOB NO.: Lamp 15C		LOC.: Brigade 95	SERIAL #: 05-123-34986			LIFT PRESSURE & POP OFF LIFT: 212.3 POP OFF: 1500	
JMP: 3051	BULK: 2359	JOB PUMPED THRU: WELL TYPE: OIL	TUBING GAS	CASING WATER	ANNULUS INJ.	WATER PH: 7 CH-1 TYPE OF CEMENT: Thixotropic CASING SIZE: 4 1/2, 11.6# CASING DEPTH: 2200'-2315'	
JOINTY: WELD	STATE:	AGE OF WELL: JOB TYPE:	NEW REWORK			TUBING SIZE: 2 3/8, 4.7# TUBING DEPTH: 2315' OPEN HOLE: 10" CSG OR ANRL VOL: TBG VOLUME:	
JSTOMER NAME: Civitas Buck Sheets		WELL INFORMATION					
JB SUPERVISOR: Bob Hale		DESCRIPTION DEPTH					
ERVICE RATED: POOR FAIR EXCELLENT		CSG CUT 2200' EOT 2315' TOC 1880'					
MARKS: SKS - 140 thixo SUGAR - 50 lb							
JSTOMER SIGNATURE:							