Company	Apache Canada Ltd.
Well	Garrington 6-8-60-17
Field	Garrington
Province	Alberta
Country	Canada
Surface Coordinates	6-8-60-17 W5M
Other Services	
Permanent Datum	Ground Level
Log Measured From	KB
Drilling Measured From	KB
Elevation	0 m
Elevation	0 m
Elevation	0 m
Date	2-Jan-2008
Run Number	ONE
Depth Driller	1000.0 m
Depth Logger	1000.0 m
Bottom Logged Interval	1000.0 m
Top Logged Interval	0.0 m
Casing Flange Elevation	0 m
Bit Size	200.0 mm
Casing Size	0.0 mm
Casing Weight	0.0 kg/m
Casing Depth	0.0 m
Drilling Fluid Type	Water
Density	0.0 kg/m³
Viscosity	0.0 mPa.s
Fluid Loss	0.0 cm³
Resistivity	0.0 ohm.m
Temperature	0.0 deg C
Source	Flowing
Rm Measured At	0.0 deg C
Rmf Measured At	0.0 deg C
Rmc Measured At	0.0 deg C
Rm at BHT	0.000 ohm.m
Rmf at BHT	0.000 ohm.m
Rmc at BHT	0.000 ohm.m
Time Since Circulation	0.0 hr
Time Since Shut-In	0.0 hr
Max Recorded Temperature	0.0 deg C
Equipment Number	0
Location	0
Recorded By	Gamma Ray
Witnessed By	Gamma Ray

Disclaimer: Gamma Ray Services Ltd. makes no representations or warranties, express or implied, with respect to the accuracy, completeness or usefulness of the information provided herein, and shall not be liable for any losses or damages arising from the use of the information provided herein.

Gamma Ray Services Ltd.
Suite 1000, 700 - 2nd Street SW
Calgary, Alberta T2P 2W1
Phone: (403) 262-7979
Fax: (403) 262-7989
Email: info@gamma-ray.ca
Website: www.gamma-ray.ca

Field Processed Digital Log Data
Gamma Ray Services Ltd.
Field Processed Digital Log Data
Gamma Ray Services Ltd.

Data Plate

Recorded with GR Pro Suite Acquisition Software

Company	Apache Canada Ltd.
Well	Garrington 6-8-60-17
Field	Garrington
Province	Alberta
Country	Canada
Surface Coordinates	6-8-60-17 W5M
Other Services	
Permanent Datum	Ground Level
Log Measured From	KB
Drilling Measured From	KB
Elevation	0 m
Elevation	0 m
Elevation	0 m
Date	2-Jan-2008
Run Number	ONE
Depth Driller	1000.0 m
Depth Logger	1000.0 m
Bottom Logged Interval	1000.0 m
Top Logged Interval	0.0 m
Casing Flange Elevation	0 m
Bit Size	200.0 mm
Casing Size	0.0 mm
Casing Weight	0.0 kg/m
Casing Depth	0.0 m
Drilling Fluid Type	Water
Density	0.0 kg/m³
Viscosity	0.0 mPa.s
Fluid Loss	0.0 cm³
Resistivity	0.0 ohm.m
Temperature	0.0 deg C
Source	Flowing
Rm Measured At	0.0 deg C
Rmf Measured At	0.0 deg C
Rmc Measured At	0.0 deg C
Rm at BHT	0.000 ohm.m
Rmf at BHT	0.000 ohm.m
Rmc at BHT	0.000 ohm.m
Time Since Circulation	0.0 hr
Time Since Shut-In	0.0 hr
Max Recorded Temperature	0.0 deg C
Equipment Number	0
Location	0
Recorded By	Gamma Ray
Witnessed By	Gamma Ray





0	AMPS8	150
0	TEMP (degF)	300

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb
			Cable Head-Titan_144 1 7/16" Titan Cable Head	1.03	1.44	2.00
CCL	15.45		CCL-275CCL_6MAG (275CCL_6MAG_Base) 050-CC275-0100 (6 MAG CCL SGL PIN)	2.72	2.75	
			CENT-tekco	2.00	4.50	3.00
TEMP	11.56					
			PROBE-RBT-DIGITAL-RBL-DCT (1411-220) Probe 2 3/4" Radii Bond with Temp-Corrosion Package	9.21	2.75	105.00
WVFS8	9.27					
WVFS7	9.27					
WVFS6	9.27					
WVFS5	9.27					
WVFS4	9.27					
WVFS3	9.27					
WVFS2	9.27					
WVFS1	9.27					
WVFCAL	9.27					
WVF3FT	9.27					
WVF5FT	8.27					
CCL$2	4.20					
DCCL	4.20					
CCL$1	4.20					
GCT_TEMP	3.41					
GR	2.83		PROBE-GR/DCCL-275 Probe GCT (2107026) Probe 2 3/4" Gamma Ray/Temp/CCL 6 Pin	4.75	2.75	60.00
			CENT-Overbody	2.00	4.50	3.00
			Bullnose-PROBE Probe Go Pin Pressure Cap	0.33	1.38	1.00

Dataset: chevron_gig_em_state_y9_719_rcbl.db: field/well/run1/Main.2
Total length: 18.04 ft
Total weight: 177.00 lb
O.D.: 4.50 in

Calibration Report

Database File: chevron_gig_em_state_y9_719_rcbl.db
Dataset Pathname: Main.2
Dataset Creation: Sat Apr 08 22:20:52 2023

Gamma Ray Calibration Report

Serial Number:	2107026	
Tool Model:	275 Probe GCT	
Performed:	Wed Sep 21 07:38:08 2022	
Calibrator Value:	200.0	GAPI
Background Reading:	43.9	cps
Calibrator Reading:	269.1	cps
Sensitivity:	0.8881	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	1411-220	
Tool Model:	RBL-DCT	
Calibration Casing Diameter:	5.500	in
Calibration Depth:	-1.517	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.002	0.719	0.500	71.921	99.606	0.258
CAL	0.846	0.849				
5'	0.007	0.650	0.500	71.921	111.166	-0.319
SUM						
S1	-0.002	0.819	0.000	100.000	121.805	0.296
S2	0.004	0.761	0.000	100.000	132.088	-0.464
S3	0.002	0.713	0.000	100.000	140.641	-0.341
S4	0.004	0.692	0.000	100.000	145.272	-0.521
S5	0.003	0.693	0.000	100.000	144.994	-0.454
S6	0.004	0.712	0.000	100.000	141.163	-0.502
S7	0.004	0.760	0.000	100.000	132.252	-0.527
S8	0.003	0.831	0.000	100.000	120.777	-0.354

Air Zero Calibration, performed Wed Apr 5 10:23:31 2023:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.006	0.000	-0.001
5'	0.008	0.000	0.000
SUM			
S1	0.000	0.000	-0.000
S2	0.005	0.000	0.000
S3	0.005	0.000	-0.000
S4	0.005	0.000	0.000
S5	0.005	0.000	-0.000
S6	0.005	0.000	-0.001
S7	0.004	0.000	0.000
S8	0.005	0.000	-0.000

Temperature Calibration Report

Serial Number:	1411-220			
Tool Model:	RBL-DCT			
Performed:	Fri Mar 3 12:46:04 2023			
	Reference		Reading	
Low Reference:	0.00	degF	0.00	degF
High Reference:	1.00	degF	1.00	degF
Gain:	0.90			
Offset:	0.00			
Delta Spacing	1			

GO WIRELINE LLC

Company CHEVRON
Well Gig-Em State Y9-719
Field WATTENBERG
County WELD
State CO