

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
403383815

Date Received:  
05/24/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed  
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 100322

Name of Operator: NOBLE ENERGY INC

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name	Phone	Email
.		<a href="mailto:rbucogccinspectionreports@chevron.onmicrosoft.com">rbucogccinspectionreports@chevron.onmicrosoft.com</a>

COGCC INSPECTION SUMMARY:

FIR Document Number: 707601032

Inspection Date: 03/31/2023

FIR Submit Date: 04/05/2023

FIR Status: \_\_\_\_\_

Inspected Operator Information:

Company Name: NOBLE ENERGY INC

Company Number: 100322

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 420817

Location Name: Dillard USX Number: AB29-02 County: \_\_\_\_\_

Qtrqtr: NWNE Sec: 29 Twp: 7N Range: 64W Meridian: 6

Latitude: 40.549300 Longitude: -104.571320

FACILITY - API Number: 05-123-00 Facility ID: 420817

Facility Name: Dillard USX Number: AB29-02

Qtrqtr: NWNE Sec: 29 Twp: 7N Range: 64W Meridian: 6

Latitude: 40.549300 Longitude: -104.571320

CORRECTIVE ACTIONS:

1  CA# 168980

Corrective Action: \*Remove, manage, & control weeds around wellsite. Comply with Rule 606.c. Corrective Action date: 05/05/2023. (30-days). See photo #1. \*Please attach photo(s) to FIRR to verify Corrective Actions have been resolved.

Date: 05/05/2023

Response: CA COMPLETED

Date of Completion: 05/03/2023

Operator Comment: Complied with Rule 606.c.

COGCC Decision: Approved via an AMI

COGCC Representative: Field Inspection Report doc. #707601271 (AMI), confirms that weeds have been mitigated. Corrective Action has been resolved.

2  CA# 168981

Corrective Action: \*Post sign w/ Emergency number at wellsite.  
Comply with Rule 605.d.  
Corrective Action date: 05/05/2023. (30-days).  
See photo #1.  
\*Please attach photo(s) to FIRR to verify Corrective Actions have been resolved.

Date: 05/05/2023

Response: CA COMPLETED

Date of Completion: 04/20/2023

Operator Comment: Complied with Rule 605.d.

COGCC Decision: Approved via an AMI

COGCC Representative: Field Inspection Report doc. #707601271 (AMI), confirms sign w/ Emergency # posted at wellsite. Corrective Action has been resolved.

#### OPERATOR COMMENT AND SUBMITTAL

Comment: Complied with Rules 605.d. and 606.c. regarding the removal of weeds and replacement of inadequate signage.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Javier Pellacani

Signed: \_\_\_\_\_

Title: HSE

Date: 5/24/2023 3:47:00 PM

### **ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<b><u>Document Number</u></b>	<b><u>Description</u></b>
403383815	FIR RESOLUTION SUBMITTED
403384379	pic
403412683	Photo

Total Attach: 3 Files