

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
403414470

Date Received:  
05/26/2023

FIR RESOLUTION FORM

Overall Status: FRQ

CA Summary:

1 of 1 CAs from the FIR responded to on this Form

0 CA Completed  
1 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10456

Name of Operator: CAERUS PICEANCE LLC

Address: 1001 17TH STREET #1600

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name	Phone	Email
<u>Romana Cowden</u>	<u>720-951-5895</u>	<u>COGCC.inspections@caerusoilandgas.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 696204971

Inspection Date: 05/23/2023

FIR Submit Date: 05/24/2023

FIR Status: \_\_\_\_\_

Inspected Operator Information:

Company Name: CAERUS PICEANCE LLC

Company Number: 10456

Address: 1001 17TH STREET #1600

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 312686

Location Name: PALLAORO-610S96W Number: 23NENW County: \_\_\_\_\_

Qtrqr: NENW Sec: 23 Twp: 10S Range: 96W Meridian: 6

Latitude: 39.178380 Longitude: -108.073390

FACILITY - API Number: 05-077-00 Facility ID: 312686

Facility Name: PALLAORO-610S96W Number: 23NENW

Qtrqr: NENW Sec: 23 Twp: 10S Range: 96W Meridian: 6

Latitude: 39.178380 Longitude: -108.073390

CORRECTIVE ACTIONS:

1  CA# 171362

Corrective Action: Comply with 1004 Rules.

Date: 10/16/2019

Response: FACTUAL REVIEW REQUEST

Basis for Review: Requested documentation was submitted prior to the inspection

Operator Comment: The surface owner's final reclamation variance request to retain a portion of the location for use as a parking and vehicle chain-up area was initially submitted in 2021 and denied due to 500-Series Rule changes and SB181 timing requirements (Form 4 #402722741). The application was refiled through a COGCC Hearing Application on January 26, 2023 (Docket #230100028). The application has been approved and a hearing date was scheduled in April. The docket was removed from the agenda prior to the hearing date and Caerus was informed that the application was not ready for Commission consideration, the docket was awaiting Director recommendations, and

COGCC technical staff would be informed that Caerus inquired about the status of the application. Though the variance request has not yet been approved, Caerus believes we have made a good faith effort to comply with 500 and 1000-Series Rules and requests the corrective action and any associated enforcement be delayed until the Director makes a recommendation on the matter, the application is heard by the Commission, and a final determination is made.

COGCC Decision: Approved pending re-inspection

COGCC Representative: COGCC acknowledges the submittal of the variance request docket, and staff appreciates the notification. The Corrective Action is being considered "On Hold", until the docket has been heard by the Commission. There maybe COAs associated with the variance request that will be inspected at a future date for final reclamation.

COGCC Supervisor: COGCC acknowledges the submittal of the variance request docket, and staff appreciates the notification. The Corrective Action is being considered "On Hold", until the docket has been heard by the Commission. There maybe COAs associated with the variance request that will be inspected at a future date for final reclamation.

**OPERATOR COMMENT AND SUBMITTAL**

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Romana Cowden

Signed: \_\_\_\_\_

Title: EHS

Date: 5/26/2023 5:54:14 AM

**ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403414470	FIR RESOLUTION SUBMITTED

Total Attach: 1 Files