Company	Gulf Canada Resources Inc
Well	100/06-29-047-05W5/00
Field	Pembina
Province	Alberta
Country	Canada
Date	2-Jan-2010
Time	14:00
Depth Reference	KB
Elevation	0.00 m
Log Interval	1 m
Log Type	Raw Data
Log Scale	1:200
Log Direction	Down
Tool Type	Dual Induction Resistivity
Tool Serial Number	1
Tool Length	0.00 m
Tool Weight	0.00 kg
Tool Diameter	0.00 mm
Max Temp	0.00 °C
Max Pressure	0.00 kPa
Max Speed	0.00 m/min
Log Time	0:00
Log Number	1
Run Number	1
Log Quality	Good
Comments	

Gulf Canada Resources Inc
100/06-29-047-05W5/00
Pembina Field
Alberta, Canada
Depth Reference: KB
Elevation: 0.00 m
Log Interval: 1 m
Log Type: Raw Data
Log Scale: 1:200
Log Direction: Down
Tool Type: Dual Induction Resistivity
Tool Serial Number: 1
Tool Length: 0.00 m
Tool Weight: 0.00 kg
Tool Diameter: 0.00 mm
Max Temp: 0.00 °C
Max Pressure: 0.00 kPa
Max Speed: 0.00 m/min
Log Time: 0:00
Log Number: 1
Run Number: 1
Log Quality: Good
Comments:

Gulf Canada Resources Inc
100/06-29-047-05W5/00
Pembina Field
Alberta, Canada
Depth Reference: KB
Elevation: 0.00 m
Log Interval: 1 m
Log Type: Raw Data
Log Scale: 1:200
Log Direction: Down
Tool Type: Dual Induction Resistivity
Tool Serial Number: 1
Tool Length: 0.00 m
Tool Weight: 0.00 kg
Tool Diameter: 0.00 mm
Max Temp: 0.00 °C
Max Pressure: 0.00 kPa
Max Speed: 0.00 m/min
Log Time: 0:00
Log Number: 1
Run Number: 1
Log Quality: Good
Comments:

Gulf Canada Resources Inc
100/06-29-047-05W5/00
Pembina Field
Alberta, Canada
Depth Reference: KB
Elevation: 0.00 m
Log Interval: 1 m
Log Type: Raw Data
Log Scale: 1:200
Log Direction: Down
Tool Type: Dual Induction Resistivity
Tool Serial Number: 1
Tool Length: 0.00 m
Tool Weight: 0.00 kg
Tool Diameter: 0.00 mm
Max Temp: 0.00 °C
Max Pressure: 0.00 kPa
Max Speed: 0.00 m/min
Log Time: 0:00
Log Number: 1
Run Number: 1
Log Quality: Good
Comments:



Repeat Pass

Receiver and Shot Pass Analysis Formula

Receiver Pass	Shot Pass
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20

WVFS3	9.27				
WVFS2	9.27				
WVFS1	9.27				
WVFCAL	9.27				
WVF3FT	9.27				
WVF5FT	8.27				
CCL$2	4.20				
DCCL	4.20				
CCL$1	4.20				
GCT_TEMP	3.41				
GR	2.83	PROBE-GR/DCCL-275 Probe GCT (2107026) Probe 2 3/4" Gamma Ray/Temp/CCL 6 Pin	4.75	2.75	60.00
		CENT-Overbody	2.00	4.50	3.00
		Bullnose-PROBE Probe Go Pin Pressure Cap	0.33	1.38	1.00

Dataset: booth-state_cc30-725.db: field/well/run1/main.1
Total length: 18.04 ft
Total weight: 174.00 lb
O.D.: 4.50 in

Calibration Report

Database File: booth-state_cc30-725.db
Dataset Pathname: main.1
Dataset Creation: Sat Apr 15 10:56:19 2023

Gamma Ray Calibration Report

Serial Number: 2107026
Tool Model: 275 Probe GCT
Performed: Wed Sep 21 08:38:08 2022

Calibrator Value: 200.0 GAPI

Background Reading: 43.9 cps
Calibrator Reading: 269.1 cps

Sensitivity: 0.8881 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: 1411-220
Tool Model: RBL-DCT

Calibration Casing Diameter: 5.500 in
Calibration Depth: 23.017 ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.001	0.692	0.500	71.921	103.128	0.607
CAL	0.759	0.759				
5'	0.001	0.652	0.500	71.921	109.676	0.407
SUM						
S1	-0.004	0.752	0.000	100.000	132.321	0.514
S2	-0.002	0.762	0.000	100.000	130.807	0.313
S3	-0.002	0.739	0.000	100.000	134.892	0.308
S4	-0.005	0.726	0.000	100.000	136.661	0.734
S5	-0.004	0.730	0.000	100.000	136.119	0.566
S6	-0.002	0.705	0.000	100.000	141.601	0.232
S7	-0.002	0.751	0.000	100.000	132.843	0.264
S8	0.000	0.794	0.000	100.000	125.952	-0.014

Air Zero Calibration, performed Thu Apr 13 07:08:50 2023:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.126	0.000	-0.001
5'	-0.024	0.000	0.001
SUM			
S1	0.070	0.000	0.001
S2	0.077	0.000	-0.000
S3	0.078	0.000	-0.000
S4	0.080	0.000	-0.000
S5	0.082	0.000	-0.001
S6	0.078	0.000	0.000
S7	0.071	0.000	-0.000
S8	0.067	0.000	0.000

Temperature Calibration Report

Serial Number: 1411-220
Tool Model: RBL-DCT
Performed: Fri Mar 3 13:46:04 2023

	Reference		Reading	
Low Reference:	0.00	degF	0.00	degF
High Reference:	1.00	degF	1.00	degF

Gain: 0.90
Offset: 0.00
Delta Spacing 1

GO WIRELINE LLC

Company CHEVRON
Well Booth State CC30-725
Field WATTENBERG
County WELD
State CO