

**FORM  
INSP**Rev  
X/20**State of Colorado  
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

06/28/2023

Submitted Date:

06/28/2023

Document Number:

699504851

**FIELD INSPECTION FORM**Loc ID 333088 Inspector Name: MEDINA, JUSTIN On-Site Inspection ☐ 2A Doc Num: \_\_\_\_\_**Operator Information:**

OGCC Operator Number: 46290

Name of Operator: KP KAUFFMAN COMPANY INC

Address: 1700 LINCOLN ST STE 4550

City: DENVER State: CO Zip: 80203

**Status Summary:**☐ THIS IS A FOLLOW UP INSPECTION☒ FOLLOW UP INSPECTION REQUIRED☐ NO FOLLOW UP INSPECTION REQUIRED**Findings:**

7 Number of Comments

4 Number of Corrective Actions

☒ Corrective Action Response Requested**ANY CORRECTIVE ACTION(S) FROM  
PREVIOUS INSPECTIONS THAT HAVE NOT  
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Graber, Nikki		nikki.graber@state.co.us	
, KPK		cogcc@kpk.com	All Inspections
Silver, Randy		randy.silver@state.co.us	

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
264608	WELL	SI	05/01/2022	GW	001-09459	STONEHOCKER 23-7 001-09459	SI

**General Comment:**

**Location**Overall Good: ☒

Emergency Contact Number:

Comment:

Corrective Action:

Date: \_\_\_\_\_

**Good Housekeeping:**

Type	OTHER		
Comment:	Equipment on location needs to be removed, P&A operations were completed more than 90 days ago.		
Corrective Action:	Comply with COGCC housekeeping rules	Date:	06/28/2023
Type	OTHER		
Comment:	Quarterly reporting is delinquent		
Corrective Action:	Comply with 913.e(3)	Date:	06/28/2023
Type	OTHER		
Comment:	Stockpiled waste is improperly stored, storwater issues on location.		
Corrective Action:	Comply with 913.b.(5)	Date:	06/28/2023
Type	OTHER		
Comment:	Stormwater issue on location needs to be addressed, see pictures		
Corrective Action:	Comply with COGCC stormwater rules.	Date:	06/28/2023

Overall Good: ☐

<b>Spills:</b>				
Type	Area	Volume		

In Containment: No

Comment:

☐ Multiple Spills and Releases?**Venting:**

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type		
Comment:		
Corrective Action:		Date:

**Inspected Facilities**Facility ID: 264608 Type: WELL API Number: 001-09459 Status: SI Insp. Status: SI**Idle Well**Purpose: ☐ Shut In ☒ Temporarily Abandoned Reminder: \_\_\_\_\_Comment: PA

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**COGCC Comments**

Comment	User	Date
<p>COGCC Inspection Report Summary</p> <p>On 6/28/23 I, Inspector Justin Medina conducted an on-site inspection at:</p> <p>Well Name- Stonehocker 23-7</p> <p>Company Name- KPK</p> <p>API- 05-001-09459</p> <p>In Adams County Colorado.</p> <p>While there, I observed P&amp;A well</p> <p>During this inspection the following possible compliance issues were observed:</p> <p>Stormwater issue on location needs to be addressed, see pictures</p> <p>Comply with COGCC stormwater rules. 6/28/23</p> <p>Equipment on location needs to be removed, P&amp;A operations were completed more than 90 days ago.</p> <p>Comply with COGCC housekeeping rules 6/28/23</p> <p>Quarterly reporting is delinquent</p> <p>Comply with 913.e(3) 6/28/23</p> <p>Stockpiled waste is improperly stored, stormwater issues on location.</p> <p>Comply with 913.b.(5) 6/28/23</p> <p>This inspection does not nullify any orders or NOAV from the COGCC.</p> <p>At time of inspection weather conditions were warm, overcast, calm, recent rain.</p> <p>A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules.</p> <p>This is a summary of inspection report.</p>	medinaj	06/28/2023

**Attached Documents**You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699504852	Inspection photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6164242">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6164242</a>