

FORM
5A

Rev
09/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403458921

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: Christina Hirtler

Phone: (720) 929-6301

Fax:

Email: christina_hirtler@oxy.com

5. API Number 05-123-51861-00

7. Well Name: BERRY FARMS

6. County: WELD

Well Number: 8-3HZ

8. Location: QtrQtr: SENE Section: 8 Township: 3N Range: 67W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: NIOBRARA Status: SHUT IN Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 04/26/2023 End Date: 06/10/2023 Date this Formation was Completed:

Perforations Top: 7308 Bottom: 22306 No. Holes: 1680 Hole size: 0.39 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

24 BBL 15% HCL ACID; 206 BBL 20% HCR-7000 WL ACID; 10 BBL 7.5% HCL ACID; 37,561 BBL PUMP DOWN; 619,585 BBL SLICKWATER; 657,386 BBL TOTAL FLUID; 22,318,267 LBS WHITE 40/70 OTTAWA/ST. PETERS; 22,318,267 LBS TOTAL PROPPANT.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 657386 Max pressure during treatment (psi): 8488

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: Min frac gradient (psi/ft): 0.95

Total acid used in treatment (bbl): 240 Number of staged intervals: 56

Recycled or Reused Fluids used in treatment (bbl): 11055 Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): 646091 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 22318267

Fracture stimulations must be reported on [FracFocus.org](https://www.fracfocus.org)

Test Information:

Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

The estimated TPZ footages on the Form 5 should be revised to 1161 FNL & 180 FWL.

This well was immediately shut in after frac and therefore does not have a date of first production, flowback volumes or test data yet. Another 5A will be submitted when the well is turned on to production.

Kerr-McGee certifies compliance with Rule 408.u.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Christina Hirtler

Title: Regulatory Date: Email: christina_hirtler@oxy.com

Attachment List

Att Doc Num Name

Total Attach: 0 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)