

FORM
5A

Rev
09/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

403459104

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: Christina Hirtler

Phone: (720) 929-6301

Fax:

Email: christina_hirtler@oxy.com

5. API Number 05-123-51859-00

7. Well Name: BERRY FARMS

6. County: WELD

Well Number: 8-4HZ

8. Location: QtrQtr: SENE Section: 8 Township: 3N Range: 67W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: NIOBRARA Status: SHUT IN Treatment Type: HYDRAULIC FRACTURING
Treatment Date: 04/29/2023 End Date: 06/10/2023 Date this Formation was Completed: _____
Perforations Top: 7346 Bottom: 22358 No. Holes: 1680 Hole size: 0.39 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

98 BBL 15% HCL ACID; 1,135 BBL 7.5% HCL ACID; 36,151 BBL PUMP DOWN; 614,447 BBL SLICKWATER; 651,831 BBL TOTAL FLUID; 21,691,395 LBS WHITE 40/70 OTTAWA/ST. PETERS; 21,691,395 LBS TOTAL PROPPANT.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 651831 Max pressure during treatment (psi): 8463
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: _____ Min frac gradient (psi/ft): 0.97
Total acid used in treatment (bbl): 1233 Number of staged intervals: 56
Recycled or Reused Fluids used in treatment (bbl): 7660 Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): 642938 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 21691395

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Date: _____ Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

The estimated TPZ footages on the Form 5 should be revised to 1646 FNL & 180 FWL.

This well was immediately shut in after frac and therefore does not have a date of first production, flowback volumes or test data yet. Another 5A will be submitted when the well is turned on to production.

Kerr-McGee certifies compliance with Rule 408.u.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Christina Hirtler
Title: Regulatory Date: _____ Email: christina_hirtler@oxy.com

Attachment List

Att Doc Num Name

Total Attach: 0 Files

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
| | | Stamp Upon Approval |

Total: 0 comment(s)