

Koch Tank Battery (483548), Remediation No. 25978

Soil Field Screening

Sample ID	Depth (ft)	Date	PID (ppm)	Latitude	Longitude
FS-4	3	12.13.22	0	40.07951	-105.03761
FS-5	3	12.13.22	5.7	40.0795	-105.03757
FS-6	3	12.13.22	0.2	40.0795	-105.03755
FS-7	4	12.15.22	0	40.07962	-105.03755
FS-8	4	12.15.22	0.2	40.07958	-105.03753
FS-9	4	12.15.22	0	40.07953	-105.03751
FS-10	4	12.15.22	0	40.07951	-105.03751
FS-11	4	12.15.22	0	40.07948	-105.03756
FS-12	5	12.15.22	0	40.07952	-105.03757
SS-1	3	1.27.23	0.9	NC	NC
SS-2	5	12.06.22	0.5	40.07997	-105.03761
SS-3	5	12.06.22	0.1	40.07990	-105.03765
SS-4	5	12.06.22	0.1	40.07984	-105.03763
SS-5	5	12.06.22	0.2	40.07976	-105.03761
SS-6	5	12.06.22	0.2	40.07968	-105.03759
SW-1	4	12.05.22	0.1	40.07962	-105.03761
SW-2	4	12.05.22	135.4	40.07959	-105.03757
SW-3	4	12.05.22	124.1	40.07956	-105.0376
SW-4	4	12.05.22	1.5	40.07959	-105.03764
SW-5	4	12.09.22	0.3	40.07964	-105.03764
SW-6	3	12.09.22	0.2	40.07965	-105.03763
SW-7	4	12.20.22	1.1	40.07965	-105.03764
SW-8	4	12.20.22	0.9	40.07966	-105.03756
SW-9	4	12.20.22	0.3	40.07963	-105.03757
SW-10	4	12.20.22	0.1	40.07959	-105.03754
SW-11	4	12.20.22	0.9	40.07952	-105.03781
SW-12	4	12.20.22	0.8	40.0795	-105.03757
SW-13	4	12.20.22	0.4	40.0795	-105.03758
SW-14	4	12.20.22	0.2	40.07955	-105.03763
SW-15	4	12.20.22	0.2	40.07958	-105.03764
SW-16	4	12.20.22	0.8	40.07961	-105.03765
BH-1	6	12.05.22	8.1	40.07961	-105.03761
BH-2	6	12.20.22	1	40.07963	-105.03761
BH-3	6	12.20.22	0.7	40.07962	-105.03758
BH-4	6	12.20.22	0.4	40.07953	-105.03756
BH-5	6	12.20.22	0.5	40.07952	-105.0376
BK-1	4 & 6	1.26.23	NC	40.08016	-105.03783
BK-2	4 & 6	1.26.23	NC	40.07999	-105.03785
BK-3	4 & 6	1.26.23	NC	40.07947	-105.03732

Notes:

PID - photoionization detector

ft - feet

ppm - parts per million

NC - not collected



Koch_Tank_Battery (482821), Remediation No. 25978

Organic Compounds in Soil

Soil to Groundwater			benzene	toluene	ethylbenzene	Xylenes (total)	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	naphthalene	C6-C10 (GRO)	C10-C28 (DRO)	C28-C36 (ORO)	TPH (Calculated)	acenaphthene	anthracene	benzo[a]anthracene	benzo[a]pyrene	benzo[b]fluoranthene	benzo[k]fluoranthene	chrysene	dibenzo[a,h]anthracene	fluoranthene	fluorene	indeno[1,2,3-cd]pyrene	pyrene	1-methylnaphthalene	2-methylnaphthalene	
COGCC Table 915-1 Concentration Levels			0.0026	0.69	0.78	9.9	0.0081	0.0087	0.0038	500	500	500	500	0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3	0.006	0.019	
Units			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
Sample	Lab Sample ID	Sample Date																										
BACKGROUND-1@4'	Y301441-01	1/26/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
BACKGROUND-1@6'	Y301441-02	1/26/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
BACKGROUND-2@4'	Y301441-03	1/26/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
BACKGROUND-2@6'	Y301441-04	1/26/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
BACKGROUND-3@4'	Y301441-05	1/26/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
BACKGROUND-3@6'	Y301441-06	1/26/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
SOURCE SAMPLE	Y212129-10	12/6/2022	<0.00200	0.00406	0.0053	0.0209	1.03	0.0732	0.0183	349	451	136	937	0.0292	0.00572	0.00575	<0.00234	<0.00293	<0.00219	0.0245	<0.00307	0.00753	0.0603	<0.00314	0.0147	0.125	0.0852	
SS-1@2'	Y212129-01	12/5/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00380	<0.200	165	372	537	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
SS-1@3'	Y301477-01	1/27/2023	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00201	<0.200	31.3	152	183.3	0.0125	0.0478	0.091	0.101	0.079	0.0313	0.0999	0.0225	0.159	0.0144	0.1	0.131	0.00273	0.00302	
SS-2@5'	Y212129-07	12/6/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00380	<0.200	<25.0	<100	<125.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
SS-4@5'	Y212129-08	12/6/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00380	<0.200	28.3	<100	28.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
SS-6@5'	Y212129-09	12/6/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00380	<0.200	<25.0	<100	<125.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
SW-1@4'	Y212129-03	12/5/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.0073	<0.200	<25.0	<100	<125.2	<0.00152	<0.00167	<0.00247	<0.00234	<0.00293	<0.00219	<0.00312	<0.00307	<0.00197	<0.00143	<0.00314	<0.00322	<0.00549	<0.00972	
SW-4@4'	Y212129-06	12/5/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00145	<0.200	25.2	<100	25.2	<0.000304	<0.000334	0.00525	0.00482	0.00441	0.00233	0.00705	0.000727	0.00774	<0.000286	0.00235	0.0076	<0.00109	<0.00194	
SW-5@4'	Y212238-01	12/9/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00145	<0.200	<25.0	<100	<125.2	<0.000304	<0.000334	<0.000493	0.000648	0.000631	<0.000437	0.000684	<0.000614	0.000762	<0.000286	<0.000627	0.00094	<0.00109	<0.00194	
SW-6@3'	Y212238-02	12/9/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00145	<0.200	<25.0	<100	<125.2	<0.000304	<0.000334	<0.000493	<0.000468	<0.000585	<0.000437	<0.000624	<0.000614	<0.000394	<0.000286	<0.000627	<0.000643	<0.00109	<0.00194	
SW-7@4'	Y212459-01	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.0101	<0.200	<25.0	<100	<125.2	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.0101	<0.0101	
SW-8@4'	Y212459-02	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00201	<0.200	<25.0	<100	<125.2	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00201	<0.00201	
SW-9@4'	Y212459-03	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00201	<0.200	<25.0	<100	<125.2	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00201	<0.00201	
SW-10@4'	Y212459-04	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00201	<0.200	<25.0	<100	<125.2	<0.00067	<0.00067	<0.00067	<0.00067	0.000755	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00201	<0.00201	
SW-11@4'	Y212459-05	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.0101	<0.200	<25.0	<100	<125.2	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.0101	<0.0101	
SW-12@4'	Y212459-06	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00201	<0.200	<25.0	<100	<125.2	<0.00067	<0.00067	<0.00067	0.00131	0.00236	<0.00067	0.00106	<0.00067	<0.00067	<0.00067	0.00277	0.00168	<0.00201	<0.00201	
SW-13@4'	Y212459-07	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00201	<0.200	<25.0	<100	<125.2	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00201	<0.00201	
SW-14@4'	Y212459-08	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00201	<0.200	<25.0	<100	<125.2	<0.00067	<0.00067	0.00125	0.00199	0.00236	0.00142	0.00287	0.00357	0.000575	<0.00067	0.00507	0.000803	<0.00201	<0.00201	
SW-15@4'	Y212459-09	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.0101	<0.200	<25.0	<100	<125.2	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.0101	<0.0101	
SW-16@4'	Y212459-10	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.0101	<0.200	<25.0	<100	<125.2	<0.00335	<0.00335	<0.00335	<0.00335	0.00421	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	0.00446	<0.0101	<0.0101
BH-1@6'	Y212129-02	12/5/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.0073	<0.200	<25.0	<100	<125.2	<0.00152	<0.00167	<0.00247	<0.00234	<0.00293	<0.00219	<0.00312	<0.00307	<0.00197	0.00151	<0.00314	<0.00322	<0.00549	<0.00972	
BH-2@6'	Y212459-11	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.0101	<0.200	<25.0	<100	<125.2	<0.00335	<0.00335	0.00914	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.00335	<0.0101	<0.0101	
BH-3@6'	Y212459-12	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00201	<0.200	<25.0	<100	<125.1	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067	<0.00201	<0.00201	
BH-4@6'	Y212459-13	12/20/2022	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.0101	<0.200	<25.0	<100	<															

Notes:

mg/kg - milligrams per kilogram

GRO - gasoline range organics

DRO - diesel range organics

ORO - oil range organics

TPH - total petroleum hydrocarbons

NA - not analyzed

Green highlights indicate soil has been excavated.



Koch_Tank_Battery (482821), Remediation No. 25978

Soil Suitability for Reclamation

Soil to Groundwater			Boron	Sodium Adsorption Ratio	Specific Conductance (EC)	pH
COGCC Table 915-1 Concentration Levels			2	6	4	6 to 8.3
Units			mg/L	Units	mmhos/cm	pH units
Sample	Lab Sample ID	Sample Date				
BACKGROUND-1@4'	Y301441-01	1/26/2023	0.892	6.43	1.56	8.56
BACKGROUND-1@6'	Y301441-02	1/26/2023	0.0988	0.559	0.421	8.47
BACKGROUND-2@4'	Y301441-03	1/26/2023	0.0711	0.715	0.318	8.37
BACKGROUND-2@6'	Y301441-04	1/26/2023	0.872	2.16	0.743	8.06
BACKGROUND-3@4'	Y301441-05	1/26/2023	0.788	9.63	10.8	8.1
BACKGROUND-3@6'	Y301441-06	1/26/2023	0.857	5.95	2.41	8.15
SOURCE SAMPLE	Y212129-10	12/6/2022	0.668	9.08	0.862	8.3
SS-1@2'	Y212129-01	12/5/2022	0.132	0.461	0.351	8.2
SS-1@3'	Y301477-01	1/27/2023	<0.0997	0.348	0.409	8.12
SS-2@5'	Y212129-07	12/6/2022	0.298	0.938	0.376	7.99
SS-4@5'	Y212129-08	12/6/2022	0.234	0.462	0.594	8.24
SS-6@5'	Y212129-09	12/6/2022	1.04	6.13	1.83	8.55
SW-1@4'	Y212129-03	12/5/2022	0.122	3.51	0.313	7.65
SW-4@4'	Y212129-06	12/5/2022	0.32	14.4	0.527	8.62
SW-5@4'	Y212238-01	12/9/2022	0.607	0.753	0.409	8.16
SW-6@3'	Y212238-02	12/9/2022	0.176	0.643	0.359	8.22
SW-7@4'	Y212459-01	12/20/2022	0.122	0.852	0.226	8.11
SW-8@4'	Y212459-02	12/20/2022	1.22	4.1	0.965	8.56
SW-9@4'	Y212459-03	12/20/2022	<0.999	2.07	0.665	8.37
SW-10@4'	Y212459-04	12/20/2022	0.448	1.99	0.639	8.39
SW-11@4'	Y212459-05	12/20/2022	0.771	15.5	1.98	8.6
SW-12@4'	Y212459-06	12/20/2022	0.588	1.67	0.635	8.33
SW-13@4'	Y212459-07	12/20/2022	0.209	1.39	0.459	8.22
SW-14@4'	Y212459-08	12/20/2022	0.121	0.347	0.284	7.89
SW-15@4'	Y212459-09	12/20/2022	0.425	15.2	0.647	8.47
SW-16@4'	Y212459-10	12/20/2022	0.408	0.938	0.469	8.11
BH-1@6'	Y212129-02	12/5/2022	0.547	19.9	0.854	8.82
BH-2@6'	Y212459-11	12/20/2022	0.431	3.24	0.63	8.3
BH-3@6'	Y212459-12	12/20/2022	0.266	2.61	0.771	8.27
BH-4@6'	Y212459-13	12/20/2022	0.283	2.24	1.02	8.11
BH-5@6'	Y212459-14	12/20/2022	0.331	2.19	1.04	8.12

Notes:

NA - not analyzed

Red indicates above applicable standard

mg/L - milligrams per liter

mmhos/cm - millimhos per centimeter

Green highlights indicate soil has been excavated.

Yellow highlight indicates above Table 915-1 concentration level and above highest background standard.



Koch_Tank_Battery (482821), Remediation No. 25978

Metals in Soil

Soil to Groundwater			arsenic	barium	cadmium	copper	lead	nickel	selenium	silver	zinc	chromium (Hexavalent)
COGCC Table 915-1 Concentration Levels			0.29	82	0.38	46	14	26	0.26	0.8	370	0.00067
Maximum Background x 1.25			7.59	166.25	0.575	47.63	50.25	18.5	0.34	0.69	119.5	<3.19
Units			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Sample	Lab Sample ID	Sample Date										
BACKGROUND-1@4'	Y301441-01	1/26/2023	6.07	130	0.46	38.1	40.2	<8.88	0.201	0.551	89.9	<2.5
BACKGROUND-1@6'	Y301441-02	1/26/2023	3.79	100	0.107	9.97	<8.99	11.8	0.186	<0.0899	<89.9	<0.5
BACKGROUND-2@4'	Y301441-03	1/26/2023	3.5	106	0.114	10.8	<9.23	13.8	0.164	<0.0923	<92.3	<1
BACKGROUND-2@6'	Y301441-04	1/26/2023	4.21	105	0.146	12.9	12.1	12.5	0.169	<0.0956	<95.6	<0.5
BACKGROUND-3@4'	Y301441-05	1/26/2023	3.5	82.1	0.162	10.3	11.6	11.8	0.269	<0.0934	<93.4	<2.55
BACKGROUND-3@6'	Y301441-06	1/26/2023	4.36	133	0.124	12.5	9.87	14.8	0.2	<0.0883	<88.3	<0.5
SOURCE SAMPLE	Y212129-10	12/6/2022	2.76	72.1	0.124	<9.09	<9.09	<9.09	0.107	<0.0909	<90.9	<0.244
SS-1@2'	Y212129-01	12/5/2022	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SS-1@3'	Y301477-01	1/27/2023	2.49	72.6	0.175	<9.63	<9.63	<9.63	0.255	<0.0963	<96.3	<2.6
SS-2@5'	Y212129-07	12/6/2022	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SS-4@5'	Y212129-08	12/6/2022	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SS-6@5'	Y212129-09	12/6/2022	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SW-1@4'	Y212129-03	12/5/2022	27.8	176	0.209	<9.74	29.5	<9.74	0.143	<0.0974	<97.4	<0.246
SW-4@4'	Y212129-06	12/5/2022	1.41	78.6	<0.0926	<9.26	<9.26	<9.26	0.1	<0.0926	<92.6	<0.488
SW-5@4'	Y212238-01	12/9/2022	2.77	98.1	0.166	<9.85	<9.85	<9.85	0.133	<0.0985	<98.5	<1.22
SW-6@3'	Y212238-02	12/9/2022	3.71	115	0.226	10.6	<9.24	10.2	0.267	<0.0924	<92.4	<1.22
SW-7@4'	Y212459-01	12/20/2022	1.93	46.4	<0.0879	<8.79	<8.79	<8.79	0.151	<0.0879	<87.9	<1
SW-8@4'	Y212459-02	12/20/2022	3.95	104	0.216	11	12.2	12.4	0.307	<0.0968	<96.8	<1
SW-9@4'	Y212459-03	12/20/2022	3.93	108	0.129	10.7	9.17	12	0.162	<0.0915	<91.5	<0.5
SW-10@4'	Y212459-04	12/20/2022	3.62	97	0.188	10.7	10.1	11.6	0.232	<0.0920	<92.0	<2.55
SW-11@4'	Y212459-05	12/20/2022	2.54	67.4	0.103	<9.66	<9.66	<9.66	0.105	<0.0966	<96.6	<2.5
SW-12@4'	Y212459-06	12/20/2022	4.29	96.2	0.252	11.6	15	11.7	0.453	<0.0978	<97.8	<5
SW-13@4'	Y212459-07	12/20/2022	2.06	45.9	<0.0947	<9.47	<9.47	<9.47	0.168	<0.0947	<94.7	<2.5
SW-14@4'	Y212459-08	12/20/2022	1.65	76.4	<0.0961	<9.61	<9.61	<9.61	0.159	<0.0961	<96.1	<0.513
SW-15@4'	Y212459-09	12/20/2022	2.15	62.7	0.101	<9.64	<9.64	<9.64	0.187	<0.0964	<96.4	<1.01
SW-16@4'	Y212459-10	12/20/2022	2.48	102	0.133	<9.62	<9.62	<9.62	0.141	<0.0962	<96.2	<1.04
BH-1@6'	Y212129-02	12/5/2022	2.04	107	0.102	<9.38	<9.38	<9.38	<0.0938	<0.0938	<93.8	<0.502
BH-2@6'	Y212459-11	12/20/2022	1.95	92.3	0.0983	<9.36	<9.36	<9.36	<0.0936	<0.0936	<93.6	<1
BH-3@6'	Y212459-12	12/20/2022	2.98	90.7	0.106	9.73	<9.59	9.74	0.107	<0.0959	<95.9	<0.515
BH-4@6'	Y212459-13	12/20/2022	2.71	75.7	0.118	<9.49	<9.49	<9.49	0.161	<0.0949	<94.9	<1
BH-5@6'	Y212459-14	12/20/2022	2.51	76.7	0.0971	<9.16	<9.16	<9.16	0.166	<0.0916	<91.6	<1.01

Notes:

NA - not analyzed
Red indicates above applicable standard
mg/Kg - milligrams per kilogram

Yellow highlight indicates above Table 915-1 concentration level and 1.25 x highest background standard.

Green highlights indicate soil has been excavated.



Koch_Tank Battery (483548), Remediation No. 25978

Groundwater Analytical Results

Groundwater			Benzene	Toluene	Ethylbenzene	Xylenes (total)	Chloride	Sulfate	Total Dissolved Solids
COGCC Table 915-1 Concentration Levels			5	560	700	1400	250	250	*
Units			µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L
Sample	Lab Sample ID	Sample Date							
GW-1	Y212129-11	12/05/22	<1.00	<1.00	1.20	6.59	845	409	3060

Notes:

COGCC - Colorado Oil and Gas Conservation Commission

mg/L - milligrams per liter

µg/L = micrograms per liter

< - Indicates analytical result is less than the laboratory reporting limit.

RED – indicates the sample result exceeds the applicable COGCC Table 915-1 cleanup concentration limit.

* Standard based on background concentration. Background water sample not collected for this site.