

Location

Overall Good:

Emergency Contact Number:

Comment:

Corrective Action:

Date: _____

Overall Good:

Spills:

Type	Area	Volume			

In Containment: No

Comment:

Multiple Spills and Releases?

Equipment:

corrective date

Type: Progressive Cavity

1

Comment:

Corrective Action:

Date:

Type: Gas Meter Run

1

Comment: CAL. REPORT INDICATES GAS METER HAS BEEN CALIBRATED WITHIN THE LAST YEAR.

Corrective Action:

Date:

Type: Bradenhead

1

Comment: IS ACCESSABLE

Corrective Action:

Date:

Type: Vertical Separator

1

Comment:

Corrective Action:

Date:

Type: Deadman # & Marked

4

Comment:

Corrective Action:

Date:

Type: Ancillary equipment

1

Comment:

Corrective Action:

Date:

Type: Prime Mover

1

Comment:

Corrective Action:

Date:

Venting:

Yes/No NO

Comment:

Corrective Action:

Date:

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Inspected Facilities

Facility ID: 217760 Type: WELL API Number: 071-06539 Status: PR Insp. Status: PR

Producing Well

Comment:

Corrective Action:

Date:

BradenHead

Date of Last Brhd Test: 06/30/2009 Annual Brhd Completed? _____

Last Brhd Test Results Initial Surf Csg Pressure: 0 Fluid Type: _____

End Surf Csg Pressure: 0

Comment:

[FORM 4 IS ON FILE](#)

Corrective Action:

Date:

Reclamation - Storm Water - Pit

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Compaction	Pass	Culverts	Pass			
Sediment Traps	Pass	Check Dams	Pass			
Ditches	Pass	Compaction	Pass			
Gravel	Pass	Gravel	Pass			

Comment:

Corrective Action:

Date: _____

Pits: NO SURFACE INDICATION OF PIT

COGCC Comments

Comment	User	Date
THIS IS A FOLLOW UP TO INSP. DOC #690204152, CA'S HAVE BEEN ADDRESSED. SEE PHOTOS ATTACHED.	beardslt	07/17/2023

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
695108443	INSP. PHOTOS	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6184764