

State of Colorado  
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
403479757

Date Received:  
07/27/2023

## FIR RESOLUTION FORM

### Overall Status:

#### CA Summary:

2 of 5 CAs from the FIR responded to on this Form

2 CA Completed  
0 Factual Review Request

### OPERATOR INFORMATION

OGCC Operator Number: 8960

Name of Operator: BONANZA CREEK ENERGY OPERATING COMPANY LLC

Address: 410 17TH STREET SUITE #1400

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) Fax: ( )

Email: \_\_\_\_\_

#### Additional Operator Contact:

Contact Name

Phone

Email

Luke Kelly

970-939-6353

lkelly@civiresources.com

### COGCC INSPECTION SUMMARY:

FIR Document Number: 696305122

Inspection Date: 07/17/2023

FIR Submit Date: 07/26/2023

FIR Status: \_\_\_\_\_

#### Inspected Operator Information:

Company Name: BONANZA CREEK ENERGY OPERATING COMPANY LLC

Company Number: 8960

Address: 410 17TH STREET SUITE #1400

City: DENVER State: CO Zip: 80202

#### LOCATION - Location ID: 430128

Location Name: Antelope Number: J-20 Pad County: \_\_\_\_\_

Qtrqtr: SESW Sec: 20 Twp: 5N Range: 62W Meridian: 6

Latitude: 40.378423 Longitude: -104.351906

#### FACILITY - API Number: 05-123-00 Facility ID: 430128

Facility Name: Antelope Number: J-20 Pad

Qtrqtr: SESW Sec: 20 Twp: 5N Range: 62W Meridian: 6

Latitude: 40.378423 Longitude: -104.351906

### CORRECTIVE ACTIONS:

1 CA# 176393

Corrective Action: Pollution: Violation to water quality standards and classifications. Comply with reporting requirements in 906 and notify EPS within 24-hrs. Comply with 912 Series Rules

Date: 07/28/2023

Response: CA COMPLETED

Date of Completion: 07/27/2023

Environmental Specialist reviewed the location and reported that the area has been appropriately cleared of frac

Operator Comment: sand and cleaned to now comply with Rules 906 and 912. Reported readings from PID were between 26-335ppm.

COGCC Decision: \_\_\_\_\_

COGCC Representative: \_\_\_\_\_

4 CA# 176396

Corrective Action: Pollution: Violation to water quality standards and classifications. Comply with reporting requirements in 906 and notify EPS within 24-hrs.  
Comply with 912 Series Rules

Date: 07/28/2023

Response: CA COMPLETED

Date of Completion: 07/27/2023

Operator Comment: Environmental Specialist reviewed the location and reported that waste from the Hydrovac has been appropriately cleared and cleaned from the site to comply with Rules 906 and 912. Reported readings from PID were between 26-335ppm.

COGCC Decision: \_\_\_\_\_

COGCC Representative: \_\_\_\_\_

#### OPERATOR COMMENT AND SUBMITTAL

Comment: \_\_\_\_\_

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Ashley Noonan

Signed: \_\_\_\_\_

Title: Sr Regulatory Analyst

Date: 7/27/2023 10:50:28 PM

### ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
------------------------	--------------------

403479785	Inspection Photos
-----------	-------------------

Total Attach: 1 Files