

**State of Colorado**  
**Energy & Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



|                                      |    |    |    |
|--------------------------------------|----|----|----|
| DE                                   | ET | OE | ES |
| Document Number:<br><b>403484966</b> |    |    |    |
| Date Received:                       |    |    |    |

**SUNDRY NOTICE**

This form is required for reports, updates, and requests as specified in the COGCC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

OGCC Operator Number: 47120 Contact Name Christina Hirtler  
 Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP Phone: (720) 929-6301  
 Address: P O BOX 173779 Fax: ( )  
 City: DENVER State: CO Zip: 80217-3779 Email: christina\_hirtler@oxy.com

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL  
 API Number : 05- 123 51926 00 ID Number: 483452  
 Name: SWARTZ Number: 4-10HZ  
 Location QtrQtr: NWNE Section: 4 Township: 3N Range: 67W Meridian: 6  
 County: WELD Field Name: WATTENBERG

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

| Location ID | Location Name and Number |
|-------------|--------------------------|
| 482983      | SWARTZ 2-4HZ             |

**OGDP(s)**

| OGDP ID | OGDP Name     |
|---------|---------------|
| 482251  | Democrat OGDP |

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

Change of Location for Well \*  As-Built GPS Location Report  As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
 GPS Quality Value: \_\_\_\_\_ Type of GPS Quality Value: \_\_\_\_\_ Measurement Date: \_\_\_\_\_  
 Well Ground Elevation: 4826 feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: HORIZONTAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From**:

| FNL/FSL            |              | FEL/FWL       |                                    |
|--------------------|--------------|---------------|------------------------------------|
| <u>717</u>         | <u>FNL</u>   | <u>1583</u>   | <u>FEL</u>                         |
| <u>717</u>         | <u>FNL</u>   | <u>1583</u>   | <u>FEL</u>                         |
| QtrQtr <u>NWNE</u> | Sec <u>4</u> | Twp <u>3N</u> | Range <u>67W</u> Meridian <u>6</u> |
| QtrQtr <u>NWNW</u> | Sec <u>4</u> | Twp <u>3N</u> | Range <u>67W</u> Meridian <u>6</u> |

Change of **Surface** Footage **To**:

Current **Surface** Location **From**

New **Surface** Location **To**

Change of **Top of Productive Zone** Footage **From:**

1230 FNL

1916 FEL

Change of **Top of Productive Zone** Footage **To:**

379 FNL

1369 FWL

\*\*

Current **Top of Productive Zone** Location

Sec 4

Twp 3N

Range 67W

New **Top of Productive Zone** Location

Sec 4

Twp 3N

Range 67W

Change of **Base of Productive Zone** Footage **From:**

FNL

FEL

Change of **Base of Productive Zone** Footage **To:**

480 FNL

415 FWL

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec 1

Twp 3N

Range 68W

Change of **Bottomhole** Footage **From:**

1050 FNL

2432 FWL

Change of **Bottomhole** Footage **To:**

480 FNL

415 FWL

\*\*

Current **Bottomhole** Location

Sec 1

Twp 3N

Range 67W

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec 1

Twp 3N

Range 68W

### SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: 647 Feet  
 Building Unit: 848 Feet  
 Public Road: 703 Feet  
 Above Ground Utility: 660 Feet  
 Railroad: 5280 Feet  
 Property Line: 537 Feet

#### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

### SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? \_\_\_\_\_

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### LOCATION CHANGE COMMENTS

\_\_\_\_\_

**CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT**

| <u>Objective Formation</u> | <u>Formation Code</u> | <u>Spacing Order Number</u> | <u>Unit Acreage</u> | <u>Unit Configuration</u> | Add | Modify | No Change | Delete |
|----------------------------|-----------------------|-----------------------------|---------------------|---------------------------|-----|--------|-----------|--------|
| CODELL                     | CODL                  | 4073374                     | 3440                | T3N-67W;1:NW4;2:N2;3      | X   |        |           |        |
| NIOBRARA                   | NBRR                  | 4073374                     | 3440                | T3N-67W;1:NW4;2:N2;3      |     |        |           | X      |

**OTHER**

**RULE 502 VARIANCE**

Order Number: \_\_\_\_\_

Description:

**REMOVE FROM SURFACE BOND**      **Signed surface use agreement is a required attachment**

**CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD**

From: Name SWARTZ      Number 4-10HZ      Effective Date: \_\_\_\_\_

To: Name \_\_\_\_\_      Number \_\_\_\_\_

**ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

- WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.
  - PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 911)
  - CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 907)
- OIL & GAS LOCATION ID Number: \_\_\_\_\_
- Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.
  - Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

**REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))**

**DIGITAL WELL LOG UPLOAD**

**DOCUMENTS SUBMITTED**      Purpose of Submission: \_\_\_\_\_

**COMPLIANCE with CONDITION OF APPROVAL (COA) on**      Form NO: \_\_\_\_\_      Document Number: \_\_\_\_\_

**RECLAMATION**

**INTERIM RECLAMATION**

- Interim Reclamation will commence approximately \_\_\_\_\_  
Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.
- Interim reclamation complete, site ready for inspection.  
Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

- Final Reclamation will commence approximately \_\_\_\_\_  
Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

- Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_  
Has Production Equipment been removed from site? \_\_\_\_\_  
Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

- NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date 09/28/2023
- SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

|   |  |  |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan  | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input checked="" type="checkbox"/> Change Drilling Plan  | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

- Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_  
(No Sample Provided)

- Subsequent well operations with heavy equipment (Rule 312)  
(No Well Provided)

COMMENTS:

**GAS CAPTURE**

VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

\_\_\_\_\_

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

\_\_\_\_\_

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

\_\_\_\_\_

Total volume of gas vented or flared: \_\_\_\_\_ mcf  estimated  measured

Total duration of emission event: \_\_\_\_\_ hours  consecutive  cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

**GAS CAPTURE PLAN**

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

\_\_\_\_\_

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

**CASING PROGRAM**

| Casing Type | Size of Hole | Size of Casing | Grade      | Wt/Ft | Csg/Liner Top | Setting Depth | Sacks Cmt | Cmt Btm | Cmt Top |
|-------------|--------------|----------------|------------|-------|---------------|---------------|-----------|---------|---------|
| CONDUCTOR   | 26           | 16             | ASTM A53 B | 37    | 0             | 80            | 64        | 80      | 0       |
| SURF        | 13+1/2       | 9+5/8          | L80        | 17    | 0             | 24351         | 2800      | 24361   | 1000    |
| 1ST         | 7+7/8        | 5+1/2          | HCP110     | 36    | 0             | 1500          | 590       | 1517    | 0       |

**POTENTIAL FLOW AND CONFINING FORMATIONS**

| Zone Type       | Formation /Hazard       | Top M.D. | Top T.V.D. | Bottom M.D. | Bottom T.V.D. | TDS (mg/L) | Data Source              | Comment                     |
|-----------------|-------------------------|----------|------------|-------------|---------------|------------|--------------------------|-----------------------------|
| Groundwater     | Fox Hills and Shallower | 17       | 17         | 129         | 129           | 501-1000   | USGS                     |                             |
| Confining Layer | Pierre Shale            | 130      | 130        | 390         | 390           |            |                          |                             |
| Groundwater     | Upper Pierre Aquifer    | 391      | 391        | 1263        | 1255          | 501-1000   | Electric Log Calculation | Controlled by water samples |
| Confining Layer | Pierre Shale            | 1264     | 1256       | 4206        | 4086          |            |                          |                             |
| Hydrocarbon     | Sussex                  | 4207     | 4087       | 4421        | 4293          |            |                          | Non-productive              |
| Confining Layer | Pierre Shale            | 4422     | 4294       | 4728        | 4588          |            |                          |                             |
| Hydrocarbon     | Shannon                 | 4729     | 4589       | 4806        | 4663          |            |                          | Non-productive              |
| Confining Layer | Pierre Shale            | 4807     | 4664       | 7108        | 6864          |            |                          |                             |
| Hydrocarbon     | Niobrara                | 7109     | 6865       | 7647        | 7164          |            |                          |                             |
| Hydrocarbon     | Codell                  | 7652     | 7165       | 0           | 0             |            |                          |                             |

**H2S REPORTING**

Intentional release of H2S gas due to Upset Condition or malfunction.

Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

**Gas Analysis Report must be attached.**

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)

Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**OIL & GAS LOCATION UPDATES**

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

**SITE EQUIPMENT LIST UPDATES**

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

|                            |                           |                            |                             |                                    |
|----------------------------|---------------------------|----------------------------|-----------------------------|------------------------------------|
| Wells _____                | Oil Tanks _____           | Condensate Tanks _____     | Water Tanks _____           | Buried Produced Water Vaults _____ |
| Drilling Pits _____        | Production Pits _____     | Special Purpose Pits _____ | Multi-Well Pits _____       | Modular Large Volume Tank _____    |
| Pump Jacks _____           | Separators _____          | Injection Pumps _____      | Heater-Treaters _____       | Gas Compressors _____              |
| Gas or Diesel Motors _____ | Electric Motors _____     | Electric Generators _____  | Fuel Tanks _____            | LACT Unit _____                    |
| Dehydrator Units _____     | Vapor Recovery Unit _____ | VOC Combustor _____        | Flare _____                 | Enclosed Combustion Devices _____  |
| Meter/Sales Building _____ | Pigging Station _____     |                            | Vapor Recovery Towers _____ |                                    |

**OTHER PERMANENT EQUIPMENT UPDATES**

**OTHER TEMPORARY EQUIPMENT UPDATES**

**CULTURAL AND SAFETY SETBACK UPDATES**

**OTHER LOCATION CHANGES AND UPDATES**

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDGP UPDATES

PROPOSED CHANGES TO AN APPROVED OGDGP

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDGP:

- Add Oil and Gas Location(s)
- Add Drilling and Spacing Unit(s)
- Amend Oil and Gas Location(s)
- Amend Drilling and Spacing Unit(s)
- Remove Oil and Gas Location(s)
- Remove Drilling and Spacing Unit(s)
- Oil and Gas Location attachment or plan updates
- Amend the lands subject to the OGDGP
- Other

Provide a detailed description of the changes being proposed for this OGDGP. Attach supporting documentation such as maps if necessary.

**Best Management Practices**

**No BMP/COA Type**

**Description**

|  |  |
|--|--|
|  |  |
|--|--|

Operator Comments:

Swartz 2-4HZ pad originally planned with 16 wells; now being sundried to reflect a redesign with 11 wells. There is no change to the spacing unit

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Christina Hirtler  
 Title: Regulatory Email: christina\_hirtler@oxy.com Date: \_\_\_\_\_

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY:**

**COA Type**

**Description**

|       |  |
|-------|--|
|       |  |
| 0 COA |  |

**General Comments**

**User Group**

**Comment**

**Comment Date**

|  |  |                     |
|--|--|---------------------|
|  |  | Stamp Upon Approval |
|--|--|---------------------|

Total: 0 comment(s)

**Attachment List**

| <b><u>Att Doc Num</u></b> | <b><u>Name</u></b> |
|---------------------------|--------------------|
| 403485044                 | DIRECTIONAL SURVEY |
| 403485046                 | DIRECTIONAL DATA   |

Total Attach: 2 Files