

# State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403458665

Receive Date:

07/11/2023

Report taken by:

Nick Cholas

## Site Investigation and Remediation Workplan (Initial Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by COGCC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

### OPERATOR INFORMATION

Name of Operator: <u>KERR MCGEE OIL &amp; GAS ONSHORE LP</u>	Operator No: <u>47120</u>	<b>Phone Numbers</b>
Address: <u>P O BOX 173779</u>		Phone: <u>(970) 336-3500</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-3779</u>		Mobile: <u>(970) 515-1698</u>
Contact Person: <u>Gregory Hamilton</u>	Email: <u>Gregory_Hamilton@oxy.com</u>	

### PROJECT, PURPOSE & SITE INFORMATION

#### PROJECT INFORMATION

Remediation Project #: 30852 Initial Form 27 Document #: 403458665

#### PURPOSE INFORMATION

- ☐ Rule 913.c.(1): Pit or Cuttings Trench closure.
- ☒ Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- ☐ Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- ☐ Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- ☐ Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- ☐ Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- ☐ Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- ☐ Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- ☒ Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- ☐ Rule 913.g: Changes of Operator.
- ☐ Rule 915.b: Request to leave elevated inorganics in situ.
- ☐ Other: \_\_\_\_\_

#### SITE INFORMATION

No Multiple Facilities

Facility Type: <u>TANK BATTERY</u>	Facility ID: <u>328592</u>	API #: _____	County Name: <u>WELD</u>
Facility Name: <u>WOOLLEY-62N68W 34NESW</u>	Latitude: <u>40.092190</u>	Longitude: <u>-104.993378</u>	
** correct Lat/Long if needed: Latitude: <u>40.091979</u>		Longitude: <u>-104.993567</u>	
QtrQtr: <u>NESW</u>	Sec: <u>34</u>	Twp: <u>2N</u>	Range: <u>68W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u>

#### SITE CONDITIONS

General soil type - USCS Classifications SM Most Sensitive Adjacent Land Use Residential

Is domestic water well within 1/4 mile? Yes Is surface water within 1/4 mile? No

Is groundwater less than 20 feet below ground surface? Yes

#### Other Potential Receptors within 1/4 mile

Multiple buildings and livestock holding pens are located within ¼ mile of the facility.  
A building is located approximately 240 feet southeast of the facility.  
The nearest domestic water well is located approximately 320 feet to the southwest of the facility.

# SITE INVESTIGATION PLAN

## TYPE OF WASTE:

- ☒ E&P Waste ☐ Other E&P Waste ☐ Non-E&P Waste
- ☒ Produced Water ☐ Workover Fluids
- ☒ Oil ☐ Tank Bottoms
- ☒ Condensate ☐ Pigging Waste
- ☐ Drilling Fluids ☐ Rig Wash
- ☐ Drill Cuttings ☐ Spent Filters
- ☐ Pit Bottoms
- ☐ Other (as described by EPA)

## DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	GROUNDWATER	TBD	Groundwater samples/laboratory analytical results
UNDETERMINED	SOILS	TBD	Inspection/soil samples/laboratory analytical results

## INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

This form has been prepared in accordance with COGCC Rule 911.a to provide prior notice of closure of the WOOLEY 34-11M,U 34-13JI O SA production facility. Visual inspection and field screening of soils will be conducted following decommissioning of the associated infrastructure. Based on these observations, soil and groundwater (if present) samples will be collected and submitted for laboratory analysis to determine if concentrations and values are in compliance with COGCC Table 915-1. The topographic Site Location Map showing the geographic setting of the site is provided as Figure 1.

## PROPOSED SAMPLING PLAN

### Proposed Soil Sampling

- ☒ Will soil samples be collected as part of this investigation? ( Number, type (grab/composite), analyses, and locations of samples ):

Following facility decommissioning activities, discrete soil samples will be collected from the surfaces and excavation area(s) in accordance with COGCC Operator Guidance – Rule 911.A.(4) – Oil and Gas Facility Closure and Rules 913 and 915. In the absence of apparent impacts, soil samples will be submitted to an accredited laboratory for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX), naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene, and total petroleum hydrocarbons (TPH) - gasoline range organics (GRO: C6-C10) by United States Environmental Protection Agency (USEPA) Method 8260D, TPH - diesel range organics (DRO: C10-C28) and oil range organics (ORO: C28-C40) by USEPA Method 8015D. A minimum of one sample will be collected from the root zone (0-3 feet bgs) and submitted for laboratory analysis of pH, specific conductance (EC) and sodium adsorption ratio (SAR) by saturated paste method, and boron by hot water-soluble soil extract method.

### Proposed Groundwater Sampling

- ☒ Will groundwater samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

If groundwater is encountered during facility decommissioning activities, a minimum of one grab sample will be collected as soon as practical. Groundwater samples will be submitted to an accredited laboratory for analysis of benzene, toluene, ethylbenzene, total xylenes (BTEX), naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene, using standard methods appropriate for detecting the target analytes in COGCC Table 915-1.

### Proposed Surface Water Sampling

- ☐ Will surface water samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

## Additional Investigative Actions

- ☐ Additional alternative investigative actions described in attached Site Investigation Plan ( summary ):

If impacts are encountered, a minimum of one waste characterization soil sample will be submitted for laboratory analysis of benzene, toluene, ethylbenzene, total xylenes (BTEX), naphthalene, 1,2,4-trimethylbenzene (1,2,4 – TMB), and 1,3,5-trimethylbenzene (1,3,5 – TMB) and total petroleum hydrocarbons (TPH) - gasoline range organics (GRO: C6-C10) by United States Environmental Protection Agency (USEPA) Method 8260D, TPH - diesel range organics (DRO: C10-C28) and oil range organics (ORO: C28-C40) by USEPA Method 8015D, pH, specific conductance (EC) and sodium adsorption ratio (SAR) by saturated paste method, and boron by hot water soluble soil extract method.. Facility infrastructure and the proposed soil screening and sample locations are provided on Figure 2.

# SITE INVESTIGATION REPORT

## SAMPLE SUMMARY

### Soil

Number of soil samples collected \_\_\_\_\_ 0  
Number of soil samples exceeding 915-1 \_\_\_\_\_  
Was the areal and vertical extent of soil contamination delineated? \_\_\_\_\_  
Approximate areal extent (square feet) \_\_\_\_\_

### NA / ND

\_\_\_\_\_ Highest concentration of TPH (mg/kg) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of SAR \_\_\_\_\_  
\_\_\_\_\_ BTEX > 915-1 \_\_\_\_\_  
\_\_\_\_\_ Vertical Extent > 915-1 (in feet) \_\_\_\_\_

### Groundwater

Number of groundwater samples collected \_\_\_\_\_ 0  
Was extent of groundwater contaminated delineated? No \_\_\_\_\_  
Depth to groundwater (below ground surface, in feet) \_\_\_\_\_  
Number of groundwater monitoring wells installed \_\_\_\_\_  
Number of groundwater samples exceeding 915-1 \_\_\_\_\_

\_\_\_\_\_ Highest concentration of Benzene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Toluene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Ethylbenzene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Xylene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Methane (mg/l) \_\_\_\_\_

### Surface Water

\_\_\_\_\_ 0 Number of surface water samples collected  
\_\_\_\_\_ Number of surface water samples exceeding 915-1  
If surface water is impacted, other agency notification may be required.

## OTHER INVESTIGATION INFORMATION

☐ Were impacts to adjacent property or offsite impacts identified?

☐ Were background samples collected as part of this site investigation?

☐ Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) \_\_\_\_\_ Volume of liquid waste (barrels) \_\_\_\_\_

☐ Is further site investigation required?

## REMEDIAL ACTION PLAN

### SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

If a suspected release is identified and confirmed through soil screening and/or laboratory analysis, impacted soils will be removed and transported to a licensed disposal facility in accordance with Rules 905 and 906. Disposal records will be kept on file and available upon request.

### REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Potential impacts that meet the criteria outlined in Rule 912.b.(1) A. through J. will be reported to the Director in accordance with Rule 912.b.(1). A site-specific soil and/or groundwater remediation plan will be developed and submitted to the COGCC through a Form 27-Supplemental in accordance with Rule 912.c.(1). If reportable impacts are not encountered, a Form 27-Supplemental requesting closure will be submitted within 90 days following facility decommissioning activities. Field observations, screening results and applicable laboratory analytical results will be provided in the Form 27-Supplemental. E&P waste records of material transported off-site will be kept on file and available upon request.

### Soil Remediation Summary

☐ In Situ

☐ Ex Situ

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )

\_\_\_\_\_ Excavate and offsite disposal

\_\_\_\_\_ Chemical oxidation  
\_\_\_\_\_ Air sparge / Soil vapor extraction  
\_\_\_\_\_ Natural Attenuation  
\_\_\_\_\_ Other \_\_\_\_\_

If Yes: Estimated Volume (Cubic Yards) \_\_\_\_\_

Name of Licensed Disposal Facility or COGCC Facility ID # \_\_\_\_\_

\_\_\_\_\_ Excavate and onsite remediation

\_\_\_\_\_ Land Treatment

\_\_\_\_\_ Bioremediation (or enhanced bioremediation)

\_\_\_\_\_ Chemical oxidation

\_\_\_\_\_ Other \_\_\_\_\_

### **Groundwater Remediation Summary**

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )

\_\_\_\_\_ Chemical oxidation

\_\_\_\_\_ Air sparge / Soil vapor extraction

\_\_\_\_\_ Natural Attenuation

\_\_\_\_\_ Other \_\_\_\_\_

### **GROUNDWATER MONITORING**

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

## REMEDIATION PROGRESS UPDATE

### PERIODIC REPORTING

#### Approved Reporting Schedule:

☐ Quarterly☐ Semi-Annually☐ Annually☒ Other

#### ☐ Request Alternative Reporting Schedule:

☐ Semi-Annually☐ Annually☐ Other

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

#### Report Type:

☐ Groundwater Monitoring☐ Land Treatment Progress Report☐ O&M Report☐ Other

### Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

KMOG has sufficient insurance and bonding to fully address the anticipated costs of Remediation, including the remaining estimated costs for this project. KMOG currently has over 40 million in bonds with the Colorado Oil and Gas Conservation Commission. The cost for remediation is a preliminary estimate only, costs may change upwards or downward based on site-specific information. KMOG makes no representation or guarantees as to the accuracy of the preliminary estimate.

Operator anticipates the remaining cost for this project to be: \$ 13500

### WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? ☐

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Volume of E&P Waste (solid) in cubic yards

E&P waste (solid) description

COGCC Disposal Facility ID #, if applicable:

Non-COGCC Disposal Facility:

Volume of E&P Waste (liquid) in barrels

E&P waste (liquid) description

COGCC Disposal Facility ID #, if applicable:

Non-COGCC Disposal Facility:

# RECLAMATION PLAN

## RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

The site will be reclaimed in accordance with COGCC 1000 Series Reclamation Rules.

Is the described reclamation complete? \_\_\_\_\_

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

☐ Interim ☐ Final

Did the Surface Owner provide the seed mix? \_\_\_\_\_

If YES, does the seed mix comply with local soil conservation district recommendations? \_\_\_\_\_

Did the local soil conservation district provide the seed mix? \_\_\_\_\_

## SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. \_\_\_\_\_

Proposed date of completion of Reclamation. \_\_\_\_\_

## IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

## PRIOR DATES

Date of Surface Owner notification/consultation, if required. 05/23/2023

Actual Spill or Release date, or date of discovery. \_\_\_\_\_

## SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 07/11/2023

Proposed site investigation commencement. \_\_\_\_\_

Proposed completion of site investigation. \_\_\_\_\_

## REMEDIAL ACTION DATES

Proposed start date of Remediation. \_\_\_\_\_

Proposed date of completion of Remediation. \_\_\_\_\_

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

☐ Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

**OPERATOR COMMENT**

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Gregory Hamilton

Title: Environmental Lead

Submit Date: 07/11/2023

Email: Gregory\_Hamilton@oxy.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Nick Cholas

Date: 08/11/2023

Remediation Project Number: 30852

**COA Type****Description**

	<p>Operator states "A minimum of one sample will be collected from the root zone (0-3 feet bgs) and submitted for laboratory analysis of pH, specific conductance (EC) and sodium adsorption ratio (SAR) by saturated paste method, and boron by hot water-soluble soil extract method."</p> <p>The above statement is not approved. Operator shall review "Soil Suitability for Reclamation" soil sample collection methods with the ECMC Reclamation Specialists</p>
	<p>Operator states" soil samples will be submitted to an accredited laboratory for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX), naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene, and total petroleum hydrocarbons (TPH) - gasoline range organics (GRO: C6-C10) by United States Environmental Protection Agency (USEPA) Method 8260D, TPH - diesel range organics (DRO: C10-C28) and oil range organics (ORO: C28-C40) by USEPA Method 8015D. A minimum of one sample will be collected from the root zone (0-3 feet bgs) and submitted for laboratory analysis of pH, specific conductance (EC) and sodium adsorption ratio (SAR) by saturated paste method, and boron by hot water-soluble soil extract method."</p> <p>On future submittals, operator shall provide site specific justification and request a reduced Table 915-1 analyte suite for soil and groundwater.</p>
2 COAs	

**Attachment Check List**

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num	Name
403458665	INVESTIGATION/REMEDATION WORKPLAN (INITIAL)
403458705	SOIL SAMPLE LOCATION MAP
403458706	SITE MAP
403494480	FORM 27-INITIAL-SUBMITTED

Total Attach: 4 Files

**General Comments**

User Group	Comment	Comment Date
Environmental	<p>Operator states, The nearest domestic water well is located approximately 320 feet to the southwest of the facility." Records review indicate that static groundwater is app 50 feet below ground surface (bgs).</p> <p>A monitoring well is located app 1038 feet to the southeast with a reported static water level at 25 feet bgs.</p>	08/11/2023

Total: 1 comment(s)