

HALLIBURTON SERVICES  
JOB SUMMARY

FORM 1012 (R-1)

NAU

BILLED ON  
TICKET NO. 1000-29

CUSTOMER

FIELD 1000-29 SEC. 10 TWP. 10 RANG. 10 CITY 10 STATE 10

FORMATION NAME \_\_\_\_\_ TYPE \_\_\_\_\_

FORMATION THICKNESS \_\_\_\_\_ FROM \_\_\_\_\_ TO \_\_\_\_\_

INITIAL PROD: OIL \_\_\_\_\_ BPD, WATER \_\_\_\_\_ BPD, GAS \_\_\_\_\_ MCFD

PRESENT PROD: OIL \_\_\_\_\_ BPD, WATER \_\_\_\_\_ BPD, GAS \_\_\_\_\_ MCFD

COMPLETION DATE \_\_\_\_\_ MUD TYPE \_\_\_\_\_ MUD WT. \_\_\_\_\_

PACKER TYPE \_\_\_\_\_ SET AT \_\_\_\_\_

BOTTOM HOLE TEMP. \_\_\_\_\_ PRESSURE \_\_\_\_\_

MISC. DATA \_\_\_\_\_

	NEW USED	SIZE	FROM	TO	WEIGHT	MAXIMUM PSI ALLOWABLE
CASING						
LINER						
TUBING						
OPEN HOLE						TOTAL DEPTH: _____
PERFORATIONS						SHOTS/FT. _____
PERFORATIONS						SHOTS/FT. _____
PERFORATIONS						SHOTS/FT. _____

## JOB DATA

CALLER OUT	ON LOCATION	JOB STARTED	JOB COMPLETED
DATE <u>7</u>	DATE <u>8</u>	DATE <u>8</u>	DATE <u>7</u>
TIME <u>1600</u>	TIME <u>0700</u>	TIME <u>0800</u>	TIME <u>0100</u>

## PERSONNEL AND SERVICE UNITS

NAME	UNIT NO. & TYPE	LOCATION
<u>1000-29</u>	<u>001</u>	<u>1000-29</u>
<u>1000-29</u>	<u>002</u>	<u>1000-29</u>
<u>1000-29</u>	<u>003</u>	<u>1000-29</u>
<u>1000-29</u>	<u>004</u>	<u>1000-29</u>
<u>1000-29</u>	<u>005</u>	<u>1000-29</u>
<u>1000-29</u>	<u>006</u>	<u>1000-29</u>
<u>1000-29</u>	<u>007</u>	<u>1000-29</u>
<u>1000-29</u>	<u>008</u>	<u>1000-29</u>
<u>1000-29</u>	<u>009</u>	<u>1000-29</u>
<u>1000-29</u>	<u>010</u>	<u>1000-29</u>

## TOOLS AND ACCESSORIES

TYPE AND SIZE	QTY.	MAKE
FLOAT COLLAR		
FLOAT SHOE		
GUIDE SHOE		
CENTRALIZERS		
BOTTOM PLUG		
TOP PLUG		
HEAD		
PACKER		
OTHER		

## MATERIALS

TREAT. FLUID \_\_\_\_\_ DENSITY \_\_\_\_\_ LB/GAL. API \_\_\_\_\_

DISPL. FLUID \_\_\_\_\_ DENSITY \_\_\_\_\_ LB/GAL. API \_\_\_\_\_

PROP. TYPE \_\_\_\_\_ SIZE \_\_\_\_\_ LB. \_\_\_\_\_

PROP. TYPE \_\_\_\_\_ SIZE \_\_\_\_\_ LB. \_\_\_\_\_

ACID TYPE \_\_\_\_\_ GAL. \_\_\_\_\_ % \_\_\_\_\_

ACID TYPE \_\_\_\_\_ GAL. \_\_\_\_\_ % \_\_\_\_\_

ACID TYPE \_\_\_\_\_ GAL. \_\_\_\_\_ % \_\_\_\_\_

SURFACTANT TYPE \_\_\_\_\_ GAL. \_\_\_\_\_ IN \_\_\_\_\_

NE AGENT TYPE \_\_\_\_\_ GAL. \_\_\_\_\_ IN \_\_\_\_\_

FLUID LOSS ADD. TYPE \_\_\_\_\_ GAL.-LB. \_\_\_\_\_ IN \_\_\_\_\_

GELLING-AGENT TYPE \_\_\_\_\_ GAL.-LB. \_\_\_\_\_ IN \_\_\_\_\_

PRIC. RED. AGENT TYPE \_\_\_\_\_ GAL.-LB. \_\_\_\_\_ IN \_\_\_\_\_

BREAKER TYPE \_\_\_\_\_ GAL.-LB. \_\_\_\_\_ IN \_\_\_\_\_

BLOCKING AGENT TYPE \_\_\_\_\_ GAL.-LB. \_\_\_\_\_

PERFFAC BALLS TYPE \_\_\_\_\_ QTY. \_\_\_\_\_

OTHER \_\_\_\_\_

OTHER \_\_\_\_\_

DEPARTMENT 1000-29

DESCRIPTION OF JOB 1000-29

JOB DONE THRU: TUBING ☐ CASING ☐ ANNULUS ☐ TBC./ANN. ☐

CUSTOMER REPRESENTATIVE X

HALLIBURTON OPERATOR 1000-29 COPIES REQUESTED \_\_\_\_\_

## CEMENT DATA

STAGE	NUMBER OF SACKS	TYPE	API CLASS	BRAND	BULK SACKED	ADDITIVES	YIELD CU.FT./SK.	MIXED LBS./GAL.
<u>1</u>	<u>115</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>
<u>2</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>
<u>3</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>
<u>4</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>
<u>5</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>
<u>6</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>
<u>7</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>
<u>8</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>
<u>9</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>

## PRESSURES IN PSI

## SUMMARY

## VOLUMES

CIRCULATING \_\_\_\_\_ DISPLACEMENT \_\_\_\_\_

BREAKDOWN \_\_\_\_\_ MAXIMUM \_\_\_\_\_

AVERAGE \_\_\_\_\_ FRACTURE GRADIENT \_\_\_\_\_

SHUT-IN: INSTANT \_\_\_\_\_ 5-MIN. \_\_\_\_\_ 15-MIN. \_\_\_\_\_

HYDRAULIC HORSEPOWER \_\_\_\_\_

ORDERED \_\_\_\_\_ AVAILABLE \_\_\_\_\_ USED \_\_\_\_\_

AVERAGE RATES IN BPM \_\_\_\_\_

WEARING \_\_\_\_\_ DISPL. \_\_\_\_\_ OVERALL \_\_\_\_\_

CEMENT LEFT IN PIPE \_\_\_\_\_

FEET \_\_\_\_\_ REASON \_\_\_\_\_

PREFLUSH: BBL-GAL. \_\_\_\_\_ TYPE \_\_\_\_\_

LOAD & BKDN: BBL-GAL. \_\_\_\_\_ PAD: BBL-GAL. \_\_\_\_\_

TREATMENT: BBL-GAL. \_\_\_\_\_ DISPL. BBL-GAL. \_\_\_\_\_

CEMENT SLURRY: BBL-GAL. \_\_\_\_\_

TOTAL VOLUME: BBL-GAL. \_\_\_\_\_

REMARKS \_\_\_\_\_

CUSTOMER



CHART NO.	TIME	RATE (BPM)	VOLUME (BBL) (GAL)	PUMPS		PRESSURE (PSI)		DESCRIPTION OF OPERATION AND MATERIALS
				T	C	TUBING	CASING	
								Called out
								On 1st
								4th
								Pipe was running Drill Pipe
	1500							Start putting mud
	2000							Start First Plug @ 9475-9175
								110 sks Type H <sup>6</sup> mud
								1.5 water
								128.5 mud
								2nd Plug 7100-7450
								125 sks Type H <sup>6</sup> mud
								1.5 water
								104 mud
								3rd Plug 6100-5800
								125 sks Type H <sup>6</sup> mud - 18% Salt
								20 lb solids per sk
								1.5 water
								80.30 mud
	0100							Finish



# HALLIBURTON SERVICES JOB SUMMARY

FORM 2012 R-1

HALLIBURTON  
DIVISION

HALLIBURTON  
LOCATION

BILLED ON  
TICKET NO.

## WELL DATA

FIELD	SEC.	TWP.	RNG.	COUNTY	STATE
FORMATION NAME	TYPE				
FORMATION THICKNESS	FROM	TO			
INITIAL PROD: OIL	BPD.WATER	BPD.GAS	MCFD		
PRESENT PROD: OIL	BPD.WATER	BPD.GAS	MCFD		
COMPLETION DATE	MUD TYPE	MUD WT.			
PACKER TYPE	SET AT				
BOTTOM HOLE TEMP.	PRESSURE				
MISC. DATA					

	NEW USED	SIZE	FROM	TO	WEIGHT	MAXIMUM PSI ALLOWABLE
CASING						
LINER						
TUBING						
OPEN HOLE					TOTAL DEPTH: 141X	
PERFORATIONS					SHOTS/FT.	
PERFORATIONS					SHOTS/FT.	
PERFORATIONS					SHOTS/FT.	

## JOB DATA

CALLED OUT	ON LOCATION	JOB STARTED	JOB COMPLETED
DATE	DATE	DATE	DATE
TIME	TIME	TIME	TIME

## PERSONNEL AND SERVICE UNITS

NAME	UNIT NO. & TYPE	LOCATION

DEPARTMENT

DESCRIPTION OF JOB

JOB DONE THRU: TUBING ☐ CASING ☐ ANNULUS ☐ TBG./ANN. ☐

CUSTOMER REPRESENTATIVE ☒

HALLIBURTON OPERATOR

COPIES REQUESTED

## CEMENT DATA

STAGE	NUMBER OF SACKS	TYPE	API CLASS	BRAND	BULK SACKED	ADDITIVES	YIELD CU.FT./SK.	MIXED LBS./GAL.
1	115	4					1.17	
2	115	4					1.15	
3	115	4					1.14	

## PRESSURES IN PSI

## SUMMARY

## VOLUMES

CIRCULATING	DISPLACEMENT	PREFLUSH: BBL-GAL.	TYPE
BREAKDOWN	MAXIMUM	LOAD & BKDN: BBL-GAL.	PAD: BBL-GAL.
AVERAGE	FRACTURE GRADIENT	TREATMENT: BBL-GAL.	DISPL: BBL-GAL.
SHUT-IN: INSTANT	5-MIN.	CEMENT SLURRY: BBL-GAL.	
HYDRAULIC HORSEPOWER		TOTAL VOLUME: BBL-GAL.	
ORDERED	AVAILABLE	REMARKS	
AVERAGE RATES IN BPM			
TREATING	DISPL.		
CEMENT LEFT IN PIPE			
FEET	REASON		

CUSTOMER



