

State of Colorado  
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403471493

Date Received:

07/20/2023

## FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 6 CAs from the FIR responded to on this Form

2 CA Completed  
0 Factual Review Request

### OPERATOR INFORMATION

OGCC Operator Number: 10433

Name of Operator: LARAMIE ENERGY LLC

Address: 1700 LINCOLN ST STE 3950

City: DENVER State: CO Zip: 80203

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name

Phone

Email

Laramie

cogccnotifications@laramie-energy.com

Arthur, Denise

denise.arthur@state.co.us

### COGCC INSPECTION SUMMARY:

FIR Document Number: 696205100

Inspection Date: 07/14/2023

FIR Submit Date: 07/17/2023

FIR Status: \_\_\_\_\_

### Inspected Operator Information:

Company Name: LARAMIE ENERGY LLC

Company Number: 10433

Address: 1700 LINCOLN ST STE 3950

City: DENVER State: CO Zip: 80203

### LOCATION - Location ID: 335647

Location Name: Cascade Creek (CC) Number: 0603-23-32 County: \_\_\_\_\_

Qtrqtr: NESW Sec: 3 Twp: 6S Range: 97W Meridian: 6

Latitude: 39.548442 Longitude: -108.210463

### FACILITY - API Number: 05-045-00 Facility ID: 335647

Facility Name: Cascade Creek (CC) Number: 0603-23-32

Qtrqtr: NESW Sec: 3 Twp: 6S Range: 97W Meridian: 6

Latitude: 39.548442 Longitude: -108.210463

### CORRECTIVE ACTIONS:

1 ☒ CA# 175709

Corrective Action: Clean/remediation soils to Table 915-1 standards. Comply with Rule 1002.f and install/mainain spill prevention/containment BMPs at tanks. The "Date of Discovery" is being provided as the corrective action date. Location will remain out of compliance until corrective action has been resolved.

Date: 07/14/2023

Response: CA COMPLETED

Date of Completion: 07/20/2023

Operator Comment: Leak has been identified and repaired

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

2 ☒ CA# 175710

Corrective Action: Comply with Rule 605.h. The "Date of Discovery" is being provided as the corrective action date. Location will remain out of compliance until corrective action is resolved.

Date: 07/14/2023

Response: CA COMPLETED

Date of Completion: 07/20/2023

Operator Comment: Sign has been added

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Lori Muhr

Signed: \_\_\_\_\_

Title: Regulatory Specialist

Date: 7/20/2023 1:36:21 PM

**ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403471493	FIR RESOLUTION SUBMITTED
403471504	CA Photos

Total Attach: 2 Files