

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403473566

Date Received:

07/24/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

4 of 6 CAs from the FIR responded to on this Form

4 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10433

Name of Operator: LARAMIE ENERGY LLC

Address: 1700 LINCOLN ST STE 3950

City: DENVER State: CO Zip: 80203

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

Arauz, Steven

steven.arauza@state.co.us

Laramie

cogccnotifications@laramie-energy.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 696205102

Inspection Date: 07/14/2023

FIR Submit Date: 07/18/2023

FIR Status: _____

Inspected Operator Information:

Company Name: LARAMIE ENERGY LLC

Company Number: 10433

Address: 1700 LINCOLN ST STE 3950

City: DENVER State: CO Zip: 80203

LOCATION - Location ID: 452807

Location Name: CC Number: 0697-03-07 County: _____
Pad

Qtrqr: Lot 11 Sec: 3 Twp: 6S Range: 97W Meridian: 6

Latitude: 39.558439 Longitude: -108.205081

FACILITY - API Number: 05-045- -00 Facility ID: 452807

Facility Name: CC Number: 0697-03-07
Pad

Qtrqr: Lot 11 Sec: 3 Twp: 6S Range: 97W Meridian: 6

Latitude: 39.558439 Longitude: -108.205081

CORRECTIVE ACTIONS:

1 ☒ CA# 175767

Corrective Action: Securely fasten all valves, pipes, fittings, and Production Facilities to ensure good mechanical condition. Control and contain spills/releases and clean up per Rule 912.a. Report spill if spill if a reportable volume.

Date: 07/14/2023

Response: CA COMPLETED

Date of Completion: 07/21/2023

Valves pipes and fittings have all been securely fastened

Operator
Comment:

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

2 ☒ CA# 175768

Corrective Action: Clean/remediate stained soils to Table 915-1 standards. The "date of discovery is being provided as the corrective action date. Location will remain out of compliance until corrective action is resolved.

Date: 07/14/2023

Response: CA COMPLETED

Date of Completion: 07/21/2023

Operator
Comment: Debris has been removed

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

4 ☒ CA# 175770

Corrective Action: Properly cap exposed lines and comply with OOSLAT requirements. The "Date of Discovery" is being used as the corrective action date; Location will remain out of compliance until corrective action has been resolved.

Date: 07/14/2023

Response: CA COMPLETED

Date of Completion: 07/21/2023

Operator
Comment: Exposed lines have been capped

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

5 ☒ CA# 175771

Corrective Action: Comply with 606 Rules. The "date of discovery is being provided as the corrective action date. Location will remain out of compliance until corrective action is resolved.

Date: 07/26/2023

Response: CA COMPLETED

Date of Completion: 07/21/2023

Operator
Comment: Housekeeping issued have been addressed

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Lori Muhr

Signed: _____

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403473566	FIR RESOLUTION SUBMITTED
403473568	CA Photos

Total Attach: 2 Files