

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403489802

Date Received:

08/08/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

3 of 8 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10456

Name of Operator: CAERUS PICEANCE LLC

Address: 1001 17TH STREET #1600

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Romana Cowden

Phone

720-951-5895

Email

COGCC.inspections@caerusoilandgas.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 696205116

Inspection Date: 07/20/2023

FIR Submit Date: 07/21/2023

FIR Status: _____

Inspected Operator Information:

Company Name: CAERUS PICEANCE LLC

Company Number: 10456

Address: 1001 17TH STREET #1600

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 478266

Location Name: BJU Number: M23A-496 County: _____
Pad

Qtrqtr: Lot 6 Sec: 23 Twp: 4S Range: 96W Meridian: 6

Latitude: 39.684578 Longitude: -108.140702

FACILITY - API Number: 05-045- -00 Facility ID: 478266

Facility Name: BJU Number: M23A-496
Pad

Qtrqtr: Lot 6 Sec: 23 Twp: 4S Range: 96W Meridian: 6

Latitude: 39.684578 Longitude: -108.140702

CORRECTIVE ACTIONS:

1 ☒ CA# 176095

Corrective Action: Clean/remediate impacted soils due to materials spilled onto the working pad surface to table 915-1 standards; Comply with Rule 1002.f and implement proper materials handling and spill prevention procedures and practices.

Date: 07/20/2023

Response: CA COMPLETED

Date of Completion: 07/26/2023

Operator
Comment: Corrected.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

2 ☒ CA# 176096

Corrective Action: Clean/remediate stained soils to table 915-1 standards.

Date: 07/20/2023

Response: CA COMPLETED

Date of Completion: 07/26/2023

Operator Comment: Corrected.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

7 ☒ CA# 176102

Corrective Action: Comply with Rule 1002.f and implement proper materials handling and spill prevention procedures and practices.

Date: 07/20/2023

Response: CA COMPLETED

Date of Completion: 07/26/2023

Operator Comment: Staked down.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Romana Cowden

Signed:

Title: EHS

Date: 8/8/2023 11:27:02 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
------------------------	--------------------

403489802	FIR RESOLUTION SUBMITTED
-----------	--------------------------

Total Attach: 1 Files