

STATE OF COLORADO
OIL AND GAS CONSERVATION COMMISSION
DEPARTMENT OF NATURAL RESOURCESFile in duplicate for Patented and Federal lands.
File in triplicate for State lands.

5. LEASE DESIGNATION & SERIAL NO.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Jenkins

9. WELL NO.

#1-28

10. FIELD AND POOL, OR WILDCAT

Greenwood

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 28-T34S-R41W

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Horizon Oil & Gas Co.

3. ADDRESS OF OPERATOR

P.O. Box 7 Spearman, Texas 79081

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.

See also space 17 below.)

At surface

At proposed prod. zone 2440' fNL and 2440' fWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3549 GR

12. COUNTY

Baca

13. STATE

Colo.

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL.

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON

CHANGE PLANS.

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)


17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

18. Date of work November 10, 1987

* Must be accompanied by a cement verification report.

Perforation from 2967' to 2976'.

1. Pumped 5 sx. of class "H" cement and displaced to bottom. Cement plug from 2976' to 2806'.
2. Pumped 5 sx. of class "H" cement from 170' to surface.
3. Cut off both 8 5/8" and 2 7/8" casing 5' below ground level. Welded cap on 8 5/8" casing.

EXHAUSTED
GAS WELL

19. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Engineer

DATE 11-11-87

(This space for Federal or State office use)

APPROVED BY

TITLE

SUPR. PETROLEUM ENGINEER
Oil & Gas Cons. Comm.

DATE DEC 30 1987

CONDITIONS OF APPROVAL, IF ANY: