

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403463490

Date Received:

07/13/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 3 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 46290

Name of Operator: KP KAUFFMAN COMPANY INC

Address: 1700 LINCOLN ST STE 4550

City: DENVER State: CO Zip: 80203

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Victoria Dizghinjili

Phone

303-825-4822

Email

vdizghinjili@kpk.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 709400349

Inspection Date: 06/26/2023

FIR Submit Date: 07/06/2023

FIR Status: _____

Inspected Operator Information:

Company Name: KP KAUFFMAN COMPANY INC

Company Number: 46290

Address: 1700 LINCOLN ST STE 4550

City: DENVER State: CO Zip: 80203

LOCATION - Location ID: 317790

Location Name: NESSU-62N66W Number: 17SESE County: _____

Qtrqr: SESE Sec: 17 Twp: 2N Range: 66W Meridian: 6

Latitude: 40.132547 Longitude: -104.794060

FACILITY - API Number: 05-123-00 Facility ID: 317790

Facility Name: NESSU-62N66W Number: 17SESE

Qtrqr: SESE Sec: 17 Twp: 2N Range: 66W Meridian: 6

Latitude: 40.132547 Longitude: -104.794060

CORRECTIVE ACTIONS:

1 ☒ CA# 174758

Corrective Action: Comply with Rule 606.

Date: 07/06/2023

Response: CA COMPLETED

Date of Completion: 07/06/2023

Operator
Comment:

Unused culvert or trash culvert stored onsite have been removed.

COGCC Decision: Approved pending re-inspection

The approval of this FIRR is an acknowledgement that the document was received. It is not a final approval as

COGCC Representative: the outcome of the methods will be determined on the ground during an inspection at a future date.

COGCC Supervisor: The approval of this FIRR is an acknowledgement that the document was received. It is not a final approval as the outcome of the methods will be determined on the ground during an inspection at a future date.

3 ☒ CA# 174760

Corrective Action: Comply with Rule 606.c.

Date: 07/06/2023

Response: CA COMPLETED

Date of Completion: 07/06/2023

Operator Comment: Weeds have been cut at location.

COGCC Decision: Approved pending re-inspection

COGCC Representative: The approval of this FIRR is an acknowledgement that the document was received. It is not a final approval as the outcome of the methods will be determined on the ground during an inspection at a future date.

COGCC Supervisor: The approval of this FIRR is an acknowledgement that the document was received. It is not a final approval as the outcome of the methods will be determined on the ground during an inspection at a future date.

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Victoria Dizghinjili

Signed:

Title: Engineering Tech

Date: 7/13/2023 1:05:01 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403463490	FIR RESOLUTION SUBMITTED
403463502	Removed weeds PIC

Total Attach: 2 Files