

State of Colorado
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:
403523278

Date Received:
09/13/2023

FIR RESOLUTION FORM

Overall Status:

CA Summary:

7 of 7 CAs from the FIR responded to on this Form

7 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10433
Name of Operator: LARAMIE ENERGY LLC
Address: 1700 LINCOLN ST STE 3950
City: DENVER State: CO Zip: 80203

Contact Name and Telephone:
Name:
Phone: () Fax: ()
Email:

Additional Operator Contact:

Contact Name	Phone	Email
Laramie		cogccnotifications@laramie-energy.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 696205150
Inspection Date: 08/04/2023 FIR Submit Date: 08/10/2023 FIR Status:

Inspected Operator Information:

Company Name: LARAMIE ENERGY LLC Company Number: 10433
Address: 1700 LINCOLN ST STE 3950
City: DENVER State: CO Zip: 80203

LOCATION - Location ID: 335647

Location Name: Cascade Creek (CC) Number: 0603-23-32 County:
Qtrqtr: NESW Sec: 3 Twp: 6S Range: 97W Meridian: 6
Latitude: 39.548442 Longitude: -108.210463

FACILITY - API Number: 05-045- -00 Facility ID: 335647

Facility Name: Cascade Creek (CC) Number: 0603-23-32
Qtrqtr: NESW Sec: 3 Twp: 6S Range: 97W Meridian: 6
Latitude: 39.548442 Longitude: -108.210463

CORRECTIVE ACTIONS:

1 CA# 178050

Corrective Action: Clean and remediate impacted soils to Table 915-1 cleanup concentrations. Comply with Rule 906 for management of non-E&P waste. Operator shall submit documentation of cleanup attached to a FIRR. Date: 08/04/2023

Response: CA COMPLETED Date of Completion: 08/30/2023

Operator Comment: soil has been handled.

COGCC Decision:

COGCC
Representative:

2 CA# 178051

Corrective Action: Comply with Rule 1002.f.

Date: 12/27/2022

Response: CA COMPLETED

Date of Completion: 08/29/2023

Operator
Comment: Silt Fences have been installed/repared

COGCC Decision: _____

COGCC
Representative:

3 CA# 178052

Corrective Action: Comply with 1002.f

Date: 10/17/2022

Response: CA COMPLETED

Date of Completion: 08/30/2023

Operator
Comment: Erosion logs have been installed/corrected

COGCC Decision: _____

COGCC
Representative:

4 CA# 178053

Corrective Action: Comply with Rule 1002.f; install or repair control measure in accordance with good engineering practices.

Date: 08/04/2023

Response: CA COMPLETED

Date of Completion: 08/27/2023

Operator
Comment: Sediment traps have been repaired

COGCC Decision: _____

COGCC
Representative:

5 CA# 178054

Corrective Action: Comply with Rule 1002.f

Date: 08/02/2023

Response: CA COMPLETED

Date of Completion: 09/13/2023

Operator
Comment: Stormwater issues are addressed

COGCC Decision: _____

COGCC
Representative:

6 CA# 178055

Corrective Action: Comply with Rule 1002.b.(2). Operator shall submit, attached a Form 4 Sundry notice, calculations showing the ammount of topsoil resource lost on the Location due to improper segregation activities.

Date: 07/14/2023

Response: CA COMPLETED

Date of Completion: 09/13/2023

Operator Comment: Form 4 topsoil sundry has been submitted (DOC# 403528405)

COGCC Decision: _____

COGCC Representative: _____

7 CA# 178056

Corrective Action: Comply with 1002.f and 1002.c

Date: 10/17/2022

Response: CA COMPLETED

Date of Completion: 08/23/2023

Operator Comment: stormwater issues have been addressed and repaired.

COGCC Decision: _____

COGCC Representative: _____

OPERATOR COMMENT AND SUBMITTAL

Comment: _____

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Lori Muhr Signed: _____

Title: Regulatory Specialist Date: 9/13/2023 11:12:10 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403523303	CA Photos

Total Attach: 1 Files