

State of Colorado
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:
403526817

Date Received:
09/14/2023

FIR RESOLUTION FORM

Overall Status:

CA Summary:

6 of 6 CAs from the FIR responded to on this Form

2 CA Completed
4 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 98220
Name of Operator: YOUNG GAS STORAGE COMPANY LTD
Address: P O BOX 1087
City: COLORADO SPGS State: CO Zip: 80944
Contact Name and Telephone:
Name: _____
Phone: () Fax: ()
Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
TRINKO, ANTHONY		logan.hansen@state.co.us anthony_trinko@kindermorgan.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 708200541
Inspection Date: 09/05/2023 FIR Submit Date: 09/08/2023 FIR Status: _____

Inspected Operator Information:

Company Name: YOUNG GAS STORAGE COMPANY LTD Company Number: 98220
Address: P O BOX 1087
City: COLORADO SPGS State: CO Zip: 80944

LOCATION - Location ID: 313960

Location Name: YOUNG-64N58W Number: 11NENE County: _____
Qtrqtr: NENE Sec: 11 Twp: 4N Range: 58W Meridian: 6
Latitude: 40.331720 Longitude: -103.832950

FACILITY - API Number: 05-087- -00 Facility ID: 313960

Facility Name: YOUNG-64N58W Number: 11NENE
Qtrqtr: NENE Sec: 11 Twp: 4N Range: 58W Meridian: 6
Latitude: 40.331720 Longitude: -103.832950

CORRECTIVE ACTIONS:

1 CA# 180591

Corrective Action: Comply with Rule 606 and remove debris. Location will remain out of compliance until the corrective action has been resolved. Date: 09/05/2023

Response: FACTUAL REVIEW REQUEST

Basis for Review: Operator does not own or operate the location

Operator Comment: Young's response to FIR Document Number 708200541 is attached to this document.

COGCC Decision: _____

COGCC
Representative: _____

2 CA# 180592

Corrective Action: Install or repair wildlife protection equipment per Rule 902.b. Location will remain out of compliance until the corrective action has been resolved.

Date: 09/05/2023

Response: CA COMPLETED

Date of Completion: 09/12/2023

Operator
Comment: Young installed netting over the secondary containment on September 12, 2023.

COGCC Decision: _____

COGCC
Representative: _____

3 CA# 180593

Corrective Action: Install sign to comply with Rule 605.g. Location will remain out of compliance until the corrective action has been resolved.

Date: 09/05/2023

Response: CA COMPLETED

Date of Completion: 09/12/2023

Operator
Comment: Young installed a new label on the day tank in addition to a new NFPA label on the other tank. See attached document.

COGCC Decision: _____

COGCC
Representative: _____

4 CA# 180594

Corrective Action: Comply with Rule 606 and remove any unused equipment. Location will remain out of compliance until the corrective action has been resolved.

Date: 09/05/2023

Response: FACTUAL REVIEW REQUEST

Basis for Review: Equipment belongs to the surface owner

Operator
Comment: The concrete structures are outside of the fenced area for the well and belong to the landowner. Young does not have the legal right to remove them.

COGCC Decision: _____

COGCC
Representative: _____

5 CA# 180595

Corrective Action: Comply with Rule 1003. Location will remain out of compliance until the corrective action has been resolved.

Date: 09/05/2023

Response: FACTUAL REVIEW REQUEST

Basis for Review: Operator does not own or operate the location

Operator
Comment: The alleged weeds are outside of the fence line of the area controlled and operated by Young and on land owned and controlled by the third-party landowner.

COGCC Decision: _____

COGCC
Representative:

6 CA# 180596

Corrective Action: Comply with Rule 1002.f. Location will remain out of compliance until the corrective action has been resolved.

Date: 09/05/2023

Response: FACTUAL REVIEW REQUEST

Basis for Review: Corrective action dates are not attainable

Operator Comment: In addition to the fact that ECMC's regulations are preempted by federal law as described above, natural gas transmission and storage facilities are also exempt from Clean Water Act stormwater requirements and therefore Rule 1002.f does not apply for that additional reason. 33 U.S.C.S 1341(l)(2).

COGCC Decision:

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment: Young's response to FIR Document Number 708200541 is attached to this document.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Anthony P. Trinko

Signed:

Title: Sr. Reservoir Engineer

Date: 9/14/2023 4:44:26 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
------------------------	--------------------

403530862	Young's Response to FIR Document #7082000541
-----------	--

Total Attach: 1 Files