

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403485084

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10633

2. Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC

3. Address: 1801 CALIFORNIA STREET #2500

City: DENVER State: CO Zip: 80202

4. Contact Name: Elaine Winick

Phone: (303) 294-7806

Fax:

Email: ewinick@civiresources.com

5. API Number 05-005-07504-00

7. Well Name: Prosper Farms

8. Location: QtrQtr: SENE Section: 15 Township: 4S Range: 65W Meridian: 6

9. Field Name: DJ HORIZONTAL NIOBRARA Field Code: 16950

6. County: ARAPAHOE

Well Number: 4-65 14-13 3AH

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING
Treatment Date: 05/14/2023 End Date: 06/01/2023 Date this Formation was Completed: 08/17/2023
Perforations Top: 8312 Bottom: 18164 No. Holes: 3579 Hole size: 35/100 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Frac'd Niobrara with 61 stage plug and perf:
11452586 total pounds proppant pumped: 4143159 pounds 40/70 mesh; 7309427 pounds 100 mesh;
481839 total bbls fluid pumped: 454019 bbls gelled fluid; 23391 bbls fresh water and 4429 bbls 15% HCl Acid.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 481839 Max pressure during treatment (psi): 8661
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft): 0.90
Total acid used in treatment (bbl): 4429 Number of staged intervals: 61
Recycled or Reused Fluids used in treatment (bbl): 0 Flowback volume recovered (bbl): 0
Fresh water used in treatment (bbl): 23391 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 11452586

Fracture stimulations must be reported on [FracFocus.org](https://www.fracfocus.org)

Test Information:

08/26/2023 Hours: 24 Bbl oil: 471 Mcf Gas: 468 Bbl H2O: 654
Calculated 24 hour rate: Bbl oil: 471 Mcf Gas: 468 Bbl H2O: 654 GOR: 994
Test Method: flowing Casing PSI: 1406 Tubing PSI: 1896 Choke Size: 16/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1300 API Gravity Oil: 41
Tubing Size: 2 + 3/8 Tubing Setting Depth: 8014 Tbg setting date: 08/01/2023 Packer Depth: 8011
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

TPZ 2155 FSL & 340 FWL

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Elaine Winick
Title: Completions Tech Date: Email: ewinick@civiresources.com

Attachment List

Att Doc Num Name

403524923 WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)