

TABLE 6
VOGL 5-8A WELLHEAD
SOIL VAPOR SCREENING RESULTS SUMMARY TABLE
KERR-McGEE OIL AND GAS ONSHORE LP

Screening Location	Date	Time	Depth (ft)	CH ₄ (%)	CO ₂ (%)	O ₂ (%)	H ₂ S (ppm)	CO (ppm)
Ambient 01	7/5/2023	13:15	NA	0.0	0.2	20.9	0	0
SVP01	7/5/2023	13:17	Pump Flow Fail					
SVP02	7/5/2023	13:19	Pump Flow Fail					
SVP03	7/5/2023	13:21	5	0.0	0.8	20.6	0	0
	7/5/2023	13:23	5	0.0	0.8	20.6	0	0
	7/5/2023	13:25	5	0.0	0.8	20.6	0	0
SVP04	7/5/2023	13:27	5	0.0	0.6	20.4	0	0
	7/5/2023	13:29	5	0.0	0.6	20.4	0	0
	7/5/2023	13:31	5	0.0	0.6	20.4	0	0
SVP05	7/5/2023	13:33	5	0.0	0.6	19.5	0	0
	7/5/2023	13:35	5	0.0	0.6	19.5	0	0
	7/5/2023	13:37	5	0.0	0.6	19.5	0	0

Notes:

CH₄ = Methane

CO₂ = Carbon dioxide

O₂ = Oxygen

H₂S = Hydrogen sulfide

CO = Carbon monoxide

% = Percent volume

ppm = Parts per million

NA = Not applicable