

FORM  
5A  
Rev  
09/20

State of Colorado  
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
403537093

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>47120</u>	4. Contact Name: <u>Christina Hirtler</u>
2. Name of Operator: <u>KERR MCGEE OIL &amp; GAS ONSHORE LP</u>	Phone: <u>(720) 9296301</u>
3. Address: <u>P O BOX 173779</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-</u>	Email: <u>christina_hirtler@oxy.com</u>

5. API Number <u>05-123-51938-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>BLUE CHIP</u>	Well Number: <u>22-3HZ</u>
8. Location: QtrQtr: <u>SENW</u> Section: <u>22</u> Township: <u>5N</u> Range: <u>67W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

## Completed Interval

FORMATION: NIOBRARA Status: SHUT IN Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 08/10/2023 End Date: 08/26/2023 Date this Formation was Completed: \_\_\_\_\_

Perforations Top: 8704 Bottom: 18818 No. Holes: 1110 Hole size: 0.39 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

556 BBL 15% HCL ACID; 538 BBL 20% HCR-7000 WL ACID; 23,972 BBL PUMP DOWN; 454,212 BBL SLICKWATER; 479,630 BBL TOTAL FLUID; 61,813 LBS 30/50 NORTHERN WHITE SANDS CORP; 3,670,350 LBS 100 MESH GENOA/SAND HILLS; 11,152,589 LBS WHITE 40/70 NORTHERN WHITE SANDS CORP; 14,884,752 LBS TOTAL PROPPANT.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 556 Max pressure during treatment (psi): 7976

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.98

Total acid used in treatment (bbl): 1446 Number of staged intervals: 37

Recycled or Reused Fluids used in treatment (bbl): 5310 Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): 472874 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 14884752

**Fracture stimulations must be reported on FracFocus.org**

### Test Information:

Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Christina Hirtler

Title: Regulatory Date: \_\_\_\_\_ Email: christina\_hirtler@oxy.com

## Attachment List

Att Doc Num	Name

Total Attach: 0 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
		Stamp Upon Approval

Total: 0 comment(s)