

**FORM
INSP**Rev
X/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

09/22/2023

Submitted Date:

09/22/2023

Document Number:

713600250

FIELD INSPECTION FORM

Loc ID 324788 Inspector Name: COSTA, RYAN On-Site Inspection ☐ 2A Doc Num: _____

Operator Information:

OGCC Operator Number: 16520

Name of Operator: CHEMCO INC

Address: 6970 SOUTH HOLLY CIR STE 206

City: CENTENNIAL State: CO Zip: 80112

Status Summary:☐ THIS IS A FOLLOW UP INSPECTION☒ FOLLOW UP INSPECTION REQUIRED☐ NO FOLLOW UP INSPECTION REQUIRED**Findings:**

3 Number of Comments

2 Number of Corrective Actions

☒ Corrective Action Response Requested

**ANY CORRECTIVE ACTION(S) FROM
PREVIOUS INSPECTIONS THAT HAVE NOT
BEEN ADDRESSED ARE STILL APPLICABLE**

Contact Information:

Contact Name	Phone	Email	Comment
Neher, Gray		gh.neher@chemco-og.com	
Neher, Morgan		morgan@chemco-og.com	

Inspected Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
324788	LOCATION	AC			-	STUBBS-619S45W 15NWNW	RI

General Comment:

This is a desktop inspection of the Stubbs #1 location.
A follow up field inspection will be performed to evaluate compliance.
Operator is directed to perform corrective actions outlined on this inspection report immediately.

LocationOverall Good: ☐

Emergency Contact Number:

Comment: The emergency contact number was unresponsive. Other Operator number did not answer and voicemail was full. Corrective action will remain out of compliance until completed.

Corrective Action: Comply with Rule 605.a.
Ensure emergency contact number can be reached at all times.

Date: 09/22/2023

Overall Good: ☐**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment:

☐ Multiple Spills and Releases?**Fencing/:**

Type	LOCATION		
Comment:	Fencing must be performed to keep livestock off the location per landowner request. Corrective action will remain out of compliance until completed.		
Corrective Action:	Comply with the fencing requirements per the 1002a rules	Date:	09/22/2023

Venting:

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date: