

State of Colorado  
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403548374

Date Received:

10/03/2023

## FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

1 of 1 CAs from the FIR responded to on this Form

1 CA Completed  
0 Factual Review Request

### OPERATOR INFORMATION

OGCC Operator Number: 69175

Name of Operator: PDC ENERGY INC

Address: 1099 18TH STREET SUITE 1500

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name

Tyranny Bergin

Phone

970-313-5547

Email

EHSCOGCCInspections@pdce.com

### COGCC INSPECTION SUMMARY:

FIR Document Number: 701900957

Inspection Date: 07/01/2023

FIR Submit Date: 07/18/2023

FIR Status: \_\_\_\_\_

### Inspected Operator Information:

Company Name: PDC ENERGY INC

Company Number: 69175

Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

### LOCATION - Location ID: 328521

Location Name: SCHNEIDER-65N65W Number: 21SENW County: \_\_\_\_\_

Qtrqr: SENW Sec: 21 Twp: 5N Range: 65W Meridian: 6

Latitude: 40.386005 Longitude: -104.671358

### FACILITY - API Number: 05-123-00 Facility ID: 328521

Facility Name: SCHNEIDER-65N65W Number: 21SENW

Qtrqr: SENW Sec: 21 Twp: 5N Range: 65W Meridian: 6

Latitude: 40.386005 Longitude: -104.671358

### CORRECTIVE ACTIONS:

1 ☒ CA# 175937

Corrective Action: Comply with Rule 1004. Reseed disturbance areas using a seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS. Establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of reference area levels. Ensure erosion controls are implemented to stabilize the seeded soil. Operator shall continue to monitor and manage this site until the location meets Rule 1004 standards, including stormwater and weed management.

Date: 07/01/2023

The corrective date is not intended to be the date for which the Operator shall complete the corrective actions but rather the corrective date is the date the location was observed out of compliance.

Response: CA COMPLETED

Date of Completion: 09/14/2023

Date Run: 10/4/2023 Doc [#403548374]

Operator Comment: A variance was previously submitted and has been awaiting a variance hearing since. Work for this request has been completed with submitting the variance and this FIRR. CA complete.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with COGCC standards.

#### OPERATOR COMMENT AND SUBMITTAL

Comment: A variance was previously submitted and has been awaiting a variance hearing since. Work for this request has been completed with submitting the variance and this FIRR. CA complete.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Tyranny Bergin

Signed: \_\_\_\_\_

Title: Safety Representative

Date: 10/3/2023 10:17:00 AM

### **ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

| <u>Document Number</u> | <u>Description</u> |
|------------------------|--------------------|
|------------------------|--------------------|

|           |                          |
|-----------|--------------------------|
| 403548374 | FIR RESOLUTION SUBMITTED |
|-----------|--------------------------|

Total Attach: 1 Files