

WORK ORDER CONTRACT
AND PRE-TREATMENT DATAATTACH TO
INVOICE & TICKET NO.DISTRICT Liberal KSDATE 4-4-93

TO: HALLIBURTON SERVICES

YOU ARE HEREBY REQUESTED TO FURNISH EQUIPMENT AND SERVICEMEN TO DELIVER AND OPERATE

THE SAME AS AN INDEPENDENT CONTRACTOR TO: U P R C (CUSTOMER)
AND DELIVER AND SELL PRODUCTS, SUPPLIES, AND MATERIALS FOR THE PURPOSE OF SERVICINGWELL NO. 1 LEASE OTTAWA 44-17 SEC. 19 TWP. 14S RANGE 51NFIELD H. C. COUNTY CLAY COUNTY STATE CO OWNED BY _____

THE FOLLOWING INFORMATION WAS FURNISHED BY THE CUSTOMER OR HIS AGENT

FORMATION NAME _____ TYPE _____

FORMATION THICKNESS _____ FROM _____ TO _____

PACKER: TYPE _____ SET AT _____

TOTAL DEPTH _____ MUD WEIGHT _____

BORE HOLE _____

INITIAL PROD: OIL _____ BPD, H₂O _____ BPD, GAS _____ MCFPRESENT PROD: OIL _____ BPD, H₂O _____ BPD, GAS _____ MCF

	NEW USED	WEIGHT	SIZE	FROM	TO	MAX. ALLOW. P.S.I.
CASING	U	241	8 1/2	15B	512	
LINER						
TUBING	U	166	4 1/2	15B	2154	
OPEN HOLE			7 1/2	512	6225	SHOTS/FT.
PERFORATIONS						
PERFORATIONS						
PERFORATIONS						

PREVIOUS TREATMENT: DATE _____ TYPE _____ MATERIALS _____

TREATMENT INSTRUCTIONS: TREAT THRU TUBING ☐ ANNULUS ☐ CASING ☐ TUBING/ANNULUS ☐ HYDRAULIC HORSEPOWER ORDERED _____P.T.A. 3156 ft Hask 2240 ft Hask 2062 ft Hask 561 ft Hask 601 ft HaskDDP 115 cskNo NISDS Computer Down 4:30 AMOK SPT

CUSTOMER OR HIS AGENT WARRANTS THE WELL IS IN PROPER CONDITION TO RECEIVE THE PRODUCTS, SUPPLIES, MATERIALS, AND SERVICES

As consideration, the above-named Customer agrees:

THIS CONTRACT MUST BE SIGNED BEFORE WORK IS COMMENCED

- a) To pay Halliburton in accord with the rates and terms stated in Halliburton's current price list. Invoices are payable NET by the 20th of the following month after date of invoice. Upon Customer's default in payment of Customer's account by the last day of the month following the month in which the invoice is dated, Customer agrees to pay interest thereon after default at the highest lawful contract rate applicable, but never to exceed 18% per annum. In the event it becomes necessary to employ attorneys to enforce collection of said account, Customer agrees to pay all collection costs and attorney fees in the amount of 20% of the amount of the unpaid account.
- b) To defend, indemnify, release and hold harmless Halliburton, its divisions, subsidiaries, parent and affiliated companies and the officers, directors, employees, agents and servants of all of them from and against any claims, liability, expenses, attorneys fees, and costs of defense to the extent permitted by law for:
1. Damage to property owned by, in the possession of, or leased by Customer, and/or the well owner (if different from Customer), including, but not limited to, surface and subsurface damage. The term "well owner" shall include working and royalty interest owners.
 2. Reservoir, formation, or well loss or damage, subsurface trespass or any action in the nature thereof.
 3. Personal injury or death or property damage (including, but not limited to, damage to the reservoir, formation or well), or any damages whatsoever, growing out of or in any way connected with or resulting from pollution, subsurface pressure, losing control of the well and/or a well blowout or the use of radioactive material.
- The defense, indemnity, release and hold harmless obligations of Customer provided for in this Section b) and Section c) below shall apply to claims or liability even if caused or contributed to by Halliburton's negligence, strict liability, or the unseaworthiness of any vessel owned, operated, or furnished by Halliburton or any defect in the data, products, supplies, materials, or equipment of Halliburton whether in the preparation, design, manufacture, distribution, or marketing thereof, or from a failure to warn any person of such defect. Such defense, indemnity, release and hold harmless obligations of Customer shall not apply where the claims or liability are caused by the gross negligence or willful misconduct of Halliburton. The term "Halliburton" as used in said Sections b) and c) shall mean Halliburton, its divisions, subsidiaries, parent and affiliated companies, and the officers, directors, employees, agents and servants of all of them.
- c) That because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, Halliburton is unable to guarantee the effectiveness of the products, supplies or materials, nor the results of any treatment or service, nor the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by Halliburton. Halliburton personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but Customer agrees that Halliburton shall not be liable for and Customer shall indemnify Halliburton against any damages arising from the use of such information.
- d) That Halliburton warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. Halliburton's liability and Customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to Halliburton or, at Halliburton's option, to the allowance to the Customer of credit for the cost of such items. In no event shall Halliburton be liable for special, incidental, indirect, punitive or consequential damages.
- e) That Customer shall, at its risk and expense, attempt to recover any Halliburton equipment, tools or instruments which are lost in the well and if such equipment, tools or instruments are not recovered, Customer shall pay Halliburton its replacement cost unless such loss is due to the sole negligence of Halliburton. If Halliburton equipment, tools or instruments are damaged in the well, Customer shall pay Halliburton the lesser of its replacement cost or the cost of repairs unless such damage is caused by the sole negligence of Halliburton. In the case of equipment, tools or instruments for marine operations, Customer shall, in addition to the foregoing, be fully responsible for loss of or damage to any of Halliburton's equipment, tools or instruments which occurs at any time after delivery to Customer at the landing until returned to the landing, unless such loss or damage is caused by the sole negligence of Halliburton.
- f) To waive the provisions of the Deceptive Trade Practices - Consumer Protection Act, to the extent permitted by law.
- g) That this contract shall be governed by the law of the state where services are performed or materials are furnished.
- h) That Halliburton shall not be bound by any changes or modifications in this contract, except where such change or modification is made in writing by a duly authorized executive officer of Halliburton.

I HAVE READ AND UNDERSTAND THIS CONTRACT AND REPRESENT
THAT I AM AUTHORIZED TO SIGN THE SAME AS CUSTOMER'S AGENT.SIGNED Jack K. Venable CUSTOMERDATE 4-4-93TIME 8:30 AM P.M.

WELL DATA

FIELD W.C. SEC. 19 TWP. 14S RNG. 51E COUNTY CLAY COUNTY STATE CO

FORMATION NAME _____ TYPE _____

FORMATION THICKNESS _____ FROM _____ TO _____

INITIAL PROD: OIL _____ BPD. WATER _____ BPD. GAS _____ MCFD _____

PRESENT PROD: OIL _____ BPD. WATER _____ BPD. GAS _____ MCFD _____

COMPLETION DATE _____ MUD TYPE _____ MUD WT. _____

PACKER TYPE _____ SET AT _____

BOTTOM HOLE TEMP. _____ PRESSURE _____

MISC. DATA _____ TOTAL DEPTH _____

	NEW USED	WEIGHT	SIZE	FROM	TO	MAXIMUM PSI ALLOWABLE
CASING			8 1/2	KA	512	
LINER						
TUBING			4 1/2	PS	2156	
OPEN HOLE			7 7/8	512	6226	SHOTS/FT.
PERFORATIONS						
PERFORATIONS						
PERFORATIONS						

JOB DATA

TOOLS AND ACCESSORIES		
TYPE AND SIZE	QTY.	MAKE
FLOAT COLLAR		
FLOAT SHOE		
GUIDE SHOE		
CENTRALIZERS		
BOTTOM PLUG		
TOP PLUG		
HEAD		
PACKER		
OTHER		

CALLS OUT	ON LOCATION	JOB STARTED	JOB COMPLETED
DATE <u>4-4-73</u>	DATE <u>4-4-73</u>	DATE <u>4-4-73</u>	DATE <u>4-4-73</u>
TIME <u>4:30</u>	TIME <u>7:30</u>	TIME <u>10:00</u>	TIME _____

PERSONNEL AND SERVICE UNITS

NAME	UNIT NO. & TYPE	LOCATION
<u>C. K. ...</u>	<u>2572</u>	<u>CLAY CO.</u>
<u>D. ...</u>	<u>4037</u>	
<u>C. ...</u>	<u>34459</u>	

RECEIVED

DEPARTMENT COLO. OIL & GAS COMM.

DESCRIPTION OF JOB PTI

JOB DONE THRU: TUBING ☒ CASING ☐ ANNULUS ☐ TBG/ANN. ☐

CUSTOMER REPRESENTATIVE X Jack K. ...

HALLIBURTON OPERATOR C. ... COPIES REQUESTED _____

CEMENT DATA

STAGE	NUMBER OF SACKS	CEMENT	BRAND	BULK SACKED	ADDITIVES	YIELD CU.FT./SK.	MIXED LBS./GAL.
1	40	SP-1	S			1.15	15.6
2	40						
3	40						
4	40						
5	10						

PRESSURES IN PSI

SUMMARY

VOLUMES

CIRCULATING _____ DISPLACEMENT _____ PRESURUSH: BBL-GAL. _____ TYPE _____

BREAKDOWN _____ MAXIMUM _____ LOAD & BKDN: BBL-GAL. _____ PAD: BBL-GAL. _____

AVERAGE _____ FRACTURE GRADIENT _____ TREATMENT: BBL-GAL. _____ DISPL: BBL-GAL. _____

SHUT-IN: INSTANT _____ 5-MIN. _____ 15-MIN. _____ CEMENT SLURRY: BBL-GAL. _____

HYDRAULIC HORSEPOWER _____ TOTAL VOLUME: BBL-GAL. _____

ORDERED _____ AVAILABLE _____ USED _____ REMARKS _____

AVERAGE RATES IN BPM _____

TREATING _____ DISPL. _____ OVERALL _____

CEMENT LEFT IN PIPE _____

FEET _____ REASON _____



DATE 4-4-93	CUSTOMER ORDER NO.	WELL NO. AND FARM # 1ottawa ### 44-19	COUNTY Cheyenne	STATE CO.
CHARGE TO UPRC		OWNER Same	CONTRACTOR Murfin 25	No. B 127586
MAILING ADDRESS		DELIVERED FROM Lamar	LOCATION CODE 25615	
CITY & STATE		DELIVERED TO LOC.	TRUCK NO. 4037-8151	PREPARED BY MCINTRE
				RECEIVED BY ASHLEY

[illegible]

JOB LOG

FORM 2013 R-2

WE O. 1 LEASE 11/1/12 TICKET NO. 1761
 CUSTOMER UPRC. PAGE NO. 1
 JOB TYPE P.I.A. DATE 4-4-93

CHART NO.	TIME	RATE (BPM)	VOLUME (BBL) (GAL)	PUMPS		PRESSURE (PSI)		DESCRIPTION OF OPERATION AND MATERIALS
				T	C	TUBING	CASING	
								2592 P.C.P.
								12 145 512
								CHEYENNE CO. COLO. OIL & GAS CONS. COMM.
								SAFETY MEETING. DONUT HANDED. CR.
								EDNA WHITE PUPPING. 1000 ² MAX P.S.
	7:30							REQ ON LOC.
	7:30							ON LOC.
								RIG LAID DOWN D.P.
								1ST PLUG. 3156 FT. HASK
		6	10			400		H2O AHEAD.
		6	8			400		MIX CMT
		6	3.5			400		H2O BEHIND.
	10:15	6	39			400		MUL. BEHIND.
								2nd PLUG. 2340 FT. HASK
		6	10			300		H2O AHEAD.
		6	8			300		MIX CMT
		6	3.5			300		H2O BEHIND.
	11:10	6	27			300		MUL. BEHIND.
								3rd PLUG. 2067 FT. HASK
		6	10			250		H2O AHEAD.
		6	8			250		MIX CMT
		6	3.5			250		H2O BEHIND.
	11:40	6	23			250		MUL. BEHIND.
								4th PLUG. 561 FT. HASK
		4	30			200		CIR. HOLE
		4	8			200		MIX CMT
	12:35	4	4			200		DISP. DP.
								5th PLUG. 100 FT. 10 SK
			2					MIX GRAD. CMT.
	15:00							FILL RT 2 MS.

CUSTOMER

