

WELL NAME: APACHE CANYON 20-11, API #: 071-09868, INSP. # 695108681




PHOTO 1: WELL SIGN



COLORADO  
Energy & Carbon Management  
Commission  
Department of Natural Resources



**PHOTO 2: LOCATION**







**PHOTO 3: WELLHEAD AND EQUIPMENT, WELLHEAD WAS NOT LEAKING AT TIME OF INSPECTION.**



**PHOTO 4: 15 BBL PRODUCED WATER TANK.**







**PHOTO 5: Signs of recent slow leak from wellhead. Salt/mineral buildup is evident on the wellhead. Securely fasten all valves, pipes, fittings, and Production Facilities to ensure good mechanical condition, remove salt/mineral buildup, inspect at regular intervals and maintain in good mechanical condition per Rule 608.e. CA DATE 11-19-2023.**







**PHOTO 6:** Produced water spill from the wellhead has left a salt impacted area around the wellhead. **Securely fasten all valves, pipes, fittings, and Production Facilities to ensure good mechanical condition, inspect at regular intervals, remove salts/mineral impacted soils, and maintain in good mechanical condition per Rule 608.e. CA DATE 11-19-2023.**







**PHOTO 7: NO STORM WATER BMP'S INSTALLED OR BMP'S ON ROW DRAINAGE DITCH JUST SOUTH OF LOCATION HAS CAUSED EROSION ON AND ALONG SIDE ROW. Install or repair required BMPs per Rule 1002.f.(2)C CA DATE 11-19-2023.**







**PHOTO 8: NO STORM WATER BMP'S INSTALLED OR BMP'S ON ROW DRAINAGE DITCH JUST SOUTH OF LOCATION HAS CAUSED EROSION ON AND ALONG SIDE ROW. Install or repair required BMPs per Rule 1002.f.(2)C CA DATE 11-19-2023.**







**PHOTO 9: NO STORM WATER BMP'S INSTALLED OR BMP'S ON ROW DRAINAGE DITCH JUST SOUTH OF LOCATION HAS CAUSED EROSION ON AND ALONG SIDE ROW. Install or repair required BMPs per Rule 1002.f.(2)C CA DATE 11-19-2023.**

