

State of Colorado
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:
403535410

Date Received:
09/19/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

1 of 2 CAs from the FIR responded to on this Form

1 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 8960
Name of Operator: BONANZA CREEK ENERGY OPERATING COMPANY LLC
Address: 410 17TH STREET SUITE #1400
City: DENVER State: CO Zip: 80202

Contact Name and Telephone:
Name: _____
Phone: () _____ Fax: () _____
Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
<u>Luke Kelly</u>	<u>970-939-6353</u>	<u>lkelly@civiresources.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 697504606
Inspection Date: 04/20/2023 FIR Submit Date: 04/21/2023 FIR Status: _____

Inspected Operator Information:

Company Name: BONANZA CREEK ENERGY OPERATING COMPANY LLC Company Number: 8960
Address: 410 17TH STREET SUITE #1400
City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 331251

Location Name: DOW Number: 21-28 RTB County: _____
Qtrqtr: NENW Sec: 28 Twp: 5N Range: 63W Meridian: 6
Latitude: 40.375970 Longitude: -104.443140

FACILITY - API Number: 05-123-00 Facility ID: 331251

Facility Name: DOW Number: 21-28 RTB
Qtrqtr: NENW Sec: 28 Twp: 5N Range: 63W Meridian: 6
Latitude: 40.375970 Longitude: -104.443140

CORRECTIVE ACTIONS:

1 CA# 169950

Corrective Action: Operator shall coordinate with the midstream Operator to remove equipment per Rule 1004.a.

Date: 04/20/2023

The corrective action date is the date the location was observed out of compliance.

Response: CA COMPLETED

Date of Completion: 09/18/2023

Operator Comment: Field has confirmed that identified equipment has been successfully removed and the necessary culverts have been installed. It has also been noted that the location will begin re-seeding the area to establish vegetation with the approved seed mixture provided. Actions are planned to start next week. Location is now in compliance with Rule 1004.a.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with COGCC standards.

OPERATOR COMMENT AND SUBMITTAL

Comment: CA follow-up has been completed for this location.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Ashley Noonan

Signed: _____

Title: Sr Regulatory Analyst

Date: 9/19/2023 10:19:26 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

Document Number **Description**

403535410	FIR RESOLUTION SUBMITTED
-----------	--------------------------

Total Attach: 1 Files