

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403505948

Date Received:

08/22/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

1 of 1 CAs from the FIR responded to on this Form

1 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 69175

Name of Operator: PDC ENERGY INC

Address: 1099 18TH STREET SUITE 1500

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Tyranny Bergin

Phone

970-313-5547

Email

EHSCOGCCInspections@pdce.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 697504659

Inspection Date: 04/27/2023

FIR Submit Date: 05/03/2023

FIR Status: _____

Inspected Operator Information:

Company Name: PDC ENERGY INC

Company Number: 69175

Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

LOCATION - Location ID: 332492

Location Name: CORNISH-66N63W Number: 3NWNW County: _____

Qtrqr: NWN Sec: 3 Twp: 6N Range: 63W Meridian: 6
W

Latitude: 40.521670 Longitude: -104.430310

FACILITY - API Number: 05-123-00 Facility ID: 332492

Facility Name: CORNISH-66N63W Number: 3NWNW

Qtrqr: NWN Sec: 3 Twp: 6N Range: 63W Meridian: 6
W

Latitude: 40.521670 Longitude: -104.430310

CORRECTIVE ACTIONS:

1 CA# 170473

Corrective Action: Comply with Rule 1004. Reseed disturbance areas using a seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS. Establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of reference area levels. Ensure erosion controls are implemented to stabilize the seeded soil. Operator shall continue to monitor and manage this site until the location meets Rule 1004 standards, including stormwater and weed management.

The corrective date is the date the location was observed out of compliance.

Date: 04/27/2023

Response: CA COMPLETED

Date of Completion: 07/27/2022

Operator
Comment:

Variance already approved with hearing order #22020025 on July 27th, 2022. CA complete.

COGCC Decision: **Not Approved**

COGCC
Representative:

After reviewing the corrective action inspection photos and comparing that to the approved variance, Photos 1 & 2 demonstrate an access road that does not need to be reclaimed per the approved variance. Photos 3-6 demonstrate areas not related to the approved variance; therefore, additional reclamation activities will be required. Since additional reclamation activities are required, this FIRR is not being approved.

OPERATOR COMMENT AND SUBMITTAL

Comment:

Variance already approved with hearing order #22020025 on July 27th, 2022. CA complete.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Tyranny Bergin

Signed: _____

Title: Safety Representative

Date: 8/22/2023 4:24:56 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

| <u>Document Number</u> | <u>Description</u> |
|------------------------|--------------------|
|------------------------|--------------------|

| | |
|-----------|--------------------------|
| 403505948 | FIR RESOLUTION SUBMITTED |
|-----------|--------------------------|

Total Attach: 1 Files