

**FORM
INSP**Rev
X/20**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

10/31/2023

Submitted Date:

11/02/2023

Document Number:

689501432**FIELD INSPECTION FORM**Loc ID _____ Inspector Name: Brown, Kari On-Site Inspection ☐ 2A Doc Num: _____**Operator Information:**OGCC Operator Number: 46290Name of Operator: KP KAUFFMAN COMPANY INCAddress: 1700 LINCOLN ST STE 4550City: DENVER State: CO Zip: 80203**Status Summary:**

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☐ NO FOLLOW UP INSPECTION REQUIRED

Findings:9 Number of Comments4 Number of Corrective Actions☒ Corrective Action Response Requested**ANY CORRECTIVE ACTION(S) FROM
PREVIOUS INSPECTIONS THAT HAVE NOT
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Graber, Nikki		nikki.graber@state.co.us	
,		cogcc@kpk.com	All Inspections
Watzman, Ross	(303) 825-4822	rwatzman@kpk.com	all inspections.
Peterson, John		jpeterson@kpk.com	KPK environmental

Inspected Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
479834	SPILL OR RELEASE	CL	07/30/2021		-	Suckla Farms E #2 Flowline	EI

General Comment:

This is an environmental inspection to determine progress on Spill ID 479834/Remediation Project No 19028. Any corrective actions from previous inspections that have not been addressed are still applicable.

There were no operator or contract environmental personnel on location at the time of this field inspection.

Photos attached to document site conditions.

LocationOverall Good: ☐

Emergency Contact Number:

Comment: Corrective Action: Date: **Good Housekeeping:**

Type	WEEDS		
Comment:	Weeds overgrown throughout the location including within and outside of the excavation and through the excavation fencing.		
Corrective Action:	Comply with Rule 606.		Date: 11/13/2023
Type	TRASH		
Comment:	Stromwater BMPs have not been maintained and are now trash.		
Corrective Action:	Comply with good housekeeping Rule 606.		Date: 11/14/2023

Overall Good: ☐**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment: ☐ Multiple Spills and Releases?**Fencing/:**

Type			
Comment:	Orange fencing surrounding open excavation.		
Corrective Action:			Date:

Venting:

Yes/No			
Comment:			
Corrective Action:			Date:

Flaring:

Type			
Comment:			
Corrective Action:			Date:

Environmental**Spills/Releases:**

Type of Spill: _____

Estimated Spill Volume: _____

Comment: Quarterly reporting is required for Remediation Project #19028. Operator is past due on quarterly reporting. The last Supplemental Form 27 was received on October 18, 2022 (Doc #403193299)

Corrective Action: In accordance with Rule 913.e.(3), Operator will adopt and maintain a quarterly reporting schedule. Operator will maintain quarterly reporting until the site investigation is complete and the implementation schedule can be updated.

Date: 01/16/2023

Reportable: _____

GPS: Lat _____

Long _____

Proximity to Surface Water: _____

Depth to Ground Water: _____

Water Well Complaint:

Lat _____

Long _____

DWR Receipt Num: _____

Owner Name: _____

GPS : _____

Field Parameters:

Sample Location: _____

Comment: _____

Spill/Remediation:

Comment: A small excavation remains open at the location as well as surface scraping outside the excavation area. No additional excavation has been performed since 2021 when visibly impacted soil was noted within the excavation.

Corrective Action: In accordance with 913.d.(1) Operator will investigate impacts to soil, Groundwater, and surface water as soon as the impacts are discovered.

Date: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Attached DocumentsYou can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
689501433	Inspection Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6307444