

Location

Overall Good:

Signs/Marker:

Type	WELLHEAD		
Comment:	adequate		
Corrective Action:		Date:	

Emergency Contact Number:

Comment:		Date:	
Corrective Action:			

Good Housekeeping:

Type	WEEDS		
Comment:	undesirable vegetation growing around the WH and fencing		
Corrective Action:	Comply with Rule 606	Date:	11/10/2023

Overall Good:

Spills:

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment:

Multiple Spills and Releases?

Fencing/:

Type	WELLHEAD		
Comment:	AG panel		
Corrective Action:		Date:	

Equipment:

Type: Plunger Lift	# 1		corrective date
Comment:			
Corrective Action:		Date:	
Type: Ancillary equipment	# 1		
Comment:	automation		
Corrective Action:		Date:	
Type: Bradenhead	# 1		
Comment:	exposed at surface		
Corrective Action:		Date:	

Venting:

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

Flaring:

Type			
------	--	--	--

Comment:	
Corrective Action:	Date:

Inspected Facilities

Facility ID: 256467 Type: WELL API Number: 123-19873 Status: TA Insp. Status: TA

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: _____

Comment:

Corrective Action: Date: _____

BradenHead

Date of Last Brhd Test: 08/04/2023 Annual Brhd Completed? Yes

Last Brhd Test Results Initial Surf Csg Pressure: 0 Fluid Type: _____

End Surf Csg Pressure: 0

Comment:

Corrective Action: Date: _____

Reclamation - Storm Water - Pit

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

Comment:

Corrective Action:

Date: _____

Pits: NO SURFACE INDICATION OF PIT

COGCC Comments

Comment	User	Date
<p>ECMC Inspection Report Summary On Friday 11-3-2023 at approximately 1130 hrs. I, Inspector Robbie Revas, Conducted an on-site inspection: Operator: Civitas Location name: Sprague 42-9 API #05-123-19873 County: Weld Weather: Clear, Sunny. Location: Dry. While there, I observed a wellsite, TA at the time of the inspection. During this inspection, I observed the following possible compliance issues: 606 Housekeeping: CA date 11-10-2023. See attached photos. A follow up site inspection is needed to ensure that the addressed Compliance issues comply with ECMC rules.</p>	revasr	11/03/2023

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
702402464	location pics	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6309301