

State of Colorado  
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:  
403585542

Date Received:  
11/06/2023

**FIR RESOLUTION FORM**

Overall Status: CAC

CA Summary:

1 of 1 CAs from the FIR responded to on this Form

1 CA Completed  
0 Factual Review Request

**OPERATOR INFORMATION**

OGCC Operator Number: 100322

Name of Operator: NOBLE ENERGY INC

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name	Phone	Email
-		<a href="mailto:rbucogccinspectionreports@chevron.onmicrosoft.com">rbucogccinspectionreports@chevron.onmicrosoft.com</a>

**COGCC INSPECTION SUMMARY:**

FIR Document Number: 707601971

Inspection Date: 10/19/2023

FIR Submit Date: 10/19/2023

FIR Status: \_\_\_\_\_

Inspected Operator Information:

Company Name: NOBLE ENERGY INC

Company Number: 100322

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 323370

Location Name: HOLMAN-65N64W Number: 14SWNE County: \_\_\_\_\_

Qtrqtr: SWNE Sec: 14 Twp: 5N Range: 64W Meridian: 6

Latitude: 40.401436 Longitude: -104.514745

FACILITY - API Number: 05-123-00 Facility ID: 323370

Facility Name: HOLMAN-65N64W Number: 14SWNE

Qtrqtr: SWNE Sec: 14 Twp: 5N Range: 64W Meridian: 6

Latitude: 40.401436 Longitude: -104.514745

**CORRECTIVE ACTIONS:**

1  CA# 185493

Corrective Action: \*Remove, manage, & control overgrown vegetation around produced H2O vault.  
Comply with Rule 606.c.  
Corrective Action date: 11/20/2023. (30-days).  
See photo #3.

Date: 11/20/2023

Response: CA COMPLETED

Date of Completion: 11/03/2023

Operator Comment: Complied with rule 606.c. please see attached picture

COGCC Decision: Approved

COGCC Reference:  
Representative: Follow-up Field Inspection Report doc #707602019, dated: 11/03/2023. This inspection confirms that, \*\*Overgrown vegetation at produced H2O vault NOW mitigated as of 11/03/2023. See photo(s) #3, 4. CECMC photos were attached to verify compliance. Corrective Action(s): Resolved.

**OPERATOR COMMENT AND SUBMITTAL**

Comment: Complied with rule 606.c. please see attached picture

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Javier Pellacani Signed: \_\_\_\_\_

Title: HSE Date: 11/6/2023 10:15:43 AM

**ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403585542	FIR RESOLUTION SUBMITTED
403585545	Pic

Total Attach: 2 Files