

Sample Collection 11/03/23

FC Produced Water Injection sample results

L1674179

Sample Designation	time collected	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Xylenes, Total (mg/l)	1,2,4-Trimethylbenzene (mg/l)	1,3,5-Trimethylbenzene (mg/l)	Napthalene (mg/l)	TPH-GRO (mg/l)	TPH-DRO (mg/l)	Hex Chr (mg/l)	Phosphorus (mg/l)	pH	Total Dissolved Solids (mg/l)	Susp Solids (mg/l)	Alkalinity (mg/l)	Hex Chr (mg/l)	Sp Conductance umhos/cm	Bromide (mg/l)	Chloride (mg/l)	Fluoride (mg/l)	Nitrate as N (mg/l)	Nitrite as N (mg/l)	Sulfate (mg/l)	Arsenic (mg/l)	Barium (mg/l)	Boron (mg/l)	Cadmium (mg/l)	Copper (mg/l)	Lead (mg/l)	Nickel (mg/l)	Selenium	Silver (mg)	Zinc (mg/l)	
FC-PWP	10:00	3.06	4.10	0.356	1.58	0.205	ND		27.6		ND	ND	7.26	6760	3.70	1250.00	ND	13700	ND	2010	ND	ND	ND	3270	ND	0.166	3.98	ND	ND	ND	ND	ND	ND	ND	ND