


Form 9-330


 Budget Bureau No. 42-R355.4.  
 Approval expires 12-31-60.


LOCATE WELL CORRECTLY

103 · 06379

 U. S. LAND OFFICE County  
 SERIAL NUMBER Fee lease  
 LEASE OR PERMIT TO PROSPECT

 UNITED STATES  
 DEPARTMENT OF THE INTERIOR  
 GEOLOGICAL SURVEY

 RECEIVED  
 MAY - 2 1966

 OIL & GAS  
 CONSERVATION COMMISSION

## LOG OF OIL OR GAS WELL

 Company Theo Wood Address 280. W. Haven Ave., S. L. C. Utah  
 Lessor or Tract Fee lease Field Rangely State Colorado  
 Well No. # 1 Sec. 12 T. 1 N. R. 103 W. Meridian 6th P.M. County Rio Blanco  
 Location 1383 ft. [N.] of S. Line and 1846 ft. [W.] of E. Line of Sec. 12 Elevation 5250'  
 (Derrick floor relative to sea level)

 The information given herewith is a complete and correct record of the well and all work done thereon  
 so far as can be determined from all available records.

Signed

*W. Don Gungley*  
 Title Cons. Geol.
Date April 27, 1966

The summary on this page is for the condition of the well at above date.

 Commenced drilling Feb. 17, 19 66 Finished drilling Mar. 30, 19 66

## Oil Zones

## OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from <u>3820</u> to <u>3860</u>	No. 4, from <u>6100'</u> to <u>6130'</u>
No. 2, from <u>4210'</u> to <u>4260'</u>	No. 5, from _____ to _____
No. 3, from <u>5700'</u> to <u>5740'</u>	No. 6, from _____ to _____

## IMPORTANT WATER SANDS

No. 1, from <u>2690'</u> to <u>2720'</u>	No. 3, from _____ to _____
No. 2, from _____ to _____	No. 4, from _____ to _____

## CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
7"	23	8 rd	J-55	2838'	Guide	1599'			FILE
HISTORY OF OIL OR GAS WELL									
6290 TD									

## MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

MARK



## PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_

Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

## SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

## TOOLS USED

Rotary tools were used from Surface feet to T. D. feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.

**DATES**

-----, 19----- Put to producing -----, 19-----

The production for the first 24 hours was ----- barrels of fluid of which ----- % was oil; ----- % emulsion; ----- % water; and ----- % sediment. Gravity, °Bé. -----

If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_

Rock pressure, lbs. per sq. in. -----

**EMPLOYEES**

----- Scott Killpack -----, Driller

Jerry Hatch	Driller
-------------	---------

# FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Surface	2470'	2470'	Mesaverde Formation
2470'	2690'	220'	Buck Tongue of Mancos
2690'	3815'	1125'	Upper Mancos
3815'	3900'	85'	Emery zone
3900'	6000' ?	2100'	Middle Mancos
6000'	6299' T.D.	299'	Niobrara zone
			No E-logs were run
FROM—	TO—	TOTAL FEET	FORMATION

No E-logs were run

[OVER]

FORMATION RECORD—Continued