



ANALYTICAL REPORT

October 16, 2023

Anschutz Exploration Corporation

Sample Delivery Group: L1662745
Samples Received: 10/04/2023
Project Number:
Description: Pinyon Ridge
Site: PINYON RIDGE
Report To: Schuyler Hamilton
555 17th Street Suite 2400
Denver, CO 80202

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Entire Report Reviewed By:

T. Alan Harvill
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

ACCOUNT:

Anschutz Exploration Corporation

PROJECT:

SDG:

L1662745

DATE/TIME:

10/16/23 11:40

PAGE:

1 of 13

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	³ Ss
231003_PINYONRIDGE_PW L1662745-01	5	⁴ Cn
Qc: Quality Control Summary	6	
Wet Chemistry by Method 3500Cr C-2011	6	⁵ Sr
Wet Chemistry by Method 4500H+ B-2011	7	
Metals (ICP) by Method 200.7	8	⁶ Qc
Metals (ICPMS) by Method 200.8	9	
Gl: Glossary of Terms	11	⁷ Gl
Al: Accreditations & Locations	12	⁸ Al
Sc: Sample Chain of Custody	13	⁹ Sc

SAMPLE SUMMARY

231003_PINYONRIDGE_PW L1662745-01 WW

Collected by
Ahmed Shah

Collected date/time
10/03/23 12:30

Received date/time
10/04/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 3500Cr C-2011	WG2148999	1	10/12/23 13:36	10/12/23 13:36	SET	Mt. Juliet, TN
Wet Chemistry by Method 4500H+ B-2011	WG2146374	1	10/08/23 13:00	10/08/23 13:00	BJM	Mt. Juliet, TN
Metals (ICP) by Method 200.7	WG2147294	5	10/08/23 08:23	10/10/23 12:56	JTM	Mt. Juliet, TN
Metals (ICPMS) by Method 200.8	WG2145211	5	10/09/23 16:52	10/15/23 16:48	SJM	Mt. Juliet, TN
Metals (ICPMS) by Method 200.8	WG2145211	500	10/09/23 16:52	10/16/23 09:58	SJM	Mt. Juliet, TN

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

ACCOUNT:

Anschutz Exploration Corporation

PROJECT:

SDG:

L1662745

DATE/TIME:

10/16/23 11:40

PAGE:

3 of 13

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



T. Alan Harvill
Project Manager



Wet Chemistry by Method 3500Cr C-2011

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Hexavalent Chromium	U		0.000150	0.000500	1	10/12/2023 13:36	WG2148999

Wet Chemistry by Method 4500H+ B-2011

Analyte	Result su	Qualifier	Dilution	Analysis date / time	Batch
pH	6.46	T8	1	10/08/2023 13:00	WG2146374

Sample Narrative:

L1662745-01 WG2146374: 6.46 at 20.1C

Metals (ICP) by Method 200.7

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Boron	26.5		0.198	1.00	5	10/10/2023 12:56	WG2147294

Metals (ICPMS) by Method 200.8

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Arsenic	U		0.000975	0.00500	5	10/15/2023 16:48	WG2145211
Barium	72.9		0.238	2.50	500	10/16/2023 09:58	WG2145211
Cadmium	U		0.000800	0.00500	5	10/15/2023 16:48	WG2145211
Copper	0.0621		0.00335	0.00500	5	10/15/2023 16:48	WG2145211
Lead	0.00440	J	0.00256	0.0100	5	10/15/2023 16:48	WG2145211
Nickel	U		0.00257	0.0100	5	10/15/2023 16:48	WG2145211
Selenium	U		0.00218	0.0100	5	10/15/2023 16:48	WG2145211
Silver	U		0.000720	0.00500	5	10/15/2023 16:48	WG2145211
Zinc	U		0.0398	0.100	5	10/15/2023 16:48	WG2145211

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Method Blank (MB)

(MB) R3985466-1 10/12/23 08:05

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
Hexavalent Chromium	U		0.000150	0.000500

L1664748-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1664748-03 10/12/23 09:33 • (DUP) R3985466-5 10/12/23 09:44

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Hexavalent Chromium	U	U	1	0.000		20

L1665018-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1665018-01 10/12/23 12:28 • (DUP) R3985466-6 10/12/23 12:39

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Hexavalent Chromium	0.00154	0.00154	1	0.266		20

Laboratory Control Sample (LCS)

(LCS) R3985466-2 10/12/23 08:16

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/l	mg/l	%	%	
Hexavalent Chromium	0.00200	0.00213	107	90.0-110	

L1664748-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1664748-01 10/12/23 09:00 • (MS) R3985466-3 10/12/23 09:11 • (MSD) R3985466-4 10/12/23 09:22

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Hexavalent Chromium	0.0500	0.00182	0.0530	0.0532	102	103	1	90.0-110			0.394	20

L1665047-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1665047-01 10/12/23 13:01 • (MS) R3985466-7 10/12/23 13:12

	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Analyte	mg/l	mg/l	mg/l	%		%	
Hexavalent Chromium	0.0500	0.000351	0.0518	103	1	90.0-110	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

L1662010-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1662010-02 10/08/23 13:00 • (DUP) R3983454-2 10/08/23 13:00

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	su	su		%		%
pH	8.02	8.00	1	0.250		1

Sample Narrative:

OS: 8.02 at 20.8C

DUP: 8 at 20.5C

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1663044-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1663044-01 10/08/23 13:00 • (DUP) R3983454-3 10/08/23 13:00

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	su	su		%		%
pH	6.97	6.97	1	0.000		1

Sample Narrative:

OS: 6.97 at 20.5C

DUP: 6.97 at 20.2C

Laboratory Control Sample (LCS)

(LCS) R3983454-1 10/08/23 13:00

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	su	su	%	%	
pH	10.0	10.0	100	99.0-101	

Sample Narrative:

LCS: 10 at 20.7C

Method Blank (MB)

(MB) R3983802-8 10/09/23 12:25

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
Boron	U		0.0396	0.200

Laboratory Control Sample (LCS)

(LCS) R3983802-9 10/09/23 12:28

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/l	mg/l	%	%	
Boron	1.00	0.985	98.5	85.0-115	

L1661900-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1661900-02 10/09/23 12:30 • (MS) R3983802-11 10/09/23 12:36 • (MSD) R3983802-12 10/09/23 12:38

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Boron	1.00	0.216	1.13	1.23	91.0	102	1	70.0-130			9.04	20

L1661948-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1661948-02 10/09/23 12:41 • (MS) R3983802-13 10/09/23 12:43 • (MSD) R3983802-14 10/09/23 12:46

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Boron	1.00	0.117	1.10	1.09	98.1	97.6	1	70.0-130			0.388	20

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3986510-1 10/15/23 15:03

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic	U		0.000195	0.00100
Barium	U		0.000476	0.00500
Cadmium	U		0.000160	0.00100
Copper	U		0.000670	0.00100
Lead	U		0.000513	0.00200
Nickel	U		0.000514	0.00200
Selenium	U		0.000437	0.00200
Silver	U		0.000144	0.00100
Zinc	U		0.00796	0.0200

Laboratory Control Sample (LCS)

(LCS) R3986510-2 10/15/23 15:07

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	0.0500	0.0524	105	85.0-115	
Barium	0.0500	0.0490	98.1	85.0-115	
Cadmium	0.0500	0.0517	103	85.0-115	
Copper	0.0500	0.0470	94.0	85.0-115	
Lead	0.0500	0.0523	105	85.0-115	
Nickel	0.0500	0.0516	103	85.0-115	
Selenium	0.0500	0.0492	98.3	85.0-115	
Silver	0.0500	0.0500	99.9	85.0-115	
Zinc	0.0500	0.0507	101	85.0-115	

L1661990-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1661990-02 10/15/23 15:10 • (MS) R3986510-4 10/15/23 15:16 • (MSD) R3986510-5 10/15/23 15:20

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	0.0500	0.000704	0.0534	0.0520	105	103	1	70.0-130			2.60	20
Barium	0.0500	0.0143	0.0654	0.0644	102	100	1	70.0-130			1.49	20
Cadmium	0.0500	U	0.0517	0.0514	103	103	1	70.0-130			0.466	20
Copper	0.0500	0.00871	0.0565	0.0547	95.7	92.0	1	70.0-130			3.26	20
Lead	0.0500	U	0.0544	0.0545	109	109	1	70.0-130			0.177	20
Nickel	0.0500	0.00223	0.0540	0.0528	104	101	1	70.0-130			2.24	20
Selenium	0.0500	U	0.0503	0.0501	101	100	1	70.0-130			0.338	20
Silver	0.0500	U	0.0498	0.0496	99.6	99.1	1	70.0-130			0.528	20
Zinc	0.0500	0.0229	0.0728	0.0717	99.7	97.5	1	70.0-130			1.57	20

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1662293-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1662293-01 10/15/23 15:23 • (MS) R3986510-6 10/15/23 15:26 • (MSD) R3986510-7 10/15/23 15:29

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	0.0500	0.00206	0.0524	0.0527	101	101	1	70.0-130			0.710	20
Barium	0.0500	0.0186	0.0686	0.0678	99.9	98.3	1	70.0-130			1.14	20
Cadmium	0.0500	U	0.0535	0.0529	107	106	1	70.0-130			1.17	20
Copper	0.0500	0.00868	0.0549	0.0542	92.4	91.1	1	70.0-130			1.18	20
Lead	0.0500	0.000522	0.0551	0.0533	109	106	1	70.0-130			3.43	20
Nickel	0.0500	0.0559	0.108	0.106	105	99.8	1	70.0-130			2.30	20
Selenium	0.0500	U	0.0505	0.0510	101	102	1	70.0-130			1.04	20
Silver	0.0500	0.000167	0.0504	0.0504	100	100	1	70.0-130			0.0142	20
Zinc	0.0500	0.0735	0.127	0.129	106	111	1	70.0-130			1.77	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
T8	Sample(s) received past/too close to holding time expiration.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.








<div>CHAIN-OF-CUSTODY Analytical Request Document</div> <div>Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields</div>										LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here														
Company: Anschutz Exploration Corp					Billing Information: Info on file					ALL SHADED AREAS are for LAB USE ONLY														
Address: Info on file										Container Preservative Type **					Lab Project Manager:									
Report To: schuyler.hamilton@aec-denver.com					Email To: Info on file					** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other														
Copy To: sage.maher@confluence-cc.com remediation@confluence-cc.com					Site Collection Info/Address:					Analyses					Lab Profile/Line:									
Customer Project Name/Number: Pinyon Ridge					State: CO County/City: Mesa Time Zone Collected: [] PT [x] MT [] CT [] ET										Lab Sample Receipt Checklist:									
Phone: Info on file					Site/Facility ID #: Pinyon Ridge					Compliance Monitoring? [] Yes [] No					Custody Seals Present/Intact Y N [x]									
Email: Info on file															Custody Signatures Present Y N [x]									
Collected By (print): Ahmed Shah					Purchase Order #: Standard TAT					DW PWS ID #:					Collector Signature Present Y N [x]									
Collected By (signature): 					Turnaround Date Required: Standard TAT					DW Location Code:					Bottles Intact Y N [x]									
Sample Disposal: [x] Dispose as appropriate [] Return					Rush: [] Same Day [] Next Day					Immediately Packed on Ice: [x] Yes [] No					Correct Bottles Y N [x]									
[] Archive:					[] 2 Day [] 3 Day [] 4 Day [] 5 Day					Field Filtered (if applicable): [] Yes [x] No					Sufficient Volume Y N [x]									
[] Hold:					(Expedite Charges Apply)					Analysis:					Samples Received on Ice Y N [x]									
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)										VOA - Headspace Acceptable Y N [x]														
Customer Sample ID		Matrix *		Comp / Grab		Collected (or Composite Start)		Composite End		Res Cl		# of Ctns		USDA Regulated Soils Y N [x]										
231003_PinyonRidge_PW		WW		GRAB		10/03/23 1230						2		Samples in Holding Time Y N [x]										
										Residual Chlorine Present Y N [x]														
										Cl Strips:														
										Sample pH Acceptable Y N [x]														
										pH Strips:														
										Sulfide Present Y N [x]														
										Lead Acetate Strips:														
										LAB USE ONLY:														
										Lab Sample # / Comments:														
										L1662745														
										-01														
Customer Remarks / Special Conditions / Possible Hazards:										Type of Ice Used: Wet Blue Dry None					SHORT HOLDS PRESENT (<72 hours): Y N N/A					Lab Sample Temperature Info:				
										Packing Material Used:					Lab Tracking #: 6025 5572 2085					Temp Blank Received: Y N NA				
										Radchem sample(s) screened (<500 cpm): Y N NA					Samples received via: FEDEX UPS Client Courier Pace Courier					Therm ID#: 4.9				
Relinquished by/Company: (Signature) 					Date/Time: 10/03/2023					Received by/Company: (Signature) 					Date/Time: D248					Cooler 1 Temp Upon Receipt: 4.9				
Relinquished by/Company: (Signature) 					Date/Time: 10/3/23 1200					Received by/Company: (Signature)					Date/Time:					Cooler 1 Therm Corr. Factor: 0				
Relinquished by/Company: (Signature)					Date/Time:					Received by/Company: (Signature) Alexa Mitchell @					Date/Time: 10/4/23 0900					Cooler 1 Corrected Temp: 4.9				
																				Comments: PH adj. 10/4/23 1837				
																				Trip Blank Received: Y N NA				
																				HCL MeOH TSP Other				
																				Non Conformance(s): YES / NO				
																				Page: of:				

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	5
Sr: Sample Results	6
230713-PR_C-1W-PIT_SE@5-7 L1635893-01	6
230713-PR_C-1W-PIT_S@5-7 L1635893-02	8
230713-PR_C-1W-PIT_SW@4-5 L1635893-03	10
230713-PR_C-1W-PIT_NW@5-7 L1635893-04	12
230713-PR_C-1W-PIT_N@5-7 L1635893-05	14
230713-PR_C-1W-PIT_NE@3-7 L1635893-06	16
Qc: Quality Control Summary	18
Wet Chemistry by Method 7199	18
Wet Chemistry by Method 9045D	19
Wet Chemistry by Method 9050AMod	20
Metals (ICP) by Method 6010B-NE493 Ch 2	22
Metals (ICPMS) by Method 6020	24
Volatile Organic Compounds (GC) by Method 8015D/GRO	26
Volatile Organic Compounds (GC/MS) by Method 8260B	27
Semi-Volatile Organic Compounds (GC) by Method 8015M	30
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	31
Gl: Glossary of Terms	35
Al: Accreditations & Locations	36

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al